


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



NOVELTIES

see at the end of the catalogue.

HAAGE & SCHMIDT

SEEDGROWERS AND NURSERYMEN

ERFURT
GERMANY

Established 1862


CABLE ADRESS: HAGESMIT ERFURT

Code: A. B. C. (5th edition)



Trade Mark

TRADE SEED - LIST



TERMS AND CONDITIONS.

Prices: Prices are quoted in Reichsmark.

Payment: Accounts are payable within one month from date of invoice by cheque or by Post Office Order. Such remittance should be made by unknown correspondents together with order.

Shipping: Full instructions for packing and forwarding ought to be given with each order. Freight from Erfurt to place of destination, Shipping Charges, Insurance, Duty, Expense of Packing, Consul's Certificate, etc. are to be paid by the consignee. Shipments are made at purchaser's risk.

Packing: Packing materials are charged at cost price.

Correspondence: All communications should be sent direct to our address at Erfurt. — Cable Address: Hagesmit Erfurt. — Code: A. B. C. 5th edition.

Offers and Orders are subjects to be unsold. Crop failure releases us from the responsibility of delivery and allows us to shorten the quantities ordered.

Warranty and Reklamation: We herewith desire to remind our customers, that whilst using out utmost care to supply the seed only of such quality as to ensure entire satisfaction, we give no warranty, as to description, quality or productiveness, there being too many causes known and unkown, which prevent good seeds from germination. We wish it therefore to be distinctly understood that, while we exercise the greatest care to supply all seeds pure and reliable, we are not in any respect liable or responsible for the seeds sold by us or for any loss or damage arising from any failure thereof.

Annuals, Biennials, Ornamental Cucurbitaceae, Perennials, Stove and Greenhouse Plants.

Explanations of signs employed in this list: \odot Annuals, \circledcirc Biennials, \mathfrak{A} Perennials, \square Greenhouse plants, \triangle Stove plants, \S Climbing plants.

Where the sign stands behind the name of the genus, it indicates that the whole genus belongs to the same class.

Novelties in seeds see at the beginning of the list.

	lb. RM	oz. RM		lb. RM	oz. RM
Abronia \odot umbellata, rosy lilac					
Sand Verbena	9.—	.75			
Abrus precatorius, Prayer bean,					
Crab's eye Vine $\triangle \S$	4.50	.40			
Abutilon hybridum, Chinese Bell-					
Flower or Flowering Maple \square :					
mixed	136.—	10.—			
maximum, giantflowering . . .	315.—	22.—			
Acacia \square :					
arabica, Gum Arabic	4.50	.40			
armata, yellow	18.—	1.30			
Baileyana, golden yellow umbels .	18.—	1.30			
cultriformis, very pretty	26.—	2.—			
cyanophylla, blue leaved	13.50	1.15			
dealbata, Silver Wattle	5.50	.50			
decurrens, Black Wattle	7.—	.65			
eburnea	3.70	.30			
Farnesiana (odoratissima)	2.80	.25			
horrida	4.50	.40			
Julibrisin (Albizzia), white . . .	1.30	.15			
Lebbek (Albizzia), quick grow . .	7.50	.65			
longifolia	7.50	.65			
lophantha (Albizzia)	2.50	.25			
„ magnifica	3.—	.25			
„ Neumannii	4.50	.40			
„ speciosa, true	3.30	.30			
„ „ nana compacta	3.30	.30			
Melanoxylon, white, black					
wooded	4.50	.40			
moluccana (Albizzia)	11.—	.80			
Nemu (Albizzia) rose	9.—	.70			
podalyriifolia, golden - yellow,					
early, of great value 1000 s.7.—					
retinoides	8.—	.65			
„ floribunda, for cutting . .	5.50	.50			
semperflorens (Sophora)	3.75	.30			
Sideroxylon	11.—	.80			
Acaena glauca \mathfrak{A}	—	4.50			
Acanthus \mathfrak{A} latifolius	4.50	.40			
lusitanicus	4.50	.40			
mollis	4.50	.40			
Achillea \mathfrak{A} Ageratum, yellow . .	12.—	1.—			
atrata, white, black centre . .					
$\frac{1}{32}$ oz. 2.—					
aurea (tomentosa), golden yellow,					
rare fine for rockeries	—	5.—			
Achillea \mathfrak{A} :					
Clavennae, white, pretty alpine .	—	5.—			
Eupatorium (filipendula) Parkers					
Variety, brilliant yellow for					
cutting	56.—	4.—			
lingulata, white heads	—	10.—			
macedonica, dwarf alpine, rich					
flow., silvery foliage	—	8.—			
millefolium hybr. Kelwayi					
(ruber), magenta red	72.—	5.—			
„ hybr. Cerise Queen	72.—	5.—			
moschata, white, musky odour					
$\frac{1}{32}$ oz. 4.—					
Ptarmica fl. pleno, white . . .	27.—	2.—			
„ fl. pl. The Pearl	80.—	5.50			
Achimenes hybrida mixed \triangle					
100 pkts. 36.—, 10 pkts. 4.—					
Aconitum \mathfrak{A} (Monk's Hood):					
Anthora, pale yellow	18.—	1.30			
aureum, dwarf, yellow, rare . .	—	30.—			
Fischeri, deep blue	36.—	2.80			
japonicum, dark blue	36.—	2.80			
Lycocotonum, light yellow . .	45.—	3.25			
„ pyrenaicum, clear yellow .	—	6.—			
moldavicum, dark violet . . .	—	8.—			
Napellus	19.—	1.50			
„ flore albo, white	54.—	4.—			
„ fl. carneo	54.—	4.—			
„ praecox	32.—	2.50			
„ pyramidale, violet blue .	36.—	2.80			
transsectum	—	4.—			
Wilsonii (introduced by					
Haage & Schmidt) porcelain					
blue, very late	54.—	4.—			
mixture of best and rare species	30.—	2.30			
Acroclinium \odot roseum, pretty					
Everlasting	4.15	.40			
roseum fl. albo	4.15	.40			
„ fl. pleno, double pink . .	5.50	.50			
„ flore albo pleno	5.50	.50			
„ mixed	3.80	.35			
Acrostichum \triangle aureum, aquatic					
$\frac{1}{32}$ oz. 2.—					
Actaea spicata \mathfrak{A}	30.—	2.30			
Adansonia \triangle digitata, Baobab					
100 s. 12.—					
Adenanthera Pavonina \triangle . . .	10.—	.80			

FLOWER SEEDS.

	lb. \$M	oz. \$M
Adenophora ♀ liliifolia, light blue bells	27.—	2.—
polymorpha, deep blue	54.—	4.—
„ alba $\frac{1}{32}$ oz. 1.—	—	22.—
Potaninii, blue	—	4.—
Adenostyles alpina, pale red, alpine		
Adlumia cirrhosa ♀ § (Mountain Fringe, Alleghany Vine), beautiful hardy climber	50.—	3.50
Adonis aestivalis ○ Flos Adonis	—.90	.15
aleppica ○; large flowering, bloodred	—	12.—
autumnalis ○	—.90	.15
vernalis ♀ bright yellow, Spring flower	36.—	2.80
Aetheopappus pulcherrimus (Centaurea) rosy pink, for cutting	98.—	7.—
Aethionema Buxbaumii ○	—	—
coridifolium ♀, rosy pink, beautiful rock plant	—	120.—
grandiflorum ♀ $\frac{1}{32}$ oz. 8.—	—	80.—
persicum, light rose		
Warley Rose, deep rose 1 pkt. 1.—		
Agapanthus ↗, umbellatus (Blue Lily of the Nile)	72.—	5.—
umbellatus fl. albo, white	—	6.—
Agathaea coelestis (amelloides) ↗	13.50	1.15
Agave ↗ albicans 1000 s. 16.—		
americana 1000 s. 6.—		
„ fol. var. 1000 s. 14.—		
attenuata 100 s. 5.—		
Beaucarnei 1000 s. 15.—		
bizonela 1000 s. 10.—		
caespitosa 1000 s. 12.—		
chiapensis 1000 s. 12.—		
Ellemeetiana 100 s. 2.—		
ferox 1000 s. 20.—		
Franzosinii 1000 s. 8.—		
Ghiesbrechtii 1000 s. 6.—		
horrida 1000 s. 7.20		
lophantha 1000 s. 6.—		
macrantha 1000 s. 14.—		
Mülleriana 100 s. 2.50		
picta 1000 s. 10.—		
polyacantha 1000 s. 18.—		
rigida 1000 s. 12.—		
Salmiana 1000 s. 7.—		
stricta see Bonapartea		
Tehuacan 1000 s. 10.—		
Verschaffeltii 1000 s. 9.—		
Victoriae Reginae (Considerantii) 1000 s. 20.—		
mixed 1000 s. 6.—		
Ageratum (Floss-Flower) ○:		
conpicuum, white, winter flg.	36.—	2.80
Lasseauxii, rose	36.—	2.80
mexicanum, blue	5.50	.50
„ album	8.—	.65
„ Aurora (Haage & Schmidt) Novelty citron - orange, dwarf 100 pkts. 70.—		
10 pkts. 8.—		

	lb. \$M	oz. \$M
Ageratum (Floss-Flower) ○:		
mexicanum, Blue Perfection, dwarf	8.50	.75
„ Imperial dwarf, blue	7.—	.65
„ „ dwarf, white	7.—	.65
„ Little Blue Star (Haage & Schmidt) best variety for ribboning or carpet bedding	40.—	3.—
„ Little Dorrit, blue	10.—	.80
„ „ Dorrit, pure white	12.—	1.—
„ nanum cœruleum	6.50	.50
„ „ grandifl. album	9.—	.75
„ „ luteum	13.50	1.15
„ „ Swanley Blue	8.50	.75
Agrimonia ♀ Eupatoria odorata	3.50	.30
Agrostemma coeli - rosa ○ (Rose of Heaven) mixed	3.75	.30
coelirosa alba	3.—	.25
„ fimbriata kermesina	4.15	.40
„ „ nana, rose	5.50	.50
coronaria ♀ (Rose Campion), red	2.—	.15
„ atropurpurea	3.70	.30
„ white	2.—	.15
Flos Jovis ♀, rosy carmine	3.—	.25
hybrida Walkeri ♀, bright rose purple	3.—	.25
Ajuga ♀ genevensis, deep gentian blue $\frac{1}{32}$ oz. 2.50	—	20.—
reptans, blue Bugle		
Alkekengi, see Physalis.		
Alleghany Vine, see Adlumia.		
Allium ♀ atropurpureum	—	8.—
cyaneum, sky blue	—	10.—
fragrans, white	—	2.—
karataviense, lilac blue	—	12.—
Moly, yellow flowers	—	12.—
Ostrowskianum, amaranth red	—	22.—
pedemontanum (narciss.florum), rosy pink, bell shape flowers, fine for rockeries	—	24.—
pulchellum, lilac purple	—	9.—
Rosenbachianum, rosy lilac	—	16.—
• Schubertii, rose red, large umbel	—	16.—
Aloe ↗		
arborescens 1000 s. 14.—		
brevifolia 1000 s. 14.—		
caesia 1000 s. 16.—		
Davyana 1000 s. 18.—		
ferox 1000 s. 7.—		
grandidentata 1000 s. 7.—		
Hanburyana 1000 s. 7.—		
Salmdyckiana 1000 s. 18.—		
Saponaria 1000 s. 7.60		
striata 1000 s. 10.—		
supralaevis 1000 s. 14.—		
umbellata 1000 s. 14.—		
variegata 100 s. 3.60		
mixed 1000 s. 5.50		
Alonsoa ○ albiflora, white	4.50	.40
grandiflora, scarlet	3.70	.30
linifolia, scarlet	6.50	.50
„ gracilis	7.50	.65
miniata compacta coccinea	—	10.—

	lb. RM	oz. RM		lb. RM	oz. RM
Alonsoa ○			Alyssum:		
Mutisii, chamois	—	10.—	saxatile ♀, golden yellow	13.—	1.—
„ comp. rosy chamois	—	10.—	„ compactum	13.—	1.—
Warszewiczii, bright scarlet	5.50	.50	„ sulphureum (citrinum)	—	20.—
„ compacta	8.—	.65	serpyllifolium ♀, pale yellow	—	18.—
Aloysia , see Lippia.			Wulfenianum ♀, most desirable	—	10.—
Alsine (Minuartia) pinifolia (gracilis), white	—	18.—	Amarantus ○: abyssinicus	2.—	.15
Alstroemeria ♀, aurantiaca	120.—	9.—	atropurpureus, beautiful	1.—	.15
chilensis (versicolor)	54.—	4.—	bicolor ruber	3.75	.30
Althaea ♀ cannabina	—	.50	caudatus, Love-lies-bleeding, red	1.—	.15
ficifolia, single flowering, pale yellow	7.50	.50	„ albiflorus (viridis) white	1.—	.15
„ single mixed	4.50	.40	cruentus (Prince's Feather), dark red	1.—	.15
hybrida semperflorens, single flowering annual Hollyhocks .	5.50	.50	Henderi, ornamental foliage	3.75	.30
hybrida semperflorens fl. pleno, semi-double and double flowering everblooming annual Hollyhocks	8.—	.65	hybridus Brilliant	7.50	.65
hybrida semperflorens fimbriata fl. pl., fringed	11.—	.80	hypochondriacus (Prince's feather), red	3.75	.30
officinalis, pale rose	4.15	.40	melancholicus ruber	3.75	.30
rosea fl. pl. (Hollyhocks), choicest English,			monstrosus (Giant Prince's feather)	1.30	.15
1. amaranth, 2. apple blossom, 3. carmine 4. cherry red, 5. lilac 6. pure white, 7. purplish violet, 8. rose, 9. rosy carmine 10. sulphur yellow, separate each	22.—	1.65	salicifolius, Fountain Plant	10.—	.80
mixed	20.—	1.50	tricolor splendens (Joseph's Coat)	7.—	.65
„ fl. pl., Chater's strain, 1. crimson, 2. deep rose, 3. flesh-colour, 4. peach-blossom, 5. pure white, 6. purplish violet, 7. rose, 8. salmony rose, 9. scarlet 10. sulphur yellow, separate each	28.—	2.—	Amaryllis Belladonna 1000 s. 12.—		
choice mixed	24.—	1.80	vittata hybrida, 1000 s. 8.—		
„ single flower. Hollyhocks, 1. chamois, 2. lilac 3. purple, 4. rose, 5. sulphur yellow 6. white, separate each	4.50	.40	„ newest varieties 1000 s. 25.—		
„ single choice mixed	2.80	.25	Amberboa ○ muricata purple	10.—	10.—
„ fimbriata fl. pl. (Alleghany Hollyhocks)	16.—	1.25	muricata rosea (H. & Schm.), light pink	11.—	.80
„ fimbriata alba fl. pl.	16.—	1.25	for others see Centaurea.		
„ „ fl. pl. Exquisit mixed	25.—	2.—	Ambrosia mexicana ○	7.50	.65
taurinensis, rosy lilac	8.—	.65	Amellus annuus ○ for rockeries, lilac fls, yellow disk	7.50	.65
Alyssum argenteum ♀	23.—	1.80	American Cowslip , see Dodecatheon.		
Benthamii (maritimum), ○ Sweet Alyssum, white	5.—	.40	Ammobium ○ alatum grandiflorum white everlasting	2.30	.25
„ compactum erectum	6.50	.50	Anacampseros ↗ filamentosa 1000 s. 5.—		
„ „ lilacinum, Sweet Alyssum „Lilac Queen“ Haage & Schmidt)	13.50	1.15	lanceolata 1000 s. 10.—		
„ „ Little Dorrit, white	13.50	1.15	rufescens 1000 s. 10.—		
„ „ lutescens (H. & Sch.), with yellowish coloured flowers	9.—	.75	species Capetown 1000 s. 5.—		
„ compactum procumbens	11.—	.80	Telephiumstrum 1000 s. 10.—		
„ „ Thorburn's Bouquet	16.—	1.25	Anacyclus radiatus ○ 7.— .65		
Möllendorfianum, ♀, yellow	—	12.—	Anagallis ○:		
montanum ♀, yellow	—	12.—	grandiflora coccinea 22.— 1.65		
rostratum ♀, yellow	32.—	2.50	„ coerulea 22.— 1.65		
			„ mixed 18.— 1.30		

	lb. RM	oz. RM		lb. RM	oz. RM
Alyssum:			Anchusa ○ affinis, azure	28.—	2.—
saxatile ♀, golden yellow	13.—	1.—	altissima	12.—	1.—
„ compactum	13.—	1.—	angustifolia	22.50	1.65
„ sulphureum (citrinum)	—		Barrelieri, deep blue, early	18.—	1.30
serpyllifolium ♀, pale yellow	—		capensis ○, deep sky blue	5.—	.40
Wulfenianum ♀, most desirable	—		„ atrocoerulea (H. & Schm.), extremely dark ultram. blue (Blue Bird)	12.—	1.—
Amarantus ○: abyssinicus	2.—	.15	incarnata, rose, light margined	13.—	1.—
atropurpureus, beautiful	1.—	.15	italica (azurea)	6.50	.50
bicolor ruber	3.75	.30	„ grandifl. Dropmore, large-fld., dark blue	12.—	1.—
caudatus, Love-lies-bleeding, red	1.—	.15	„ grandiflora Opal	23.50	1.80
„ albiflorus (viridis) white	1.—	.15	„ grandifl. Picotee, blue and white	30.—	2.30
cruentus (Prince's Feather), dark red	1.—	.15			
Henderi, ornamental foliage	3.75	.30			
hybridus Brilliant	7.50	.65			
hypochondriacus (Prince's feather), red	3.75	.30			
melancholicus ruber	3.75	.30			
monstrosus (Giant Prince's feather)	1.30	.15			
salicifolius, Fountain Plant	10.—	.80			
tricolor splendens (Joseph's Coat)	7.—	.65			
Amaryllis Belladonna 1000 s. 12.—					
vittata hybrida, 1000 s. 8.—					
„ newest varieties 1000 s. 25.—					
Amberboa ○ muricata purple	10.—	10.—			
muricata rosea (H. & Schm.), light pink	11.—	.80			
for others see Centaurea.					
Ambrosia mexicana ○	7.50	.65			
Amellus annuus ○ for rockeries, lilac fls, yellow disk	7.50	.65			
American Cowslip , see Dodecatheon.					
Ammobium ○ alatum grandiflorum white everlasting	2.30	.25			
Anacampseros ↗ filamentosa 1000 s. 5.—					
lanceolata 1000 s. 10.—					
rufescens 1000 s. 10.—					
species Capetown 1000 s. 5.—					
Telephiumstrum 1000 s. 10.—					
Anacyclus radiatus ○ 7.— .65					
Anagallis ○:					
grandiflora coccinea 22.— 1.65					
„ coerulea 22.— 1.65					
„ mixed 18.— 1.30					
Anchusa ○ affinis, azure	28.—	2.—			
altissima	12.—	1.—			
angustifolia	22.50	1.65			
Barrelieri, deep blue, early	18.—	1.30			
capensis ○, deep sky blue	5.—	.40			
„ atrocoerulea (H. & Schm.), extremely dark ultram. blue (Blue Bird)	12.—	1.—			
incarnata, rose, light margined	13.—	1.—			
italica (azurea)	6.50	.50			
„ grandifl. Dropmore, large-fld., dark blue	12.—	1.—			
„ grandiflora Opal	23.50	1.80			
„ grandifl. Picotee, blue and white	30.—	2.30			

FLOWER SEEDS.

	lb. fl.	oz. fl.		lb. fl.	oz. fl.
Anchusa:					
myosotidiflora, deep blue . . .	—	20.—	Angelonia  grandifl., fine pot plant, very sweetscented . . .	—	22.—
semperflorens richblue, evergreen, May flow.	27.—	2.—	„ grandiflora alba	—	40.—
The Anchusa furnish splendid bee pasture.					
Androsace brigantiaca , dense rosettes of green leaves, white fls.			Angel's Trumpet , see Datura.		
		$\frac{1}{32}$ oz. 4.—	Anona  reticulata 100 s. 3.—		
Charpentieri (brevis) rosy fls.		$\frac{1}{32}$ oz. 12.—	squamosa 100 s. 3.—		
coronopifolia, white umbels . .	—	4.—	Antennaria margaritacea ♀ white umbels, like Imortelle	90.—	6.—
helvetica, white with yellow throat			dioica (Mountain Cat's ear) (Cat's foot), wonderful white to rose coloured perennial for rockeries		
$\frac{1}{32}$ oz. 12.—			$\frac{1}{32}$ oz. 2.—		
obtusifolia, pale rose, yellow eye . .	—	50.—	Anthemis arabica ○	22.—	1.65
septentrionalis, white	—	5.—	cinerea, white	—	4.50
villosa, small wolly rosettes, white flowers.	—	50.—	Kelwayi ♀, lemon yellow	7.50	.65
Vitaliana, rich yellow, silvey tufts			„ alba	10.—	.80
		$\frac{1}{32}$ oz. 4.50	montana ♀, white	—	4.—
Anemone ♀ alpina, white	13.50	1.15	nobilis ♀	72.—	5.—
alpina sulphurea	13.50	1.15	tinctoria ○ ♀, golden yellow	8.—	.65
coronaria (chinensis):			Anthericum ♀ Liliago, white	31.50	2.50
„ chrysanthemiflora fl. pl.,			Liliastrum (Paradisea, Czakia)	45.—	3.25
splendid	36.—	2.80	„ giganteum	63.—	4.50
„ single fld. from Caen, fine			ramosum, small star-like fls.	27.—	2.—
large fld. vars.	18.—	1.30	Antholyza aethiopica ♀	—	1.20
„ single from Caen „His			Anthurium Scherzerianum grandifl.		
Excellency“, vivid scarlet.	36.—	2.80	100 s. 5.—		
„ St. Brigid double and semi			„ grandiflorum, newest hybrids		
double mixed	45.—	3.25	100 s. 6.—		
japonica alba (Honoree Jobert)	—	12.—	Antigonon leptopus , the Mexican Mountain Rose 	11.—	.80
„ new hybrids	—	16.—	Antirrhinum Asarina ♀ large		
mortana rubra, dark red	—	8.—	yellow fls.	—	5.—
narzissiflora, white umbels, alpine	45.—	3.25	calycinum ○	—	1.50
nemorosa	—	3.30	glutinosum, white and yellow fls.		
patens, purple fls. coming before			dwarf rockery plant $\frac{1}{16}$ oz. 6.—		
the foliage	—	12.—	Rock Hybrids, various shades	36.—	2.80
Pulsatilla	45.—	3.25			
„ alba	90.—	6.—			
„ rubra	108.—	7.50			
silvestris, creamy white	27.—	2.—			
Antirrhinum majus (Snapdragon) ○					
majus tall choice mixed					
grandiflorum praecox, early forcing					
„ Golden King, deep canary yellow					
„ Moonlight, golden apricot and oldrose					
„ Princess Elisabeth, soft pink					
„ Rocks White					
„ Sentinel, orange scarlet, white throat					
grandiflorum, Tall Vars. large flowering.					
„ Afterglow, orange red, white throat					
„ Brilliant, scarlet, golden yellow and white					
„ brilliant rose, selfcoloured (Haage & Schmidt)					
„ Carmine King, purplish carmine, white throat					
„ Crescia, dark scarlet					
„ Dalila, carmine, yellow and white					
„ Fire King, vivid orange scarlet, white throat					
„ Galathea, crimson and white					
„ Goliath, salmonrose, shaded apricot					
„ Harmony, deep rich pink, yellow lip					
„ Kardinal, bright scarlet					
„ kermesinum splendens, crimson self					

Antirrhinum majus:

	lb. \$M	oz. \$M
grandiflorum, luteum, yellow	13.50	1.15
„ Monarch, deep velvety crimson	20.—	1.50
„ Othello, violet	16.—	1.50
„ Queen Victoria, pure white, large flow.	13.50	1.15
„ Rose Queen, soft rose, self	16.—	1.25
„ striatum, albo-rubrum, striped red	13.50	1.15
„ „ luteo-rubrum, striped red	13.50	1.15
„ Venus, soft rose	13.50	1.15
„ Finest mixed, from named varieties	11.—	.80

maximum, Tall Vars., giant flowering

„ Altgold	22.50	1.65
„ Apple Blossom	22.50	1.65
„ Bunch of Lilacs, deep lilac	22.50	1.65
„ Canarybird, yellow	22.50	1.65
„ Cattleya, rosy lilac	22.50	1.65
„ Cerberus, dark purple, white throat	22.50	1.65
„ Copperking, nopal red	22.50	1.65
„ Defiance, vermillion scarlet	22.50	1.65
„ Fairy Tale (Haage & Schmidt) salmon rose	27.—	2.—
„ Fireking, coppery-rose, white throat	23.50	1.80
„ Golden Queen, yellow, lilac throat	22.50	1.65
„ Gotelind (Haage & Schmidt) light orange, old rose throat	22.50	1.65
„ Maralda, copper carmine whith yellow	22.50	1.65
„ Mona Lisa (Haage & Schmidt) pure white	27.—	2.—
„ Purple King, velvety dark purple, early	23.50	1.80
„ Reverie (Haage & Schmidt) pure light-rose	27.—	2.—
„ Ruby, ruby carmine	22.50	1.65
„ Snowflake, white, superseded by Mona Lisa	22.50	1.65
„ The Rose, fine pure rose, early	22.50	1.65
„ Wallflower, brownish purple	22.50	1.65
„ Mixed	18.—	1.30

nanum, Intermediate Varieties

„ Albino-Mixture, soft light shades	13.50	1.15
„ Black Prince, deep crimson fls. and foliage	18.—	1.30
„ Bronze King, bronze	16.—	1.25
„ coral red	16.—	1.25
„ Crimson King, blood red, self	20.—	1.50
„ cupreatum, coppery red	13.50	1.15
„ Defiance, cinnabar scarlet	27.—	2.—
„ Eclipse, fiery crimson, lilac throat, forcing	18.—	1.30
„ Fire-King, orange scarlet, white throat	22.—	1.65
„ Flame, brilliant orange-scarlet, large fld.	27.—	2.—
„ Gloriosum, purple carmine, white throat	20.—	1.50
„ Golden Fairy, flush color, lemon spotted, yellow foliage	14.50	1.15
„ Golden Queen, golden yellow	13.50	1.15
„ Heath Rose, white brillantrose lips, forcing	20.—	1.50
„ His Excellency, purest scarlet	27.—	2.—
„ kermesinum splendens	14.50	1.15
„ Mauve Beauty, rosy mauve	18.—	1.30
„ Morning Glow, orange scarlet, white throat	14.50	1.15
„ Nelrose, silvery pink, distinct, forcing	18.—	1.30
„ nigropurpureum, black purple, white throat	18.—	1.30
„ purplish carmine, white throat	16.—	1.25
„ Queen of the North, purest white, straight leaves	13.—	1.—
„ Rembrandt, fiery scarlet, white throat	18.—	1.30
„ Salmon Queen, salmon rose	18.—	1.30
„ striatum albo-rubrum, striped red	16.—	1.25
„ Sulphur Queen	18.—	1.30
„ Dwarf mixed	10.—	.80

nanum grandiflorum, large flowering intermediate Vars.

„ grandiflorum, Amber Queen, yellow and chamois, white throat	16.—	1.25
„ „ Beacon, salmon rose	36.—	2.80
„ „ Brilliant-rose (Haage & Schmidt) self coloured	18.—	1.30
„ „ Butterfly (Haage & Schmidt), light yellow, dark orange spotted	36.—	2.80

		lb. \$M	oz. \$M
<i>Antirrhinum majus nanum grandiflorum.</i>			
nanum grandiflorum, Climax, yellow bronze shaded reddish		18.—	1.30
„ „ Empress, deep velvety scarlet, violet throat, forcing		20.—	1.50
„ „ Exquisite, soft silvery rose, cream lip, white throat		16.—	1.30
„ „ Fascination, pale flesh pink		18.—	1.30
„ „ Golden Monarch, golden yellow, compact		16.—	1.25
„ „ Maize-Queen, salmon and coppery-gold, pink throat		16.—	1.25
„ „ Progress (Daybreak), orange scarlet, white throat		19.—	1.50
„ „ Purity, pure white, early forcing		16.—	1.25
„ „ Red Emperor, very dark scarlet		22.—	1.65
„ „ White Wonder, immense white flowers		16.—	1.25
„ „ splendid mixture		13.—	1.—
<i>nanum maximum, Giant flowering intermediate Vars.</i>			
„ Majestic Avalanche, pure white, forcing		33.—	2.50
„ „ Delight, salmon pink and apricot		—	6.—
„ „ Golden Dawn, salmon terracotta		36.—	2.80
„ „ Orange King, terracotta		21.—	1.65
„ „ Red Chief, dark scarlet		25.—	2.—
„ „ Rose Eclipse, immense rose-pink fls.		45.—	3.25
„ „ Rose Marie, begonia-rose, golden centre		32.—	2.50
„ „ Snowstorm, pure white Giants		24.—	1.80
„ „ Sunset terracotta, shaded rosy-salmon		23.50	1.80
„ „ Twilight, delicate rosy-salmon		23.—	1.80
„ „ Victory, chamois shading to copper		24.—	1.80
„ „ Mixed		20.—	1.50
<i>pumilum. Tom Thumb Varieties</i>			
„ album pure white		36.—	2.80
„ Apricot Queen, Bedding Var.		36.—	2.80
„ Brilliant, crimson and yellow, white throat		41.50	3.—
„ Bronze King		44.—	3.25
„ Caprice, new, chamois rose, white throat (Haage & Schmidt)		45.—	3.25
„ Defiance, bright cinnabar		36.—	2.80
„ Dalila, carmine, white throat		36.—	2.80
„ Firefly, scarlet, white throat		36.—	2.80
„ Galathea, crimson, white throat		36.—	2.80
„ kermesimum (Crimson King)		36.—	2.80
„ niveum, pure white, small-leaved		36.—	2.80
„ roseum		36.—	2.80
„ Snowflake, creamy white		36.—	2.80
„ striatum albo-rubrum, red striped		36.—	2.80
„ „ luteo-rubrum, red striped		36.—	2.80
„ „ roseo-album, white striped		36.—	2.80
„ Wild-Rose, brilliant pink,		45.—	3.25
„ Mixed		29.—	2.25
<i>Aplopappus croceus ♀ orange</i>	lb. \$M	oz. \$M	
Composite	1/4	oz. 6.—	
<i>Apocynum androsaemifolium ♀,</i>			
pale red	1000 s.	5.—	
<i>cannabinum</i>	1/16	oz. 2.—	—
<i>Aquilegia (Columbine) ♀:</i>			
alpina, blue, short spurred	27.—	2.—	
„ superba, blue, white corolla	32.—	2.50	
arctica, red, yellow spurs	36.—	2.50	
baicalensis, dark blue with white			
corolla	20.—	1.50	
bicolor fl. pl. violet, white corolla	16.—	1.25	
californica hybrida, yellow with			
red spurs	31.50	2.50	
„ hybr. fl. pl.	—	18.—	
canadensis, yellow with red	—	6.—	
„ nana, 1 foot.	—	8.—	
chrysanthia, golden yellow,			
large fld.	32.50	2.50	
„ flore pleno	32.50	2.50	
<i>Aquilegia:</i>			
<i>chrysanthia grandifl. alba</i>		40.—	3.—
<i>clemataquila</i> , range of colors,			
spurless		22.—	1.65
<i>coerulea</i> , blue with white corolla,			
large fld.		81.—	5.50
„ <i>candidissima</i> , dwarf		98.—	7.—
„ <i>citrina</i>		104.—	7.50
„ <i>flore albo</i>		81.—	5.50
„ „ <i>luteo</i>		81.—	5.50
„ „ <i>roseo</i>		81.—	5.50
„ <i>hybrida</i> , s. <i>haylodgensis</i>			
<i>erecta nana (sibirica) atrocoerulea</i>			
<i>plenissima</i> , one of the finest			
double fld. sorts		22.—	1.65
„ <i>nana kermesina plena</i>		22.—	1.65
<i>flabellata nana alba</i>		228.—	16.—
<i>formosa</i> , fl. pl., blue		22.—	1.65
<i>glandulosa major</i> , dark blue		—	2.30
„ <i>vera</i> , true		—	28.—

	lb. RM.	oz. RM		lb. RM	oz. RM
Aquilegia:					
haylodensis (<i>coerulea hybrida</i>), finest large flowering varieties with long spurs	32.50	2.50	Armeria:		
haylodensis, extra selection Haage & Schmidt	68.—	5.—	Laucheana (<i>maritima splend.</i>)	108.—	7.50
Helenae, large flowering, deep blue with white corolla	90.—	6.—	vulgaris	27.—	2.—
Jaetschauii, yellow, red spurs	54.—	4.—	Arnebia cornuta ○, flowers bright yellow with black spots, clean seed	—	24.—
nivea <i>grandiflora</i>	12.—	1.—	Arnica ♀ <i>longifolia</i>	—	7.50
Scott Elliotts strain	72.—	5.—	montana	58.—	4.50
Skinneri, scarlet, green mouth distinct	80.—	5.50	Artemisia annua ○, fine ornamen- tal foliaged plant	2.—	.15
stellata fl. pl. mixed	18.—	1.30	argentea ♀	—	2.50
truncata, reddish orange	36.—	2.80	gracilis (<i>scoparia</i>) ○	3.30	.30
Vervaeneana fol. aureis rosy fls. yellow variegated	18.—	1.30	maritima ♀	—	60.—
vulgaris, single mixed	6.50	.50	mutellina ♀	1/32 oz. 4.—	—
„ fl. pl. alba, double white	24.50	1.80	sacrorum viridis , fine ornamental plant ○	9.—	.75
„ „ atrorosea	24.—	1.80	Arum ♀ <i>italicum</i>	4.50	.40
„ double, finest mixed	7.50	.65	<i>maculatum</i>	4.50	.40
Arabis ♀ <i>alpina</i> (Rock Cress),	9.—	.75	Asclepias		
<i>alpina grandiflora superba</i>	22.—	1.65	<i>curassavica</i> ▲	13.—	1.—
„ <i>nana compacta</i>	36.—	2.80	<i>incarnata</i> ♀	22.—	1.65
„ <i>rosea</i> , pale rose	—	26.—	<i>syriaca</i> ♀ (<i>Cornuti</i>) <i>hortensia</i> rose	16.—	1.25
Aralia ▲ <i>papyrifera</i>	—	3.—	<i>tuberosa</i> ♀ orange	70.—	5.—
Sieboldii, clean seed, 1000 s. 1.—	40.—	3.—	Asparagus acutifolius ♀	7.50	.65
Sieboldii, var. Moseri, 1000 s. 1.50	42.—	3.20	<i>Cooperi</i> ▲, 1000 s. 6.—	5.—	.40
Seeds ready in April			<i>falcatus</i> 1000 s. 9.—		
Arctotis ○ <i>breviscapa</i>	63.—	4.50	<i>filicinus</i> , hardy, evergreen 100 s. 14.—		
<i>breviscapa aurantiaca</i>	81.—	5.50	Lutzii ▲, free flowering 1000 s. 20.—		
<i>grandis</i> (introduced by Haage & Schmidt), pure white fls, blue centre, reverse of petals lilac	5.50	.50	<i>plumosus</i> ▲ 1000 s. 4.—		
Ardisia crenulata ▲ 1000 s. 4.—			<i>plumosus nanus</i> 10 000 s. 22.—		
Arenaria ♀ <i>caespitosa</i>	—	30.—	„ <i>robustus</i> 1000 s. 5.20 .		
<i>grandiflora</i>	—	18.—	scandens deflexus ▲ 1000 s. 18.—		
<i>laricifolia</i>	—	16.—	Sprengeri ▲, 1000 s. 2.—	13.—	1.—
<i>montana</i>	—	22.—	<i>tenuissimus</i> ▲ 1000 s. 5.—		
<i>peploides</i>	—	6.—	<i>verticillatus</i> ♀	36.—	2.80
<i>serpyllifolia</i>	40.—	3.—	<i>virgatus</i> 1000 s. 18.—		
Argemone ○ <i>grandiflora</i> yellow	10.—	.80	Asperula azurea setosa ○	1.80	.15
<i>mexicana</i> (<i>speciosa</i>) white	9.—	.75	<i>hexaphylla</i> ♀ white	5.50	.50
Argyranthemum frutescens ▲	11.—	.80	<i>odorata</i> ♀ (<i>Woodruff</i>)	13.50	1.15
Aristolochia ▲ § <i>elegans</i>	—	3.—	Asphodeline ♀ <i>Balansae</i> , white 1000 s. 7.—		
„ <i>grandiflora</i> 1000 s. 14.—			<i>istmocarpa</i>	—	6.—
Armeria ♀ <i>alpina</i> , bright rose	—	12.—	Asphodelus ♀ <i>albus</i>	50.—	3.50
<i>caespitosa hybrida</i>	—	25.—	<i>luteus</i>	45.—	3.25
<i>cephalotes</i> , giant Thrift	—	4.50	<i>ramosus</i> , large white, branched	—	4.—
<i>formosa</i>	18.—	1.30			
„ <i>hybrida</i>	12.—	1.—			
„ <i>splendens</i> (Ruby)	—	15.—			

Aster chinensis flore pleno (Callistephus) ○

All our strains of Asters are grown paying the atmost attention to improve them in habit of plant, form of flower and brilliancy of colours.

1. Tall Section.

American Branching. (Vick's Branching) height 2½ feet.

late type, large long stemmed flowers, fine for cutting.

apple-blossom	light blue	Rose King
coppery-red	„ yellow	salmon rose
crimson	lavender	scarlet
dark blue	peach-blossom	Violet King
„ purplish red	deep rose	white each 16.—
Mixed		14.50 1.25

			lb. RM	oz. RM
Asters, Tall Section:				
Cardinal, dark bloodred			18.—	1.30
Balls White, the latest flowering variety, branching habit			36.—	2.80
American Beauty, branching habit, giant paeony flowers, incurved petals, very late height 2½ feet.				
Azure Fairy	lavender	rose		
carmine rose	peach-blossom	flesh color		
crimson	purple	white	each 45.—	3.25
Mixed			40.—	3.—
Giants of California, branching, Comet type, giant flower, fine for cutting height 2½ feet.				
dark purple	light blue	white		
deep rose	„ purple			
flesh color	peach-blossom		each 81.—	5.50
Mixed			63.—	5.50
Los Angeles, new immense fls, pure deep shell pink			100.—	7.—
Betteridge's Prize (Reids improved quilled) branching type. height 2 feet.				
crimson	light blue, white centre	peach-blossom		
dark violet, white centre	lilac	salmon rose		
flesh-colour	pale blue	violet		
indigo	„ rose	white	each 10.—	.80
Mixed			8.—	.65
sulphur yellow height 1¼ feet		(Haage & Schmidt) distinct	18.—	1.30
Cactus, curved petals, free flowering, pyramidal habit.				
Coelestine, soft lilac rosy carmine			each 45.—	3.25
Crown flowered or Cocardeau, erect, short broad incurved petals, centre white, height 2 feet.				
brownish-violet	light blue	rose		
crimson	reddish-lilac			
dark blue	„ violet		each 31.—	2.30
Mixed			25.—	2.—
Giant Comet, pyramidal habit, curled petals. height 2 feet.				
amethyst	light yellow	scarlet		
brilliant carmine	lilac red	silvery grey		
cinnaber red	purple	white with rosy shine		
dark blue	rose	„ changing to amethyst		
flesh-color (Princess of Spain)	rosy-lilac	„ „ „ lasur blue		
light blue	salmon rose		each 25.—	.2—
Mixed			22.—	1.65
Queen of Spain, primrose changing to blush			25.—	2.—
Ruby, granat-purple			25.—	2.—
The Bride, white changing to rose			25.—	2.—
Triumph of Paris, large white, quilled, yellow centre			25.—	2.—
White Wonder, enormous flowers			25.—	2.—
Imbricated Pomponne, pyramidal habit, medium size flowers, mid-season, height 1¾ feet.				
blackish blue	light blue	white passing to rose		
crimson	purplish violet	white		
dark blue	rose			
deep purple	scarlet		each 54.—	4.—
Mixed			50.—	3.50
Juno-, exquisite flowers, long and rich flowering, branching habit, height 1¾ feet.				
light blue	salmon rose	white turning to amethyst		
rosy carmine	white	„ „ „ rose each	63.—	4.50
Mixed			54.—	4.—
Lady-, narrow lanceolate foliage, distinct, pyramidal plant, height 1¾ feet.				
White Lady			41.50	3.—
Mammoth, Ostrich plume type, enormous curled and twisted flowers, height 2 feet.				
azure blue	light blue	syringa blue		
bright carmine (Crown Prince)	pale yellow	white		
crimson	purple	white changing to rose		
dark blue	rose			
„ scarlet	salmon rose		each 41.50	3.—
Mixed			36.—	2.80

Asters, Tall Section:

		lb. \$M	oz. \$M
Meteor-Aurora (Haage & Schmidt), salmonrose, branching, habit distinct,		height 2 feet	36.—
		2.80	

Mignon-, pyramidal, similar to the Victoria Aster, but producing a greater abundance of bloom, excellent for cutting and border.

apple-blossom	light blue	rose, white veiled	
brilliant rose	„ scarlet	white	
crimson	lilac red	white passing to lilac	
dark blue	peach blossom	„ passing to rose	
deep scarlet	rose		each 42.— 3.25
Mixed			38.— 2.80

Ostrich Plume, of branching habit, very large long petalled and curled flowers.

height 2 feet.

azure blue	light yellow	terracotta	
brilliant carmine	lilac	white	
crimson	malmaison pink	white changing to lasur	
dark blue	peach blossom	white changing to rose	
deep purple	rose		each 28.— 2.—
deep scarlet	salmon rose		25.— 2.—
light blue	syringablue		28.— 2.—
Mixed			

Gloriosa, light ruby

Paeony Perfection- (Truffauts). Improved Paeony flowered, ball shaped flowers, pyramidal habit, height 2 feet.

Amethyst	dark purple	purple	
apple-blossom	deep bloodred	rose	
blackish blue	fiery rose	vermilion scarlet	
brilliant rose	„ scarlet	victoria red	
crimson	flesh-color	white	
dark blue	light blue	white passing to rose	each 54.— 4.—
Mixed			45.— 3.25

Sunlight, sulphur yellow

Surprise, chamois, irregularly mottled with rose

Ray-, branching habit, long quilled petals, ideal for cutting, height 2 feet.

amarant	crimson	white	
apple blossom	dark blue	purplish violet	
bright rose	deep bloodred		
coppery rose	lilac		each 54.— 4.—
Mixed			45.— 3.25

Fairy, white grounded, carmine tipped (Haage & Schmidt)

Record-, large flowering form of the Ray-Aster, height 1 3/4 feet.

bright rose	lilac	salmon red	
hortensia rose	Modesta	violet	
light rose	ruby red	white	each 63.— 4.50
Mixed			54.— 4.—

Rose-, large flowering, pyramidal habit, mid-season, height 2 feet.

crimson	dark purple	light violet	
dark blue	„ violet	purple with white	
„ bloodred	deep scarlet	reddish violet	
„ carmine	flesh-color	vermilion	each 63.— 4.50
Mixed			54.— 4.—

Beacon; erect habit, the brightest scarlet Aster

Dr. h. c. Dürr, new, primrose

Sada-Jakko-, flesh-color, imbricated blooms, very late, pyramidal habit, height 1 3/4 feet 36.— 2.80

Unicum- (Haage & Schmidt), branching, similar to Mammoth, flowers gracefully curled, 5—6 inches in diameter. Height 2 feet.

coppery rose	light violet	syringa blue	
crimson	reddish violet	The Bride, white passing to rose	
deep rose	rose	violet with white	
indigo	rosy lilac	white	each 40.— 3.—
Mixed			36.— 2.80

Autumn Wonder (Haage & Schmidt), Novelty, brilliant carmine true from seed. 100 pkts. 60.— 10 pkts. 7.—

Asters, Tall Section:

			lb oz. \$
Victoria, erect habit, vaulted	flowers of imbriate form.	Height 1 3/4 feet.	
apple-blossom	dark indigo	purple with white	
blackish blue	fiery scarlet	reddish lilac	
dark rose white tipped	hortensia red	rose	
(Carmen)	indigo on white ground	white	
(Haage & Schmidt)	light blue	white passing to azure	
crimson	light yellow	„ passing to rose	
dark blue	peach blossom		
dark blue with white	purple	each 50.—	3.50
Mixed		42.—	3.25
Miss Roosevelt, primrose changing to flesh color		50.—	3.50
Daybreak (Phoenix Aster) Little Maid, rosy shell pink		50.—	3.50

Victoria Needle, Victoria Asters with quilled petals elegant, pyramidal type, the best Needle Asters for cutting, height 1 3/4 feet

coppery scarlet	hortensia red	rosy lilac	
dark blue	light blue	white	
„ crimson	purplish violet		
fiery scarlet	rosy carmine		
Mixed		each 72.—	5.—
		65.—	4.50

Giant Victoria- (Washington), pyramidal habit, giant Victoria blooms, height 2 feet

azure blue	lilac	white	
crimson	peach blossom	white changing to rose	
dark blue	purplish violet	yellowish white	
fiery scarlet	rose		
light blue	silvery grey		
Mixed		each 63.—	4.50
		54.—	4.—

2. Demi tall Sektion.

Comet, dwarf (Haage & Schmidt), pyramidal habit, large and very double flowers, resembling the Japanese Chrysanthemum, height 1 1/4 feet.

azure blue	light blue	vermilion carmine	
carmine	pink bordered white	white	
dark blue	rose	white with lilac	
deep scarlet	silvery grey		
Mixed		each 31.50	2.50
		29.—	2.25

Bridesmaid, white turning to rosy lilac

Empress Frederick, very large white

Comet Express. very early, pyramidal habit, height 1 foot.

brilliant rose	white		
light blue	white changing to rose	each 36.—	2.80
Mixed		32.50	2.50

Hercules, branching habit, giant fld. form of Ostrich Plume Aster, height 1 1/4 feet.

Brilliant rose	syringa blue	Wistaria blue	
ivory	violet		
rosy lilac	white		
Mixed		each 98.—	7.—
		90.—	6.—

Liliput, pyramidal habit, numerous small flowers, ideal for florists and pot culture, height 1 1/2 feet.

crimson	light-blue	white with blue centre	
dark blue	rose	white with crimson centre	
fiery scarlet	white	white with rose centre each	45.—
Mixed		41.—	3.—

Mammoth Extra Early. Ostrich Plume Type, for early cutflowers, height 1 1/4 feet.

crimson	light yellow	white	
dark blue	purplish violet	white passing to rose	
deep scarlet	rose		
light blue	salmon rose		
Mixed		each 28.—	2.—
		25.—	2.—

Queen of the Market, branching habit, the best Market Aster, very early,

		height 1 1/4 feet	
azure blue	flesh color	reddish violet	
crimson	light blue	rose	
dark blue	light scarlet	vermillion carmine	
deep scarlet	peach blossom	white	each 20.—
Mixed			1.50
			18.—
			1.30

Asters:

3. Dwarf Sektion.

			lb oz. fls.
All Saints, pyramidal, compact dwarf Victoria Type, for pots and borders, height 10 inch.			
rosy-pink	syringablue		18.-
light blue		90.-	6.-
Boltze's miniature Bouquet, small and many fls., pyramidal globular habit.		height 10 inches	
apple blossom	deep scarlet	white	
carmine	light blue	white, centre red	
coppery rose	rose		
dark blue	rosy carmine		
Mixed		each 63.-	4.50
		54.-	4.-
Triumph-, (Haage & Schmidt), pyramidal habit, short broad petals, paeony flowered,			
	best dwarf Aster, height 10 inches		
cinnabar carmine	dark purple	light blue	
crimson	deep scarlet	peach blossom	
coppery scarlet	„ scarlet with white	rose	
dark blue	„ violet with white	white	each 72.- 5.-
Mixed		68.-	5.-
Dwarf Aster, branching habit, globular form, height 1/2 foot			
blackish blue	crimson	orange scarlet	
blood red	dark blue	rose	
brilliant rose	„ purple	white	
cinnabar carmine	light blue		each 50.- 3.50
Mixed		45.-	3.25
Dwarf Chrysanthemum, pyramidal habit, large flowering, height 1 foot.			
brilliant rose	fiery scarlet	reddish violet	
brownish violet	flesh color	rose	
crimson	light blue	white	
crimson with white	light scarlet	white changing to azure	
dark blue	lazur	white changing to rose	
dark blue with white	lilac		
deep crimson	peach blossom		each 54.- 4.-
Mixed		45.-	3.25
Dwarf Crown (Cocardeau) mixed, pyramidal habit, height 1 foot			63.- 4.50
Dwarf Queen, branching habit, large flowered, height 1 foot.			
azure blue	dark blue	lilac	
brilliant rose	light blue	rose	
crimson	„ scarlet	white	each 68.- 5.-
Mixed		58.-	4.50
Mixtures of Asters			
Tall classes, choicest double mixed for cutting			18.- 1.30
Demi-tall classes, choicest double mixed			24.50 1.80
Dwarf classes, choicest double mixed			36.- 2.80
Sunshine, branching habit, ray flowers, quilled centre, distinct, height 2 feet			
blue	darkblue	syringa blue	
cinnabar carmine	lilac	white	
crimson	rose		each 15.50 1.25
Mixed			13.50 1.15
Single or Marguerite Asters			
Single branching habit, height 2 feet			
blackish blue	crimson	purple	
„ purple	dark blue	scarlet	
bright rose	fiery scarlet	violet	
„ carmine	light blue	white	each 8.- .65
Mixed			7.50 .65
Brilliant scarlet (Glare of the Garden)			16.- 1.25
Helvetia, fiery crimson, height 1 1/2 feet			14.50 1.15
Single late flowering Aster (Original China-) branching, height 2 1/4 feet			
dark blue	rose	white	
pale mauve	rosy carmine		each 9.- .75
Mixed			8.- .65

Asters:

		lb. RM	oz. RM	lb. RM	oz. RM
Single Elegance, pyramidal habit, fine ray petals, large flowered, height 2 feet.					
dark blue	light blue			rosy carmine	
lavender	rose			white	each 20.— 1.50
Mixed					18.— 1.30
Single Comet, pyramidal, large flowered, curled petals, height 2 feet					
dark blue	light blue			white	
deep carmine	rose			white changing to rose each	20.— 1.50
Mixed					18.— 1.30
Firefly, brilliant crimson					20.— 1.50
Aster ♀ alpinus, dwarf violet	31.50	2.50			
alpinus albus	31.50	2.50			
„ Goliath, soft blue	54.—	4.—			
„ Nymph	45.—	3.25			
„ ruber, large rosy purple fls. —	20.—				
„ speciosus, light blue	—	4.—			
„ superbus, dark lilac	—	4.—			
„ mixed	45.—	3.25			
Amellus light blue	80.—	5.—			
„ Beauty of Ronsdorf, lilac					
rose, large fls. —	—	8.—			
„ Bedding Queen, lavender	—	6.—			
„ roseus	—	7.50			
„ Rudolf Goethe, lavender	90.—	6.—			
bessarabicus (ibericus)	—	8.50			
cassubicus grandiflorus, blue	—	5.—			
Farreri (Big Bear) blue with dark					
centre	—	10.—			
himalaicus (alpinus var.) blue	—	2.50			
horizontalis hybr. grandifl.	50.—	3.50			
hybridus Lavender	—	8.—			
„ semiplenus	—	8.—			
„ Snowflake	—	6.—			
lichiangensis, blue	—	18.—			
Novae Angliae, blue	—	18.—			
„ Angliae, fl. rubro, red	—	24.—			
Novi Belgii Robert Parker,					
lavender	—	6.—			
Belgii Hybrids	72.—	5.—			
oreophilus, violet, from Yunnan	—	10.—			
ptarmicoides, white corymbs	28.—	2.—			
„ major	31.—	2.50			
pyramidalis hybridus	—	12.—			
subcoeruleus (diplostephioides),					
light blue, early	31.—	2.50			
„ Apollo, lasur, large flow.	32.50	2.50			
„ Artemis, rosy lilac	32.50	2.50			
„ floribundus	31.—	2.50			
Star of Wartburg, lavender,					
giant fls.	—	12.—			
tenellus ⓠ	7.50	—.65			
Townshendii, rosy lilac	—	6.—			
Tripolium, wild type	—	4.—			
Yunnanensis, magnificent brill-					
iant lilac blue with yellow					
disk. Well for cutting	—	20.—			
perennial sorts mixed	36.—	2.50			
new large fld. perennial hybrids	54.—	4.—			
Astilbe ♀ Arendsii hybrida, new,					
rose and red shades of great					
beauty	—	12.—			
Arendsii hybr. Gloria, dark rose	—	20.—			
„ hybr. Granat, dark crimson	—	28.—			
„ „ „ Hyacinth, lilac rose	—	20.—			
chinensis (Aruncus), creame white					
plumes	—	2.50			
Astilbe Davidii, rosy purple					
rivularis, rosy creame, very long					
panicles	—	18.—			
Astragalus ♀ alopecuroides, yellow	28.—	2.—			
galegiformis, canary yellow	28.—	2.—			
glyciphylllos, lilac	4.50	—.40			
Robbinsii, whitish yellow	4.50	—.40			
vulpinus, primrose yellow	28.—	2.—			
Astrantia ♀ Biebersteinii					
carniolica rosea	—	5.50			
gracilis	—	3.50			
major	—	2.50			
Athanasia annua (Lonas inodora),					
yellow Everlasting ⓠ	4.50	—.40			
Athamanta Matthioli ♀ (Haynaldi)					
white umbels	—	18.—			
Atriplex ⓠ hortensis cupreato					
rosea, splendid colouring	1.80	—.15			
Aubrieta ♀ alpina, pale blue					
Bougainvillei blue	—	9.—			
deltoidea, lilac	—	7.—			
Eyrii, violet-purple	—	6.—			
graeca, light blue	—	6.—			
Hendersonii, deep purple	—	2.80			
hybrida grandiflora	—	10.—			
„ Lavender 1/4 oz. 8.50	—	5.—			
„ Moerheimii, rose					
1/16 oz. 2.50	—	—			
Leichtlinii, rosy carmine, large					
flowered	—	27.—			
purpurea, deep purple	—	8.—			
violacea, large fls.	—	16.—			
Whitewell Gem, lavender	—	10.—			
Auriculas, see Primula Auricula					
Azalea Ⓛ indica, newest vars	—	20.—			
Bachelor's Button, see Centaurea					
Cyanus.					
Baeria gracilis ⓠ	20.—	1.50			
Balloon-vine, see Cardiospermum.					
Balm, see Dracocephalum.					
Balsam Apple, see Momordica.					
Balsam (Impatiens balsamina fl. pl.)					
Double tall Balsams, mixed	5.50	—.50			
Camellia flowered (white blot-					
ched Rose Balsams)					
coppery red, coppery scarlet, crimson					
dark blue, dark lilac, flehscolour, lilac,					
purplish crimson, rosy carmine,					
each 11.— —.80					
Mixed	9.—	—.75			
pure white (alba perfecta)	13.—	1.15			
Prince Bismarck, bright sal-					
mony-rose	13.—	1.15			
lutea perfecta	13.—	1.15			
Carnation-striped mixed	8.—	—.65			

Balsam:

Rose Balsams

bright red, chamois, crimson, dark blue, fleshcolour, light scarlet, lilac, pale lilac, pale rose, pale yellow, purple, rose, scarlet, violet, white,

lb.
RM

oz.
RM

each 11.— — .80
8.— — .65

Mixed 16.— 1.25

Baptisia australis ♀ blue . . . 8.— — .65

Barbarea vulgaris fol. var. ♂ . . 5.50 — .50

Bartonia aurea ♂ — 12.—

Basella § tuberosa alba . . . 100 s. 2.—

Bauhinia acuminata 100 s. 2.—

racemosa 100 s. 2.—

Bear Grass, see Yucca.

Begonia, tuberous-rooted:

I. Species single-flowered:

Baumannii, carmine 1000 s. 1.50

Bertini hybr. comp. carmine

scarlet 10 pkts. 4.—

,, hybr. comp. salmonrose

10 pkts. 4.—

boliviensis superba $\frac{1}{32}$ oz. 6.—

Davisii, light scarlet $\frac{1}{32}$ oz. 6.—

discolor $\frac{1}{32}$ oz. 8.—

Froebelii, scarlet $\frac{1}{32}$ oz. 6.—

Pearcei, canary yellow

$\frac{1}{32}$ oz. 6.—

Begonia, tuberous-rooted:

single-flowered Giants:

carmine, copperyred, dark rnd, deep rose, light rose, orange, rose, scarlet, salmon, white, yellow

each col. $\frac{1}{32}$ oz. 5.—

100 pkts. 28.—

Mixed $\frac{1}{32}$ oz. 4.40,

100 pkts. 24.—

Marmorata Papilio $\frac{1}{32}$ oz. 5.20,

10 pkts. 3.60

crispa (fimbriata), with fringed

and curled petals:

carmine, cherry red, dark red, soft rose, orange, rose, scarlet, white, yellow

each col. $\frac{1}{32}$ oz. 8.—

100 pkts. 28.—

Mixed $\frac{1}{32}$ oz. 7.20

100 pkts. 28.—

cristata, crested Begonias in

splendid mixture $\frac{1}{32}$ oz. 9.—

100 pkts. 32.—

duplex:

light rose, red, salmon, scarlet, white, yellow

each col. $\frac{1}{32}$ oz. 20.—

100 pkts. 40.—

Begonia:	lb. RM	oz. RM	lb. RM	oz. RM
semperflorens Flame of love, fiery scarlet, $\frac{1}{32}$ oz. 2.40	—	50.—	Billbergia \triangle formosa pkt. 1.—	
„ Liegnitz, carmine scarlet $\frac{1}{32}$ oz. 2.—			Blanket flower, see Gaillardia.	
„ Reginae (Haage & Schmidt), bright rose $\frac{1}{32}$ oz. 1.10	—	24.—	Bleeding Heart, see Diclytra.	
The largest flowering dwarf semperflorens Be- gonia.			Blitum \odot capitatum (Strawberry Spinach)	20.— 1.50
„ Salmon Queen, brilliant sal- mony-red passing to sal- monyrose $\frac{1}{32}$ oz. 2.80			virgatum	13.50 1.15
„ Triumph, white, foliage with reddish brown reverse $\frac{1}{32}$ oz. 2.20			Blue Bottle, see Centaurea Cyanus.	
„ mixed $\frac{1}{32}$ oz. —30	—	5.40	Blue Lily of the Nile, see Agapan- thus.	
Begonia, ornamental-leaved \triangle			Blumenbachia \odot Hieronymi	— 6.—
Rex varieties, newest sorts in Haage & Schmidt's splendid mixture 10 000 s. 40.—			Bocconia japonica (yeddoensis) \mathfrak{D} , ornamental, chamois, hardy .	5.50 —.50
1000 s. 4.50			microcarpa, robust	13.50 1.15
Bellflower, see Campanula.			Boehmeria nivea, \triangle China grass	36.— 2.80
Bellidiastrum \mathfrak{D} Michellii, small white Daisy fine alpine $\frac{1}{32}$ oz. 2.40			Boltonia latisquama \mathfrak{D} lilac, late .	31.50 2.50
Bellis perennis \mathfrak{D} , common wild Daisy	45.—	3.25	Bonapartea \triangle Hystrix 100 s. 5.—	
Bellis perennis fl. pl. double (Daisies) \mathfrak{D} :			„ Hystrix glauca 100 s. 6.50	
double fine mixed	18.—	1.30	Borago laxiflora \mathfrak{D} 50 seeds 2.—	
mixed, superior quality	21.—	1.65	Boronia megastigma \triangle rose scented	— 15.—
delicata fl. pl., rosy white with bright purplish red centre (Haage & Schmidt)	31.—	2.50	Bouncing Bet, see Saponaria cala- brica.	
Longfellow, large double dark rose flowers	28.—	2.—	Boussingaultia baselloides \triangle § .	— 4.50
Snowball, double pure white . .	28.—	2.—	Bouvardia Jaquinii, scarlet 1000 s. 15.—	
monstrosa alba fl. pl., giant white, $2\frac{1}{2}$ inches in diameter	34.—	2.65	Brachychiton \triangle populneum	8.— —.65
„ rosea fl. pl.	34.—	2.65	Brachycome \odot iberidifolia, blue (Swan River Daisy)	16.— 1.25
„ fl. pl., giant fld. mixed . .	30.—	2.30	iberidifolia alba	16.— 1.25
tubulosa Aetna double quilled red	54.—	4.—	„ atroviolacea	16.— 1.25
„ Bernina, white, laterose .	54.—	4.—	„ Blue Star	27.— 2.—
„ lutea, yellow	90.—	6.—	„ Red Star	27.— 2.—
„ Monterosa, pure rose	54.—	4.—	„ rosea	18.— 1.30
„ Titlis, carmine	54.—	4.—	„ Snow Star	27.— 2.—
Belvidere (Summer Cypress), see Kochia trichophylla.			„ mixed	16.— 1.25
Benincasa cerifera \odot §	10.—	—.80	Browallia \odot elata, blue	18.— 1.30
Betonica \mathfrak{D} grandiflora, lilac . .	22.50	1.65	elata alba	18.— 1.30
grandiflora robusta, red violet .	27.—	2.—	Jamesonii \triangle (Streptosolen) orange 1000 s. 12.—	
„ superba, bright purple . .	27.—	2.—	speciosa grandiflora alba (Haage & Schmidt)	
nivea, rare	—	7.50	1000 s. 1.80, $\frac{1}{32}$ oz. 6.—	
Bidens \odot atrosanguinea (Cosmos diversifolia vel			„ major, large deep blue blooms winterflowering	
Dahlia Zimapanii) blackred .	36.—	2.80	1000 s. 1.40, $\frac{1}{32}$ oz. 3.60	
atrosanguinea hybrida, brown red Hybrids	34.—	2.65	Bryonia \mathfrak{D} § alba, black berries .	13.— 1.15
dahlioides	—	3.—	dioica, red berries	9.— —.75
humilis (Cosmos sulph.)	10.—	—.80	Bryonopsis laciniosa erythrocarpa \odot §	10.— —.80
Bignonian \triangle § chrysanta	45.—	3.25	Bryophyllum calycinum 1000 s. 6.—	
stans, yellow	—	2.80	Buphthalmum \mathfrak{D} cordifolium . .	4.50 —.40
Tweediana	—	1.30	grandiflorum, golden yellow .	16.— 1.25
			salicifolium	13.50 1.15
			Cacalia \odot coccinea (Tassel Flower) scarlet	11.— —.80
			coccinea lutea	11.— —.80
			Cactus, see at the end of this list.	
			Caesalpinia \triangle Bonducella 100 s. 15.—	
			„ Sappan	7.— —.65
			Cajanus indicus \triangle	8.— —.65
			Cajophora lateritia, \odot §	32.— 2.50
			Caladium variegated leaved best choice mixed 100 s. 5.—	
			Calamintha \mathfrak{D} alpina	144.— 10.—

	lb. RM	oz. RM
Calampelis, see <i>Eccremocarpus</i> .		
Calandrinia \odot <i>grandiflora</i> (<i>glauca</i>)	13.—	1.—
<i>speciosa</i> (<i>Lindleyana</i>)	2.30	.25
„ <i>alba</i>	2.50	.25
<i>umbellata</i>	68.—	5.—
Calceolaria \odot Δ <i>hybrida</i> :		
<i>unicolor</i> , self - coloured, large fld., fine colours.	$\frac{1}{32}$ oz. 15.—	
<i>picturata</i> , painted or margined, large fld., beautiful	$\frac{1}{32}$ oz. 14.—	
<i>tigrina</i> , tigred large fld.	$\frac{1}{32}$ oz. 14.—	
<i>spotted</i> , margined and selves mixed, fine	$\frac{1}{32}$ oz. 13.—	
Olympia, dark red on golden yellow ground	$\frac{1}{32}$ oz. 16.—	
Sunbeam, veined	$\frac{1}{32}$ oz. 16.—	
nana, dwarf tigred in splendid variety	$\frac{1}{32}$ oz. 13.—	
„ dwarf margined, finest quality	$\frac{1}{32}$ oz. 14.—	
„ „ tigred and margined mixed	$\frac{1}{32}$ oz. 14.—	
profusa (Clibranii) small yellow fls. in abundance	$\frac{1}{32}$ oz. 5.—	
racemosa hybr. (Haage & Schm.), very free-flowering during summer until late fall as an open ground plant; also fine for cutting	$\frac{1}{32}$ oz. 5.—	
rugosa hybrida, shrubby in beautiful variety	$\frac{1}{32}$ oz. 40.—	
„ <i>hybrida aurea</i>	$\frac{1}{32}$ oz. 40.—	
„ <i>hybrida nana</i> , dwarf	$\frac{1}{32}$ oz. 36.—	
Calceolaria <i>scabiosifolia</i> \odot . . .	27.—	2.—
Calendula officinalis fl. pl. \odot		
Campfire, deep orange	7.50	.65
chrysantha (Sunshine) clear light yellow	27.—	2.—
Favorite (Haage & Schmidt), light sulphur, striped with creamy white	2.80	.25
grandiflora fl. pl., deep orange .	2.80	.25
„ sulphurea fl. pl.	2.80	.25
isabellina (Le Proust fl. pl. apricot	2.30	.25
Meteor (H. & Schm.), striped . . .	2.80	.25
Monarch, medium orange	4.50	.40
Orange King (Dania)	3.—	.25
„ Globe, deep orange	4.15	.40
Prince of Orange, long stemmed .	3.50	.30
Radio, globular, orange, quilled .	8.—	.65
„ Golden Beam golden	8.—	.65
regalis fl. pl. orange, dark centre mixed	3.70	.30
.	2.—	.15
Calendula <i>pluvialis</i> , single white .	2.50	.25
Pongei fl. pl., double white . .	13.—	1.—
Californian Poppy, see <i>Eschscholtzia</i> .		
Calla \triangle <i>aethiopica</i>	13.—	1.—
<i>compacta</i>	18.—	1.30
„ <i>devoniensis</i> (grandifl.) . .	24.50	1.80
Callichroa \odot <i>Douglasii</i> , bright yellow, pretty	14.50	1.15

	lb. RM	oz. RM
Calliopsis <i>bicolor</i> \odot :		
original species (<i>tinctoria</i>)	2.80	.25
brunea, brown	2.80	.25
hybrida fl. pleno, double mixed	5.50	.50
lutea	3.30	.30
„ semiplena	3.30	.30
marmorata yellow and brown	4.15	.40
nigra speciosa, dark red	3.30	.30
nana dwarf yellow and brown	5.50	.50
„ brunea, Crimson King	7.—	.65
„ marmorata	6.50	.50
„ sulphurea, primrose	6.50	.50
radiata dark brown	10.—	.80
„ Golden Ray	9.—	.75
„ Tigerflower	8.—	.65
„ star-fld. in best mixture	7.50	.65
dwarf mixed	5.50	.50
tall mixed	2.80	.25
Calliopsis <i>cardaminifolia</i> \odot :		
atrosanguinea	3.70	.30
bicolor	3.70	.30
lutea, pure yellow	3.70	.30
nana compacta atrosanguinea	5.50	.50
„ „ bicolor	5.50	.50
„ „ lutea	5.50	.50
Calliopsis \odot <i>Atkinsonii</i>	4.50	.40
coronata yellow, brown crown	5.50	.50
Drummondii (basalis), Golden Wave, brown ring	4.50	.40
hybrida superba, very showy hybrids in great variety	8.—	.65
Callirhoe \odot <i>lineoriloba</i>	—	30.—
Callistemon, see <i>Metrosideros</i> .		
Calystegia \varnothing <i>Sepium</i>	—	3.50
Camassia \varnothing <i>esculenta</i>	—	4.50
Camellia Δ <i>japonica</i>		
1000 s. 10.—, 100 s. 1.20		
japonica double mixed		
1000 s. 16.—, 100 s. 2.—		
Campanula abietina \varnothing	—	14.—
alliariifolia (cordifolia, lunariafolia) \varnothing	13.50	1.15
attica \odot violet blue	—	4.—
„ fl. albo	—	4.—
barbata \varnothing	40.—	3.—
bononiensis \varnothing	—	2.—
carpatica \varnothing	13.—	1.—
„ alba	18.—	1.30
celtidifolia \varnothing , blue	63.—	4.50
„ var Ed. Mollyneux, large flow.	70.—	5.—
collina \varnothing dark blue alpine	—	24.—
fragilis \varnothing , light blue, for baskets	$\frac{1}{32}$ oz. 2.70	66.—
garganica \varnothing	$\frac{1}{4}$ oz. 30.—	
glomerata \varnothing	—	5.50
„ acaulis	—	12.—
„ dahurica	—	8.—
„ superba	—	6.—
grandiflora, see <i>Wahlenbergia</i> .		
grandis \varnothing	—	4.50
„ alba	—	4.50
laetiflora \varnothing alba	—	12.—
„ blue	45.—	3.25

FLOWER SEEDS.

	lb. RM	oz. RM		lb. RM	oz. RM
Campanula:			Campanula:		
latifolia ♀	—	2.—	white	4.50	.40
„ alba	—	4.—	„ grandiflora pentagonia	7.—	.65
linifolia pallida	—	15.—	„ „ alba	7.—	.65
longistyla (introduced by Haage & Schmidt), large flowering, lovely violetblue attractive ♂	18.—	1.30	„ procumbens alba	16.—	1.25
Loreyi ♂, blue	—	4.50	„ „ coerulea	14.50	1.15
„ fl. albo	—	4.50	„ „ mixed	13.—	1.—
macrantha ♀	18.—	1.30	thyrsoidea ♂ yellow $\frac{1}{4}$ oz. 4.—		
„ alba, pure white	90.—	6.—	Trachelium ♀ (urticaefolia)	9.—	.75
Medium ♂ (Canterbury Bells)			turbinata ♀	36.—	2.80
single: blue, rose, rosy-carmine, striped, syringablue, white			„ alba	—	2.80
sep. col.	5.50	.50	velutina ♀ white	36.—	2.80
Mixed	4.50	.40	verticillata ♀	6.50	.50
double, blue, lilac, rose, rosy-carmine, striped, syringablue, white			Vidalii ♀ △ $\frac{1}{32}$ oz. 2.20		
sep. col.	22.50	1.65	fine perennial mixed ♀	30.—	1.15
Mixed	20.—	1.50	Canaigre , see Rumex hymenosepalus.		
calycanthema			Canarina Campanula △	—	8.—
blue, lilac, rose, rosycarmine, striped, syringablue, white			Canary Creeper , see Tropaeolum canariense.		
sep. col.	28.—	2.—	Canavallia △ ensiformis, red see- ded	100 s. 6.—	
Mixed	26.—	2.—	obtusifolia	100 s. 6.—	
mirabilis ♀, beautiful species			Candytuft , see Iberis.		
1000 s. 1.—, $\frac{1}{32}$ oz. 11.—			Canna indica (Indian Shot) ▲ :		
muralis ♀	1/4 oz. 30.—		large - flowering vars.		
nobilis ♀ vide punctata			(Crozy's) in best mixture	7.50	.65
persicifolia ♀, blue	40.—	3.—	dark and red leaved (Crozy's)		
„ alba	40.—	3.—	mixed	8.—	.65
„ single mixed	36.—	2.80	large flowering newest sorts	11.—	.80
„ „ new Hybrids mixed	60.—	4.50	Canna flaccida △, aquatic	—	1.50
„ grandifl. alba (Backhousei) , finest for cut flowers	68.—	5.—	Cannabis ♂ gigantea	3.30	.30
„ „ coerulea	68.—	5.—	Canterbury-Bell , see Campanula.		
„ „ Telham Beauty, pale lavender	—	12.50	Cape Gooseberry , see Physalis edulis.		
„ „ flore-pleno, double blue	—	40.—	Cape Forget-me-not , see Anchusa.		
„ „ „ alba Moerheimii, double white very larg. flowg.	—	50.—	Cape Hyacinth , see Hyacinthus can- dicans.		
phyctidocalyx ♀, large, blue fls.			Cardiospermum ♂ § Halicacabum (Balloon Vine)	2.25	.25
1/32 oz. 1.25			Carduus ♂ arabicus, red	1.80	.15
Portenschlagiana ♀ $\frac{1}{64}$ oz. 30.—			Kernerii ♀ (introduced by Haage & Schmidt) red	27.—	2.—
punctata ♀ (nobilis), purple	1/4 oz. 6.—		(Silybum) Marianus	1.30	.15
„ alba, white	1/4 oz. 5.—		Carica ▲ Papaya , Melon-tree 1000 s. 6.50		
pusilla ♀	1/32 oz. 4.—		Carlina ♀ acanthifolia golden petals giant flow. fine alpine	—	20.—
„ alba	1/32 oz. 3.—		acaulis, silver petals	—	16.—
pyramidalis ♀	20.—	1.50	vulgaris, golden yellow	—	4.—
„ alba	22.—	1.65	Carnations , see Dianthus Caryophyllus.		
„ compacta, blue	—	3.50	Carpoceras cilicica ♀ $\frac{1}{4}$ oz. 2.—		
Pyraversii ♀, lavender	108.—	7.50	Carthamus ♂ leucocaulis, very striking yellow	5.50	.50
Raineri ♀	1/32 oz. 1.—		tinctorius (Safflower)	1.30	.15
rapunculoides ♀	9.—	.75	Cassia ▲ corymbosa yellow	12.—	1.—
rhomboidea fl. pleno ♀	1/32 oz. 2.—		floribunda	40.—	3.—
rotundifolia ♀	—	12.—	grandiflora	14.—	1.15
„ superba, for rockeries	—	27.—	marylandica	—	6.—
sarmatica ♀	—	18.—	occidentalis	—	.75
Scheuchzerii ♀	—	5.40	polyantha	—	1.50
Speculum blue ♂ (Venus' Loo- king-Glass)	4.50	.40	tomentosa	—	1.15
			Castilleia indivisa ♂ rosy 1000 s. 1.-		
			Castor Oil Plant , see Ricinus.		
			Casuarina △ equisetifolia	18.—	1.30
			torulosa (tenuissima)	—	8.—
			Catananche ♀ coerulea	15.50	1.25
			coerulea fl. alba bicolor	15.50	1.25

	lb. RM	oz. RM		lb. RM	oz. RM
Catchfly, see Silene Armeria.					
Ceanothus, see shrubs and trees.					
Cedrela  australis	—	8.—			
Cedronella ♀ cana, deep red purple lonely spiks, fragrant	—	20.—			
Celosia ♂ Cocks comb cristata tall mixed	9.—	—.75			
" nana, dwarf argentea, kermesina, atropurpurea, lutea, atrorosea, variegata, aurea, violacea, coccinea each	—	2.50			
" " mixed	—	2.—			
" " Empress, bright crimson, son, dark foliage	—	2.50			
" pumila kermesina (President Thiers, Glasgow Prize), bright deep crimson Tom Thumb variety, extra, fine nest for pots	—	4.—			
pyramidalis plumosa Childsii mixed	—	2.—			
" plumosa, dwarf Firefeather	—	27.—			
" " Gold feather (new dwarf sort for potculture)	—	27.—			
" plumosa Thompsonii magnifica: alba, aurea, kermesina, purpurea, rosea, violacea each	20.—	1.50			
" " Mixed	16.—	1.25			
spicata (argentea linearis)	16.—	1.25			
Celsia ♀ Arcturus 	—	26.—			
Centaurea americana ♂	8.—	—.65			
americana alba	8.—	—.65			
candidissima (ragusina) ♀	23.50	1.80			
Crupina ♂	16.—	1.25			
Cyanus ♂ (Blue Bottle, Bacheler's Button), single mixed .	3.70	—.30			
" coelstina, single blue	3.70	—.30			
" fl. pl. alba pura (Silver Queen)	12.—	1.—			
" atropurpurea (H. & Sch.) .	10.—	—.80			
" colestina (H. & Schm.) .	10.—	—.80			
" miniata (H. & Schm.). brick red	10.—	—.80			
" rosea (H. & Schm.) . .	10.—	—.80			
" double mixed (Haage & Schmidt)	7.50	—.50			
" nana compacta Victoria, dwarf blue	4.50	—.40			
dealbata ♀, delicate pink	27.—	2.—			
depressa ♂ red violet	4.50	—.40			
" King of Blue Bottles	5.50	—.50			
" rosea	5.—	—.40			
gymnocarpa ♀ rosy purple	5.50	—.50			
imperialis alba, very large flow. of vigorous growth, with- standing wet weather ♂	10.—	—.80			
" Armida, pale lilac	10.—	—.80			
" Favorita, rosy lilac	10.—	—.80			
" Graziosa, purple	10.—	—.80			
" Iphigenia, rosy lilac with light centre	11.—	—.80			
" lilacina	10.—	—.80			
Centaurea:					
imperialis purpurea purplish rose .	10.—	—.80			
" rosea	10.—	—.80			
" splendens, purplish	11.—	—.80			
" all colours mixed	8.—	—.65			
macrocephala ♀ golden yellow .	14.50	1.15			
montana ♀ blue	9.—	—.75			
" alba	13.—	1.—			
" grandiflora, deep, blue . .	11.—	—.80			
moschata fl. albo ♂, Sweet Sul- tan	8.—	—.65			
" atropurpurea	8.—	—.65			
" fl. coeruleo	8.—	—.65			
" rosea (Haage & Schmidt), delic, pink; splendid, for cutting	8.—	—.65			
" mixed	7.—	—.65			
nervosa ♀, rosy pink	20.—	1.50			
odorata, large fld. purple, sweet scented ♂	12.—	1.—			
" Chamaelon, pale yellow changing to rose	25.—	2.—			
" Margaritae, pure white . .	12.—	1.—			
rigidifolia ♀, rose	19.—	1.50			
ruthenica ♀ pale yellow	32.50	2.50			
Scabiosa ♀ purple, wild	12.—	1.—			
sortita ♀, yellow	12.—	1.—			
suaveolens, Yellow Sweet Sul- tan ♂	9.—	—.75			
Centranthus ♀					
macrosiphon ♂ red	4.50	—.40			
" albus	4.50	—.40			
" nanus, dwarf red	4.50	—.40			
" " albus	4.50	—.40			
" mixed	3.70	—.30			
ruber (Valeriana) ♀	11.—	—.80			
" albus	10.—	—.80			
" coccineus	11.—	—.80			
Centrosema ♂ §  grandiflorum	10.—	—.80			
Cephalaria ♀ alpina, sulphur . .	5.50	—.50			
tartarica, yellow	4.50	—.40			
Cerastium ♀ alpinum lanatum . .	—	4.—			
Biebersteinii silvery large fol. .	13.—	1.—			
Boissieri	28.—	2.—			
columnae, dwarf, very small foliage	4.50				
Lerchenfeldianum	—	4.—			
tomentosum, silvery small leaves .	50.—	3.50			
villosum	—	5.—			
Cerinthe ♂ major	6.50	—.50			
Chamaepeuce diacantha ♀, Ivory Thistle	8.—	—.65			
Chardinia xeranthemoides ♂	12.—	1.—			
Cheiranthus Allionii ♀, bright orange yellow very showy .	3.30	—.30			
linifolius ♂ lilac	20.—	1.50			
maritimus ♂ (Malcolmia), Vir- ginian Stock	2.30	—.25			
" albus	2.30	—.25			
" carmineus splendens (Fairy Queen)	3.—	—.25			
" kermesinus (Crimson King) .	3.—	—.25			
" luteus	2.80	—.25			
semperflorens ♀, golden yellow .	13.60	1.15			

FLOWER SEEDS.

	lb. RM	oz. RM		lb. RM	oz. RM
Chelone ♀ barbata	9.—	.75	Chrysanthemum.		
barbata coccinea	9.—	.75	maximum, Princess Henry, early	12.—	1.—
" Torreyi, brick red	9.—	.75	" The Speaker, giant	10.—	.80
" hybrida praecox, (Haage & Schmidt), early flowering hybrids in splendid mixture	18.—	1.30	" mixed	7.50	.65
" hybrida, mixed	7.50	.65	" Ophelia Hybrids, yellow	—	6.—
" Lyonii, dwarf, rose pink . .	—	4.50	segetum ○ Eldorado, new. canary yellow, black centre	16.—	1.25
Chenopodium ○ ambrosioides . .	22.50	1.65	Gloria (Morning Star), primrose with golden yellow centre	3.70	.30
Chinese Bellflower, see Abutilon.			" Gloria white, black centre	6.50	.50
Chinese Primrose, see Primula chinensis.			" grandiflorum (Golden Star)	3.70	.30
Chorizaema illicifolium 1000 s. 12.—			" Helios (Evening Star), golden yellow	3.70	.30
Christmas Rose, see Helleborus.			serotinum ♀ September flowering	—	9.—
Chrysanthemum Achilleae ♀	—	5.—	tricolor (carinatum) ○ album	4.50	.40
carinatum, see tricolor			" atrococcineum	5.50	.40
coronarium ○ album fl. pl.	3.—	.25	" Burridgeanum, white, crimson and yellow ring	4.50	.40
" luteum fl. pl.	3.—	.25	" Chamaeleon (H. & Schm.), bronze later isabell coloured	9.—	.75
" sulphureum fl. pl. dble. pale yellow	3.—	.25	" Dunnettii album pl.	18.—	1.30
" pumilum album pl. White Pearl	7.50	.65	" " aureum plenum	18.—	1.30
" " luteum pl., dwarf double Golden Gem	7.50	.65	" " versicolor (hybridum) pl., double in various colours	16.—	1.25
" double mixed	2.50	.25	" Eclipse (H. & Schm.), golden yellow with scarlet ring and dark brown disk	4.50	.40
" single flowering Coronet	2.50	.15	" Golden Feather, yellow leaved, flowers like those of Chr. tr. Burridgeanum	8.—	.65
" album (Princess May), white, single	2.50	.25	" Northern Star	5.50	.50
corymbosum ♀ white heads	10.—	.80	" purpureum	5.50	.50
frutescens (Argyranthemum) △	11.—	.80	" Mixture of single Vars.	3.70	.30
indicum fl. pl., Chinese, △, new double early fld. vars. mixed	—	18.—	" radiatum album (Star of Thuringia) white, dark disk	9.—	.75
" pomponicum fl. pl., double, choicest mixed	—	11.—	" radiatum aureum (Golden Wheel)	9.—	.75
" single early, hybrids	—	9.—	" uliginosum ♀ Oktober flowering	—	9.—
inodorum ○ fl. pl. Bridal Robe, large, extremely double white flowers	18.—	1.30	Chrysosplenium ♀ alternifolium 1/32 oz. 1.—		
japonicum fl. pl., Japanese var., choicest quality	—	22.—	Cigar Flower, s. Cuphea platycentra.		
Leucanthemum hybrid., Spring-Marguerite ♀	11.—	.80	Cimicifuga ♀ cordifolia	—	15.—
" hybriduum Matador	10.—	.80	" dahurica, white fls.	—	8.—
" " " Shasta Daisy"	10.—	.80	" racemosa	—	12.—
" " " grandiflorum secundum, June-Marguerite	13.50	1.15	" simplex	—	6.—
Mawii (New) silvery-pink fls., grey foliage	—	30.—	Cinchona Ledgeriana	—	20.—
maximum, large fld. white Daisy ♀	6.50	.50	" succiruba	—	15.—
" Avalanche, white	9.—	.75	Cineraria hybrida ○ △:		
" Conqueror (Haage & Sch.), the largest flowering Marguerite, true	16.—	1.25	fine mixed	—	30.—
" Etoile d'Anvers, giant	13.50	1.15	finest mixture of small flowering hybrids	—	60.—
" King Edward VII	8.—	.65	Weissensee Strain, a special stock for Market gardeners	—	50.—
" laciniatum, plumeshaped lancinated petals	11.—	.80	grandiflora (maxima), largest flowered varieties mixed	—	70.—
" Mayfield Giant, floriferous	10.—	.80	Antique rose Dark blue		
" Mrs. C. Lowthian Bell	20.—	1.50	Azure blue Pink		
" Mrs. J. Tersteeg, of tall growth, giant fld.	9.—	.75	Blood red Salmony rose, white		
			Crimson		
			sep. col:	—	120.—

	lb. RM	oz. RM		lb. RM	oz. RM
Cineraria:			Clarkia:		
<i>grandiflora</i> Matador, brilliant scarlet	—	120.—	<i>elegans Ruby King</i>	7.50	—.65
,, <i>Stella</i> , starlike	—	120.—	,, <i>Salmon Queen</i> , salmony red double	8.—	—.65
<i>multiflora nana</i> , new, dwarf plants with masses of flowers, measur. about $\frac{3}{4}$ inches in diameter in compact heads	—	50.—	,, <i>Scarlet Queen</i> (Haage & Schmidt), extremely double, intense salmony-orange scarlet, a really beautif. colour	7.50	—.65
<i>nana</i> , dwarf, 8 inches in height, small flowering sorts in splendid, mixture	—	90.—	<i>pulchella</i> single red	4.50	—.40
,, <i>kermesina</i> , small fld., dark crimson	—	120.—	,, <i>alba</i> , single white	4.50	—.40
,, <i>grandiflora</i> , dwarf, large flowered extra selected, of our very best, unsur- passable in quality, fault- less in form and most brilliant in var.	—	120.—	,, <i>nana</i> (Tom Thumb) single red	5.50	—.50
<i>plenissima</i> (Haage & Schmidt). Our double Cinerarias of greatest perfection in beau- tiful colours	—	120.—	,, <i>alba</i>	5.50	—.50
<i>polyantha (stellata)</i> , smallest flo- wering tall varieties, valua- ble for cutting	—	32.—	,, <i>fl. pl. alba</i>	8.—	—.65
<i>radiata</i> , Star-Cinerarias in finest mixture	—	42.—	,, <i>carnea</i>	8.—	—.65
<i>Cineraria maritima</i>	4.50	—.40	,, <i>marginata</i>	8.—	—.65
,, <i>Diamond</i>	7.50	—.65	,, <i>rubra</i>	8.—	—.65
<i>Cinnamomum zeylanicum</i>	100 s. 6.—		,, <i>integripetala</i> , single red . .	5.50	—.50
<i>Circaeal</i> <i>lutetiana</i>	—	2.50	,, <i>marginata</i>	5.50	—.50
<i>Cirsium</i> <i>ciliatum</i>	—	3.—	,, <i>nana</i> Mrs. Langtry	5.50	—.50
<i>eriophorum</i> (<i>spurium</i>)	—	5.—	,, „ red, dwarf	5.50	—.50
<i>pulcherrimum</i>	11.—	—.80	,, „ <i>alba</i>	5.50	—.50
<i>Velenovsky</i> , magnificent Thistle	—	2.—	,, „ <i>carnea</i>	5.50	—.50
<i>Cistus</i> , see tree-seeds.			,, „ <i>purpurea</i> (Haage & Schmidt)	5.50	—.50
<i>Citrus</i> <i>aurantium</i> , Orange	—	1.—	,, „ <i>fl. pl. alba</i> , double . . .	8.—	—.65
,, <i>Limonium Lemon</i>	—	1.—	,, „ <i>fl. pl. kermesina</i>	8.—	—.65
,, <i>nobilis Mandarin Orange</i>	—	1.—	,, <i>pulcherrima</i> , crimson	5.50	—.50
,, <i>trifoliata</i>	—	1.—	,, „ <i>fl. pl. double carmine</i> . . .	8.—	—.65
,, <i>vulgaris</i> , wild Orange	—	1.—	,, <i>single mixed</i>	4.50	—.40
Clarkia:			,, <i>double mixed</i>	6.50	—.50
<i>elegans</i> single mixed	4.50	—.40	Clary , see <i>Salvia Horminum</i> .		
,, double mixed	6.50	—.50	<i>Claytonia perfoliata</i>	36.—	2.80
,, <i>alba plena</i> , double, white Queen	7.50	—.65	Clematis <i>coccinea</i> ; scarlet flow- red species §	—	28.—
,, apple-blossom, double	7.50	—.65	<i>crispa</i> § pale lilac	22.—	1.65
,, <i>Brilliant</i> (Haage & Schmidt), crimson scarlet	8.—	—.65	<i>Davidiana</i> , light blue	—	10.—
,, Carmine Queen	7.50	—.65	<i>integrifolia</i> , lavender	—	2.80
,, Chamois Queen	8.—	—.65	,, <i>hybrida</i> mixed	—	2.80
,, Firebrand brightest scarlet	8.—	—.65	<i>mauritiana</i> , white	—	12.—
,, Mauve Queen (Haage & Schmidt), double	7.50	—.65	<i>recta</i> , white corymbs	20.—	1.50
,, <i>nana Princess</i> , Haage & Schmidt, new dwarf dou- ble fine flesh color 100 pkts. 50.—			<i>tangutica</i> , golden yellow	22.50	1.65
,, Purple King, rosy purple, double	7.50	—.65	perennial sorts mixed	36.—	2.80
,, <i>rosea plena</i>	7.50	—.65	Cleome <i>gigantea</i> , rose	9.—	—.75
			<i>pungens</i> flesh coloured	9.—	—.75
			Clerodendron <i>Fallax</i>		
			100 s. 14.—		
			<i>Kämpferi</i> (<i>squamatum</i>)		
			1000 s. 7.50		
			Clianthus Dampieri	90.—	6.—
			<i>puniceus</i> , scarlet, white spotted	72.—	5.—
			Climbing Fumitory , see <i>Adlumia</i> .		
			Clinopodium vulgare	—	1.65
			Clitoria § <i>ternatea</i>	22.—	1.65
			<i>ternaten alba</i>	22.—	1.65
			Clivia nobilis 100 s. 12.—		
			Cobaea § <i>scandens</i> , deep violet	18.—	1.30
			Cockscombs , see <i>Celosia</i>		
			Codonopsis <i>ovata</i> , light blue bells with black and yellow ring in the centre 1/8 oz. 2.50		
			Coffea arabica . . . 1000 fruits 16.—		
			Colchicum autumnale 5.— 40		

FLOWER SEEDS.

	lb. RM	oz. RM		lb. RM	oz. RM
Coleus <i>hybridus</i> :					
fine mixed	36.—	2.80			
choicest hybridized, best selected vars.	54.—	4.—			
Bizarr $\frac{1}{4}$ oz.	35.—				
laciniated and fringed mixed		$\frac{1}{4}$ oz. 35.—			
Coleus <i>hybridus macrophyllus</i>					
large-leaved:					
large-leaved (monstrous), extra choice mixture	—	12.—			
Colosse des Pyrénées	—	40.—			
ornatus (Haage & Schmidt), splendid large-leaved Coleus, beautifully spotted and marbled	—	50.—			
dwarf (<i>macrophyllus nanus</i>)					
mixed	—	40.—			
quercifolius	—	40.—			
Rehnelianus (introduced by Haage & Schmidt), dwarfest species of Coleus with creeping habit, magnificent winterflowering hanging basket plant and during summer attractive open ground bedder.					
1000 s. 7.—					
salicifolius Parrot $\frac{1}{4}$ oz.	10.—				
Collinsia <i>bartsiiifolia</i>	5.50	—.50			
<i>bartsiiifolia alba</i>	5.50	—.50			
<i>bicolor</i>	3.30	—.25			
,, <i>alba</i>	3.30	—.25			
,, <i>candidissima</i>	3.30	—.25			
,, <i>carnea</i> (Salmon Beauty)	3.30	—.25			
,, mixed	2.80	—.25			
<i>grandiflora</i>	5.50	—.50			
,, <i>carminea</i>	7.50	—.65			
<i>tinctoria purpurea</i>	3.30	—.25			
Collomia <i>coccinea</i>	1.80	—.15			
,, <i>grandiflora</i> , salmon-rose	5.50	—.50			
Columbine see Aquilegia.					
Comfrey, see Symphytum.					
Commelina <i>coelestis</i>	22.50	1.65			
<i>coelestis alba</i>	22.50	1.65			
<i>Sellowiana</i> sky blue	27.—	2.—			
Convallaria <i>japonica</i>	8.—	—.65			
<i>majalis</i> (Lily of the Valley)	54.—	4.—			
<i>multiflora</i>	—	2.—			
<i>Polygonatum</i>	9.—	—.75			
Convolvulus <i>althaeoides</i>	—	4.—			
<i>aureus superbus</i>	—	3.—			
<i>Cupanianus</i> <i>lilac</i> , dark spotted major, see <i>Ipomoea purpurea</i> .	3.—	—.25			
<i>mauritanicus</i> , <i>azure</i>	36.—	2.80			
Convolvulus <i>tricolor</i> (minor):					
blue	2.80	—.25			
<i>albus</i> , white	2.80	—.25			
<i>kermesinus violaceus</i>	2.80	—.25			
<i>quadricolor</i>	2.80	—.25			
<i>roseus superbus</i> (Rose Queen)	2.80	—.25			
<i>striatus</i> , striped	2.80	—.25			
<i>subcoeruleus</i>	2.80	—.25			
mixed	2.50	—.25			
Coral Tree, see Erythrina.					
Cordyline :					
<i>arborea</i>	100	s. 5.—			
<i>australis</i> , berries	22.50	1.65			
,, clean seed	—	6.—			
<i>indivisa</i> (superbiens), berries	8.—	—.65			
,, clean seed	26.—	2.—			
,, <i>latifolia</i> , berries	16.—	1.25			
,, <i>lineata</i> , berries	14.50	1.15			
,, <i>Parei</i> , berries	—	7.50			
,, <i>Veitchii</i> (rubra), berries	—	5.50			
Mazellii	1000	s. 4.—			
terminalis hybrida	1000	s. 20.—			
Coreopsis <i>grandiflora</i> , golden, yellow, cutflower	4.50	—.40			
<i>grandiflora</i> fl. pl.	16.—	1.25			
,, Mayfield Giant, new	14.50	1.15			
<i>lanceolata</i> (longipes)	18.—	1.30			
<i>verticillata</i> , golden yellow	—	6.—			
Corn Flower, see Centaurea.					
Coronilla <i>coronata</i>	22.50	1.65			
<i>clauca</i> , winterflowering	10.—	—.80			
<i>montana</i>	22.50	1.65			
<i>varia</i>	22.50	1.65			
Corydalis <i>cava</i> rosy purple	75.—	5.50			
<i>cheilanthifolia</i> , fernleaved	—	36.—			
<i>lutea</i>	—	10.—			
,, <i>alba</i> , white	—	22.—			
<i>nobilis</i> , yellow blackedged	—	30.—			
<i>solida</i> , rosy lilac clusters	—	9.—			
<i>tuberosa</i> , reddish purple	—	15.—			
Cosmea Cosmos					
<i>bipinnata praecox alba</i>	7.50	—.65			
,, <i>praecox</i> , crimson	7.50	—.65			
,, „ purple	7.50	—.65			
,, „ rosy	7.50	—.65			
,, „ early fld. mixed	6.50	—.50			
<i>hybrida Klondyke</i> , bright orange red, large flowering	9.—	—.75			
Cosmidium Burridgeanum	6.50	—.50			
<i>Burridgeanum Orange Crown</i> (Haage & Schmidt), golden yellow with a broad circle of a rich orange around the disk	7.50	—.65			
Cosmophyllum <i>cacaliifolium</i> (Ferdinanda eminens)	—	4.—			
Cotyledon <i>avasmontana</i>					
1000 s. 14.—					
<i>Cooperi</i>	1000	s. 14.—			
<i>orbiculata</i>	1000	s. 8.—			
Crambe <i>cordifolia</i>	—	4.—			
Crassula <i>columnaris</i>					
1000 s. 15.—					
<i>deceptrix</i>	1000	s. 8.—			
<i>perfossa</i>	1000	s. 12.—			
Crepis <i>barbata</i> (Tolpis)	7.50	—.65			
<i>barbata alba</i>	7.50	—.65			
<i>Dioscoridis</i> (Drummondii) 	9.—	—.75			
<i>rubra</i>	7.—	—.65			
,, fl. albo	7.—	—.65			
<i>Crithmum maritimum</i>	—	2.—			
<i>Crocus iridiflorus</i>	—	20.—			
<i>Croton</i> <i>Tiglum</i>	100	s. 3.—			
<i>Crown of the Field</i> , see Agrostemma.					
<i>Crucianella stylosa</i>	8.—	—.65			

	lb. RM	oz. RM	lb. RM	oz. RM
<i>Cryptostegia grandiflora</i>				
1000 s. 8.—				
<i>Cucumis</i> ⊙ § <i>anguinus</i> , see <i>Trichosanthes</i> .				
<i>Anguria</i> (<i>Aradae</i>)	4.50	.40		
<i>dipsaceus</i> , Teasel Gourd	7.—	.65		
<i>erinaceus</i> , Hedgehog Gourd	6.50	.50		
<i>flexuosus</i>	8.—	.65		
<i>Grossularia</i> , Gooseberry G.	8.—	.65		
<i>odoratissimus</i> (<i>Dudaim</i>)	6.50	.50		
<i>Curcurbita</i> ⊙ § <i>argyrosperma</i>	9.—	.70		
<i>aurantiaca</i> , Orange Gourd	4.50	.40		
<i>maliformis</i> , Apple Gourd, green, white, yellow, each	4.—	.30		
<i>melanosperma</i> , variegatedfruited Malabar (<i>Angora black seed</i>)				
Gourd, one of the finest or- namental Gourds with varie- gated leaves and striped fruits	10.—	.80		
<i>ovifera</i> , Ostrich Egg	4.50	.40		
<i>Pepo turbinata</i> , Turban Gourd, green and red, large red, white striped red each . . .	4.50	.40		
Turban Chinese red	6.50	.50		
<i>piriformis</i> (pear shaped), green, green and white striped, green with yellow ring, tri- color striped, white each .	4.50	.40		
<i>verrucosa</i> (warted), apple sha- ped, yellow each	4.50	.40		
<i>Cuphea</i> ⊙ <i>miniata</i>	20.—	1.50		
<i>platycentra</i> (Cigar Flower)	—	20.—		
<i>purpurea</i>	11.—	.80		
<i>Zimapanii</i>	10.—	.80		
<i>Cyanus</i> , see <i>Centaurea</i> .				
<i>Cyclamen</i>				
<i>europaeum</i>	—	44.—		
<i>neapolitanum</i> rosy pink, silvery foliage	—	36.—		
<i>Cyclamen persicum</i>:	oz. RM	100 s. RM	100 s. RM	
<i>persicum</i> choice mixed	5.—	—	—	
<i>giganteum</i> mixed	33.—	12.—	1.50	
" <i>album</i> (<i>Mont Blanc</i>)	38.—	14.—	1.60	
" <i>albo-rubrum</i> , white, red eye	38.—	14.—	1.60	
" <i>atrorubrum</i> , dark red	38.—	14.—	1.60	
" <i>Brilliant</i> ,salmon scarlet	72.—	26.—	3.30	
" <i>Crimson King</i>	44.—	16.—	1.90	
" <i>Pearl of Zehlendorf</i> , dark salmon	50.—	18.—	2.—	
" <i>Rose</i> , pure rose	38.—	14.—	1.60	
" <i>Rose of Zehlendorf</i> , light salmon	50.—	18.—	2.—	
" <i>roseum superbum</i>	38.—	14.—	1.60	
" <i>salmoneum</i>	55.—	20.—	2.40	
" <i>sanguineum</i>	50.—	18.—	2.—	
" <i>syringablu</i>	38.—	14.—	1.60	
" <i>Rococo</i> , mixed	55.—	20.—	2.40	
<i>Papilio</i> mixed, fin fringed	56.—	20.—	2.40	
<i>Cyclanthera</i> ⊙ § <i>explodens</i>			16.—	1.25
<i>pedata</i>			8.—	.65
<i>Cynoglossum coelestinum</i> ⊙			3.70	.30
<i>furcatum amabile</i> ♀			3.75	.30
" <i>amabile album</i>			8.—	.65
<i>linifolium</i> (<i>Venus' Navelwort</i>) ⊙			2.—	.15
<i>Cyperus</i> , s. Ornamental Grasses and Aquatics.				
<i>Cypress Vine</i> , see <i>Ipomoea Quamoclit</i> .				
<i>Cytisus</i> <i>filipes</i>	1000 s. 18.—			
<i>glabratus</i> , large, yellow flowe- red, sweet-scented			—	1.—
for others, see <i>Genista</i> and <i>Tree</i> seeds.				
<i>Dahlia</i> ⊙ ♀ <i>variabilis</i> :				
single Collarette			22.—	1.65
" Colossal			27.—	2.—
" Cactus (<i>Juarezii</i>)			30.—	2.30
" Lucifer, scarlet, brown fol.			54.—	4.—
" mixed			8.—	.65
double Giants Re-selected			—	25.—
" Cactus (<i>Juarezii</i>)			—	18.—
" Hybrids			—	18.—
" Liliput (<i>Pompon</i>)			—	18.—
" mixed			—	6.—
<i>Daisies</i> , see <i>Bellis perennis</i> .				
<i>Dame's Violet</i> , see <i>Hesperis</i> .				
<i>Dasyllirion</i>				
<i>acrotriche</i> (<i>serratifolium</i>)			—	5.—
<i>glaucophyllum</i>			—	5.—
<i>gracile</i>			—	20.—
<i>juncifolium</i>			—	6.—
<i>longifolium verum</i>			—	4.—
<i>Valla Paraíso Perdido</i> 1000 s. 3.—				
<i>Wheeleri</i> (<i>Nolina</i>) 100 s. 2.—				
<i>Datisca cannabina</i> ♀			—	3.—
<i>Datura arborea</i> (<i>Brugmansia</i>)			—	5.—
<i>ceratocaula</i> ⊙			13.50	1.15
<i>cornucopiae</i> ⊙			6.50	.50
<i>fastuosa</i> ⊙ double purple			5.50	.40
" double white			5.50	.40
<i>Huberiana</i> fl. pl. mixed ⊙			5.50	.40
<i>humilis</i> <i>flava plena</i> (<i>chlorantha</i> fl. pl.) ⊙			7.50	.65
<i>Metel</i> ⊙			4.50	.40
<i>Stramonium</i> ⊙			1.10	.15
<i>Wrightii</i> (<i>meteloides</i>) ⊙			4.50	.40
<i>Delphinium Ajacis</i> , see <i>Larkspurs</i>				
<i>Barlowii</i> ♀ dark blue			60.—	4.50
<i>cardinale</i> ♀			54.—	4.—
<i>cardiopetalum</i> ⊙			7.50	.65
<i>cashmirianum</i> , dwarf, pale blue			81.—	5.50
<i>chinense</i> ♀ mixed			10.50	.80
" <i>album</i>			12.—	1.—
" <i>azureum</i> (<i>coeruleum</i>)			12.—	1.—
" " <i>coeruleum</i>			15.50	1.25
" <i>pumilum</i> <i>album</i>			15.50	1.25
" " <i>coeruleum</i>			15.50	1.25
<i>Duhmbergii</i> ♀			—	4.—
<i>formosum</i> ♀ deep blue, white eye			63.—	4.50
" <i>coelestinum</i>			45.—	3.25
<i>hybridum</i> <i>Belladonna</i> <i>Fanny</i>				
<i>Stormonth</i> ♀, light azure blue, very largeflowering			63.—	4.50

FLOWER SEEDS.

	lb. RM	oz. RM	lb. RM	oz. RM
Delphinium:				
hybridum Belladonna Hybrids,				
light and dark blue	54.—	4.—		
hybridum new large flowering				
hybrids mixed	18.—	1.30		
hybridum large flg. hybrids mixed	12.—	1.—		
„ hollyhock strain mixed . . .	—	3.—		
„ fl. pleno, double mixed . . .	45.—	3.25		
„ fl. pl., newest double hybr.				
finest mixed	86.—	6.—		
nudicaule, ♀ dwarf brilliant				
scarlet Larkspur	54.—	4.—		
„ aurantiacum	63.—	4.50		
sulphureum (D Zalil) ♀ (intro-				
duced by Haage & Schmidt)				
sulphur yellow; flowers re-				
sembling the finest orchids	81.—	5.50		
tatsinense ♀, brilliant blue,				
distinct	—	3.—		
truncatum ♀, dark blue, black				
eye	18.—	1.30		
Devil in a bush, see Nigella.				
Dew Plant, see Mesembrianthe-				
mum tricolor.				
Dianthus alpestris ♀	—	3.—		
alpinus	1/32 oz. 7.50			
arenarius ♀	—	5.—		
atrococcineus (cruentus), fiery				
red ♀	13.50	1.15		
barbato - chinensis ○, annual				
hybrids of Sweet William, fi-				
nest mixed	13.—	1.—		
barbatus, Sweet William ○ ♀:				
fine single mixed	2.30	—.25		
flore pleno, finest double extra				
large fld.	16.—	1.25		
albus, pure white	2.80	—.25		
„ plenus, double white . . .	14.50	1.15		
atroviolaceus	4.50	—.40		
Dunnettii (atrosanguin.), dark				
crimson	3.30	—.30		
„ fl. pleno	30.—	2.30		
mutabilis, white checkered				
(Harlekin)	7.50	—.65		
nanus compactus, dwarf	3.—	—.25		
„ comp. flore pleno	20.—	1.50		
„ „ marginatus	6.50	—.50		
(The dwarf varieties of				
Sweet William produce a				
certain percentage of tall				
growing plants.)				
nigrescens fl. pl.	34.—	2.50		
nigricans, blackish velvety red	4.—	—.30		
oculatus, on red ground	5.50	—.50		
„ on violet ground	5.50	—.50		
„ marginatus, auricula-fld.				
(Hunt's Perfection),				
large fld. white margi-				
ned in splendid variety	2.80	—.25		
oculatus marginatus fl. pl.,				
auricula-flow. double	20.—	1.65		
„ marginatus grandiflorus				
(Holborn Glory)	6.—	—.50		
Dianthus:				
barbatus roseus, pale rose . . .	2.80	—.25		
„ fl. pl.	22.50	1.65		
„ splendens (Pink Beauty),				
bright salmony rose . .	12.—	1.—		
salmoneus (Scarlet Beauty),				
salmony scarlet	14.50	1.15		
Dianthus caesius ♀ grandifl.	45.—	3.25		
caesius splendens, dark rose . .	54.—	4.—		
Carthusianorum ♀ crimson pink	—	16.—		
Dianthus Caryophyllus fl. pl.,				
double fld. Carnations and				
Picotees ○ ♀:				
Bizarres, Flakes, Selves from				
stage flow., extra each				
1000 s. 14.—				
Picotees, white ground				
1000 s. 14.—				
„ yellow ground 1000 s. 14.—				
Germania, pure yellow				
1000 s. 14.—				
double stage-flowers, extra fine				
mixed, from our own splen-				
did collection				
1/32 oz. 5.20, 1000 s. 12.—				
Double Perpetual-flowering				
Carnations:				
Choicest quality from stage flo-				
wers 1000 s. 8.—				
Giant American, finest mixed				
1000 s. 10.—				
„ „ named sorts 1000 s. 26.—				
Riviera Market (Guillaud)				
Mixed 1000 s. 9.—				
Enfant de Nice, mixed 1/32 oz. 2.40				
„ de Nice: white — rose —				
red. each 1/32 oz. 3.—				
1000 s. 7.—				
Margaritae, Marguerite				
Carnations:				
very best mixture of				
double demi-tall Marguerite				
Carnations	34.—	2.65		
finest quality mixed	20.—	1.50		
dark red	30.—	2.30		
Giant Malmaison mixed	54.—	4.—		
pink (light rose)	30.—	2.30		
pure yellow, first class selected	32.—	2.50		
rose	30.—	2.30		
scarlet	30.—	2.30		
striped	30.—	2.30		
violet and reddish brown . . .	30.—	2.30		
white	30.—	2.30		
yellow and yellow grounded				
vars.	30.—	2.30		
Chabaud Carnations.				
double in splendid mixture,				
as early as the Marguerite				
Carnations.	45.—	4.—		
Chamois	54.—	4.—		
Eclatant	51.—	4.—		
Jeanne Dionis, white	54.—	4.—		
Legion d'honneur, scarlet . . .	54.—	4.—		

	lb. RM	oz. RM		lb. RM	oz. RM
Dianthus:			Dianthus:		
L'Etincelant, scarlet	54.—	4.—	Eastern Queen, rose	13.50	1.15
Magenta	54.—	4.—	Fireball, bright scarlet, extra double, large fld.	22.50	1.65
Marie Chabaud yellow	54.—	4.—	hybridus fl. pleno, mixed	23.50	1.80
Nero, dark-red	54.—	4.—	luteolus fl. pl.	32.50	2.50
Pearl pale rose	54.—	4.—	Malmaison, double, rose	32.50	2.50
Reine flesh colour	54.—	4.—	nanus atropurpureus striatus pl. ,, cupreo-coccineus pl.	—	2.80
Red Purple	54.—	4.—	nobilis, large flowering Royal Pinks, single	16.—	1.25
Ruby	54.—	4.—	Rosalind, delicate fleshcoloured changing to rose, double	22.—	1.65
striped	54.—	4.—	the Bride, white with deep purplish red centre	18.—	1.30
Yellow grounded Vars (Mdme Chabaud)	54.—	4.—	Dianthus hybridus (latifolius) ○:		
Giant Chabaud, mixed	136.—	10.—	atrococcineus fl. pl.	27.—	2.—
Dianthus Caryophyllus fl. pl., Border or Open ground			Dianthus hybridus ♀ Allwoodii	—	8.—
Carnations:			„ hybr. Crimson Bedder, car- moisine	—	6.50
double selves, best strain	27.—	2.—	Dianthus imperialis fl. pl., Double Imperial Pink ○:		
„ red shades	—	6.50	finest double mixed	11.—	.80
„ rose shades (Triumph)	38.—	2.80	albus plenus	16.—	1.25
„ striped, finest strain	45.—	3.25	atrosanguineus fl. pl.	13.—	1.—
„ yellow and yellow grounded vars.	98.—	7.—	atroviolaceus fl. pl.	12.—	1.—
„ dwarf Praque mixed	76.—	5.50	fl. albo rubro-striato pleno.	12.—	1.—
„ „ Vienna self-col	31.—	2.50	ochroleucus plenus, pale yellow	18.—	1.30
„ „ „ striped	31.—	2.50	pictus plenissimus	12.—	1.—
„ „ „ brilliant violet	31.—	2.50	nanus, dwarf mixed	16.—	1.25
„ „ „ rose (Aurora)	36.—	2.80	Dianthus inodorus ♀, rare alpine, very dwarf, large flow. rose 1/32 oz. 5.—		
„ „ „ white	31.—	2.50	Knappii ♀, rare, primrose yellow, for rockeries	—	24.—
„ Grenadin, dwarf, scarlet	45.—	3.25	Dianthus laciniatus ○:		
„ Grenadin, scarlet	38.—	2.80	single fld., finest mixed	10.—	.80
„ „ King of Blacks	31.—	2.50	double fld. mixed	21.—	1.65
„ „ Mont Blanc, white	—	6.—	albus, large fld. white, fringed	12.—	1.—
„ „ Mixed	—	3.50	atropurpureus	14.—	1.15
„ perpetual-fld. mixed	90.—	6.—	„ fl. pl.	32.50	2.50
„ „ first class selected 1000 s. 8.—			Fairy Queen, salmon	18.—	1.30
Dianthus chinensis			Lucifer (Haage & Schmidt), in- tense orange-scarlet, double fringed, magnificent	41.50	3.—
single flowering mixed ○	7.50	.50	mirabilis (Haage & Schmidt), remarkable strain with lo- vely, deeply cut, fine fringed flowers in great variety	14.50	1.15
Dianthus chinensis fl. pl. ○:			mirabilis fl. pleno (Haage & Schmidt), double fld. hybrds.	32.50	2.50
double Chinese Pinks, mixed	9.—	.75	nanus hybrids (Haage & Schm.), salmon colourings	31.50	2.50
plenissimus albus	12.—	1.—	punctatus, Princess Pinks	20.—	1.50
„ nanus roseus splendens	22.—	1.65	salmoneus, Salmon Queen (H. & Schm.), brilliant salmon red	18.—	1.30
Tom Thumb Brilliant fl. pl.	31.50	2.50	„ fl. pl. (Haage & Schmidt), double-flowered Salmon Queen	27.—	2.—
Dianthus deltoides ♀	24.—	1.80	Snowball, double large fld.	27.—	2.—
„ „ albus	—	4.—	splendens, red shades with white eye	24.50	1.80
„ „ Brilliant	31.—	2.50			
„ „ splendens, true	32.—	2.50			
giganteus ♀ wine red	6.50	.50			
graniticus ♀ carmine	27.—	2.—			
Dianthus Hedgewigii ○:					
single flowered mixed	8.—	.65			
albus Queen of Holland	16.—	1.25			
„ plenus	18.—	1.30			
atropurpureus fl. pl.	14.50	1.15			
„ albo - marginatus fl. pl. (Mourning - Cloak), beautiful, blackish purple marginated white	18.—	1.30			
Crimson Bell	13.50	1.15			
diadematus plenissimus, splen- didly marked double large flowers, magnificent in co- LOURS and variety	18.—	1.30			

FLOWER SEEDS.

	lb. RM	oz. RM		lb. RM	oz. RM
Dianthus:			Digitalis (Foxglove) ♀:		
<i>Vesuvius</i> (Haage & Schmidt), with nicely fringed flowers of the most intense orange scarlet, a really dazzling and distinct colour amongst the annual Pinks, splendid . . .	21.—	1.65	<i>canariensis</i> , yellow	—	10.—
<i>violaceus</i>	14.—	1.15	<i>ferruginea gigantea</i>	5.50	.50
,, <i>fl. pleno</i>	27.—	2.—	<i>gloxiniiflora alba</i>	8.—	.65
<i>zonalis</i> (Haage & Schmidt), bright salmon red distinctly marked with a broad blackish purple ring in the centre . . .	31.50	2.50	,, <i>isabellina</i> (H. & Sch.) . . .	20.—	1.50
,, <i>deep claret red</i>	—	2.50	,, <i>lilacina</i>	—	.80
Dianthus <i>neglectus</i> ♀ 1000 s. 3.—			,, <i>maculata superba</i> (Iveryana) . . .	10.—	.80
<i>pelviformis</i> ♀ crimson	8.—	—.65	,, <i>purpurea</i>	8.—	.65
<i>petraeus</i> ♀ soft rose, laciniated			,, <i>rosea</i>	8.—	.65
<i>pinifolius</i> ♀ white $\frac{1}{32}$ oz. 3.—			,, <i>mixed</i>	7.50	.65
<i>plumarius</i> ♀ (<i>moschatus</i>), the common single Pheasant's eye Pink in finest mixture	3.30	—.30	<i>grandiflora</i> , yellow	9.—	.75
,, <i>Cyclops</i> , single flowered Scotch Pinks	6.50	—.50	<i>hybrida Lutzii</i> , salmon rose va-		
,, <i>Cyclops</i> , red hybr. (<i>semper-florens ruber</i>)	20.—	1.50	rieties	22.—	1.65
,, <i>diadematus</i> , Sweetscented Diadem Pheasant's eye Pinks	6.50	—.50	<i>lanata</i>	—	4.—
,, <i>fl. pleno</i> , finest double Garden Pink, mixed	36.—	2.80	<i>lutea</i> , small fld. yellow	8.—	.65
,, <i>fl. pleno</i> , mixed	31.—	2.30	<i>purpurea</i> , red Foxglove	3.—	.25
,, „ „ <i>albus</i> pure white	—	4.—	,, <i>fl. albo</i>	7.50	.65
,, <i>nanus fl. pl.</i> , Erfurt dwarf double Pheasant's eye Pinks	27.—	2.—	,, <i>monstrosa</i> , mixed	13.50	1.15
,, <i>semperflorens</i> , perpetual single fld. Pink	13.50	1.15	,, <i>rosea</i>	7.50	.65
,, <i>semperflorens fl. pl.</i> double mixed	—	4.—	,, <i>mixed</i>	6.50	.50
<i>stellaris</i> , ○ with narrow - petalled, star-like flowers in great variety	—	1.50	Dimorphotheca aurantiaca (introduced by Haage & Schmidt)		
,, <i>fl. pl.</i> , double fld. Star-Pinks	—	2.80	(African Golden Orange Daisy) ○, with Marguerite-like glossy rich orange-golden flowers, extremely showy .	27.—	2.—
,, <i>Edelweiss</i> , pure white	—	2.—	Golden West, golden yellow	27.—	2.—
<i>Sternbergii</i> ♀, white	—	7.—	Salmon Beauty, true salmon	36.—	2.80
<i>suavis</i> ♀ white	27.—	2.—	White Beauty, pure white	40.—	3.—
<i>superbus</i> ♀ pale purple, fringed, fragrant	—	6.—	selected hybrids in splendid mixture (Haage & Schmidt)	16.—	1.25
,, <i>nanus</i> , white	54.—	4.—	Dioclea glycinoides △§	—	5.—
<i>sylvestris</i>	—	16.—	Diotis candidissima, see Santolina maritima.		
Rockery Carnations in splendid mixture	32.—	2.50	Dipsacus ferox ♀	4.—	—.30
Diascia Barberae, ○ rose	—	9.—	<i>svlvestris</i>	4.—	—.30
<i>Barberae</i> , orange coloured varieties	—	10.—	Dodecatheon ♀ Clevelandii, lilac	—	18.—
Dicentra (Diclytra, Dielytra) ♀			<i>Meadia</i>	—	30.—
<i>spectabilis</i>	172.—	12.—	Dolichos Lablab albus, Hyacinth bean, white ○	3.30	—.30
Diclytra, see Dicentra (Dielytra)			,, Princess Helene (japonicus Daylight), pure white	3.30	—.30
Dictamnus ♀ Fraxinella	22.50	1.65	,, <i>purpureus</i>	3.30	—.30
,, <i>Frax. fl. albo</i>	22.50	1.65	,, <i>mixed</i>	3.—	.25
Didiscus (Trachymene) coeruleus○	23.50	1.80	<i>lignosus</i> ▲	18.—	1.30
Didymocarpus, s. Streptocarpus.			,, <i>albus</i>	—	2.50
			Doronicum ♀ caucasicum		
			1000 s. 4.50	—	150.—
			<i>Clusii canarii</i> yellow	—	34.—
			<i>glaciale</i>	—	30.—
			<i>plantagineum excelsum</i> lemon yellow, fine for cutting		
			1000 s. 40.—		
			Doryanthes Palmeri ▲		
			1000 s. 26.—, 100 s. 3.—		
			Draba Aizon ♀, golden yellow $\frac{1}{32}$ oz. 3.—		
			<i>aizoides</i> ♀, gold yellow		
			$\frac{1}{32}$ oz. 3.—		
			Dedeana ♀ white $\frac{1}{32}$ oz. 2.—		
			Dracaena ▲ Draco	9.—	.75
			for others, see Cordyline.		

	lb. RM	oz. RM	lb. RM	oz. RM
Dracocephalum Moldavicum . . .	2.80	.25	Epimedium ♀ macranthum, white	— 10.—
peregrinum ♀, violet purple . . .	—	3.50	Eranthemum Ⓛ longifolium	
Ruyschiana ♀ Blue Gem . . .	29.—	2.25	(Stephanophyllum) 1000 s. 6.—	
virginianum ♀ (Physostegia) lilac .	32.50	2.50	Eranthis ♀ cilicica, yellow . . .	— 36.—
„ album	32.50	2.50	hiemalis	— 28.—
Wilsonii ♀, lilac	40.—	3.—	Eremurus ♀ altaicus, pale yellow	— 2.—
Dryas ♀ octopetala	—	20.—	Bungei, yellow 10 000 s. 26.—	
octopetala lanata	—	30.—	„ perfectus orange 10 000 s. 20.—	
Dusty Miller, see Centaurea can-			„ roseus 1000 s. 5.—	
didissima.			„ sulphureus 1000 s. 3.50	
Eccremocarpus (Calampelis) ♀ ⊖ §:			caucasicus	— 3.—
scaber, very pretty climbing			Elwesianus, rose 1000 s. 20.—	
plant, orange fld.	27.—	2.—	himalaicus 10 000 s. 18.—	
Echeveria Ⓛ agavoidea			him-rob (himalaicus × robustus), pale rose 1000 s. 8.—	
10 000 s. 18.— 1000 s. 2.—			Kaufmannii yellowish green 27.— 2.—	
carnicolor 1000 s. 7.—			Olgae, soft rose 1000 s. 8.—	
Desmetiana 10 000 s. 10.— 1000 s. 1.20			robustus 10 000 s. 60.—	— 5.—
gibbiflora 100 s. 1.—			„ superbus 1000 s. 6.—	
Grusonii 100 s. 4.—			spectabilis, pale yellow	— 2.50
lancifolia 1000 s. 4.—			tauricus, brownish yellow	— 2.50
macrophylla 1000 s. 6.—			turkestanicus, rusty brown	— 5.—
metallica 1000 s. 12.—			Shelford Hybrids, a great range	
retusa hybrida 1000 s. 2.40			of colours 90.— 6.—	
secunda 10 000 s. 12.—			finest sorts, mixed 60.— 4.50	
„ glauca 10 000 s. 12.—			Erica arborea Ⓛ, clean seed	
setosa, rare 10 000 s. 18.—			1/16 oz. 3.50	
mixed 10 000 s. 10.—			Cape species 1/32 oz. 4.50	
Echinacea ♀ hybrida (Echinacea			scoparia 1/16 oz. 1.—	
Helianthus)	45.—	3.25	Erigeron ♀ aurantiacus	— 18.—
purpurea (Rudbeckia)	45.—	3.25	aurantiacus hybridus (H. & Sch.) — 30.—	
Echinocystis lobata, wild Cucum-			Coulteri, white 36.— 2.80	
ber, hardy to be sown in			glabellus, blue 13.— 1.15	
autumn ⊖ §	6.50	.50	grandiflorus elatior, rosy 27.— 2.—	
Echinops ♀ exaltatus silvery grey .	5.—	.40	multiradiatus roseus 54.— 4.—	
Gmelinii blue	4.50	.40	speciosus (Stenactis) lavender 23.— 1.80	
humilis (cyanea) violet	4.50	.40	„ hybr. grandiflor. (H. & Sch.) 20.— 1.50	
Ritro, violet	4.50	.40	„ „ semiplenus (H. & Sch.) new 45.— 3.25	
spaerocephalus	3.30	.30	Erinus ♀ alpinus purple — 46.—	
syriacus, pale lilac	3.50	.30	alpinus albus — 50.—	
Echium creticum, scarlet ⊖	14.50	1.15	Eriobotrya japonica Ⓛ 2.80 —.25	
plantagineum, dark blue ⊖ .	5.50	.50	Eriodendron anfractuosum Ⓛ	
„ album (Haage & Schmidt)	6.—	.50	1000 s. 7.—	
simplex Ⓛ	—	4.—	Eriophyllum ♀ caespitosum (Bahia	
Edelweiss, see Gnaphalium			lanata) silvery fol. yellow	
Leontopodium.			fls. fine for rockeries — 8.—	
Edraianthus ♀ graminifolius			Eritrichium ⊖ barbigerum (Haage	
	1/32 oz. 3.—		& Schmidt), blue 9.— —.75	
„ pumilio	1/32 oz. 3.50		Erodium gruinum, for hygrome-	
Edwardsia tetraptera Ⓛ	—	3.—	ters ⊖ 4.50 —.40	
Elsholtzia cristata, ⊖ sweetscented			macradenum ♀ pale purple 1/32 oz. 3.—	
for bees	12.—	1.—	Manescavii ♀ carmine — 15.—	
cristata alba	12.—	1.—	Erpetion reniforme, Australian	
Embothrium coccineum Ⓛ	—	8.—	Violet ♀ 1/16 oz. 4.—	— 56.—
Empetrum ♀ nigrum	—	20.—	reniforme globosum (Haage &	
English Clover, see Gomphrena.			Schmidt) 1/16 oz. 5.—	— 60.—
Epacris Ⓛ hybrida, fine mixed			Eryngium ♀ alpinum 45.— 3.25	
	1000 s. 2.—		alpinum superbum large fld. 54.— 4.—	
Epilobium ♀			„ atrovirens 68.— 5.—	
angustifolium, rose	24.50	1.80	amethystinum 68.— 5.—	
„ album	—	3.—	Bourgatii — 6.—	
Dodonaei	1/32 oz. 2.—		giganteum, true 14.— 1.15	
Fleischeri	1/32 oz. 2.—		maritimum 72.— 5.—	
Hectori	—	15.—	planum 5.50 —.50	
hirsutum	—	2.—		
montanum	—	7.50		
rosmarinifolium	1/4 oz. 10.—			

	lb. RM	oz. RM		lb RM	oz. RM
Erysimum arkansanum, fine ○ . arkansanum nanum (<i>aureum compactum</i>)	3.—	.25	Eucalyptus:		
Peroftskianum ○ orange . . . pulchellum, splendid spring bedder ♀ light yellow . . . rupestre ♀ yellow	8.—	.65	Mc. Arthuri	—	8.—
Perofskianum ○ orange . . . pulchellum, splendid spring bedder ♀ light yellow . . . rupestre ♀ yellow	3.30	.25	Maidenii	—	7.50
" aurantiacum ♀ (Haage & Schmidt), new	13.50	1.15	marginata, Jarrah	—	5.50
Erythraea Centaurium ♀	27.—	2.—	Muelleri	—	5.50
Erythrina Corallodendron	54.—	4.—	obliqua, Stringy Bark	—	5.50
Crista galli	100 s. 3.—		paniculata, White Iron Bark	—	5.50
indica	—	4.—	pilularis, Black Butt	—	5.50
laurifolia	8.—	.65	polyanthema, Red Box	—	5.—
lithosperma	—	1.20	punctata, Leather Jacket	—	5.50
Erythroxylon Coca	9.—	.75	resinifera, red gum	—	5.—
" pulchrum	100 s. 4.50		robusta, Swamp Mahogany	—	2.80
Escalonia floribunda	1/16 oz. 1.—		rostrata, Red Gum	9.—	.75
Eschscholtzia ○ aurantiaca (California Poppy)	3.70	.30	rubida, White Gum	—	3.—
caespitosa, dwarf, golden	12.—	1.—	stellulata, Slaty Gum	—	6.—
californica yellow	3.70	.30	Stuartiana „Apple scented Gum	—	5.50
" alba	3.70	.30	tereticornis, Grey Gum	—	5.—
" canaliculata Mikado, orange scarlet	17.—	1.25	viminalis, Manna Gum	—	5.—
" rosea	11.—	.80	Eucharidium ○ Breweri, large		
" Carmine King	10.—	.80	flowering, rosy purple	72.—	5.—
" Chrome Queen, new clear chrome yellow	10.—	.80	grandiflorum, dark rose	9.—	.75
" erecta compacta Mandarin, orange	7.50	.65	" album	9.—	.75
" erecta fiery red	22.—	1.65	" roseum light rose	9.—	.75
" Mandarin deep orange	7.50	.65	Eugenia Jambos, edible fruit		
" Mikado, brilliant orange scarlet	10.—	.80	1000 s. 30.—		
" Rajah, purplish carmine	20.—	1.50	Eupatorium cannabinum ♀	5.50	.50
" rosea	3.70	.30	floribundum grdf. 	—	15.—
" Rose Cardinal (grandiflora rosea, carminea)	4.50	.40	Fraseri ♀ ○	16.—	1.25
" flore pleno, yellow, double	24.50	1.80	grandiflorum album 	—	4.50
crocea	3.70	.30	riparium 1/4 oz. 1.50		
Douglasii, extremely early flowering, yellow	9.—	.75	Weinmannianum, winter flow.	—	8.—
maritima	3.70	.30	Euphorbia atropurpurea		
tenuifolia	7.—	.65	100 s. 2.20		
mixed	3.30	.30	grandidens 	100 s. 5.—	
Eucalyptus			heterophylla ○	12.—	1.—
Amygdalina, Peppermint Tree	68.—	5.—	Myrsinites ♀	—	26.—
cineraria	—	6.—	palustris ♀	7.50	.65
citriodora, Lemon scented Gum	—	6.—	polychroma ♀	—	30.—
colossea Karri (diversicolor)	—	6.—	Regis Jubae 	1000 s. 6.—	
Consideneana	—	6.—	splendens 	100 s. 7.50	
coriaca (Drooping Gum)	—	6.—	variegata (marginata), variegated Spurge ○	3.70	.35
corynocalyx, Sugar Gum	—	6.—	Eutoca ○ multiflora, lavender, dwarf	13.50	1.15
crebra, Red Iron Bark	—	6.50	viscida, ultramarin	5.—	.40
erythronema, purple fls.	—	30.—	Wrangeliana, light blue, dwarf	5.50	.50
fastigiata, Mountain Ash	—	8.—	Evening Primrose, see Oenothera.		
ficifolia	1000 s. 20.—		Everlasting Flower, see Helichrysum.		
globulus, „Blue Gum“	12.—	1.—	Everlasting Pea, see Lathyrus latifolius.		
Gunnii, Swamp Gum.	63.—	4.50	Evonymus, see tree-seeds.		
haemastoma, white Gum.	—	5.50	Exacum affine 1/16 oz. 14.—		
hemiphloia, Box Tree	—	6.—	False Indigo, see Baptisia.		
leucoxylon, Iron Bark	72.—	5.—	Faya fragifera, Canary Island wax tree 		2.—
longifolia, Wooly Butt	—	5.—	Fedia ○ Cornucopiae	7.50	.65
			Cornucopiae candidissima	7.50	.65
			scorpioides	7.50	.65
			Feijoa Sellowiana	100 s. 3.—	
			Ferdinanda eminens		
			(Cosmophyllum cacaliifolium)	—	4.—
			Ferula ♀ gigantea	100 s. 2.—	
			glauca var. dalmatica.	22.—	1.65
			Feverfew, see Matricaria.		

	lb. oz.	oz. lb.
Ficus Carica Figs mixed	—	1.30
elastica	1000 s. 4.50	
imperialis (macrophylla)	1000 s. 4.50	
religiosa	1000 s. 5.—	
Flora's Paint Brush, s. Cacalia.		
Flos Adonis, see Adonis aestivalis.		
Flowering Flax, see Linum.		
Flowering Maple, see Abutilon.		
Forget me not, see Myosotis.		
Fountain Plant, see Amarantus salicifolius.		
Four O'clock, see Mirabilis.		
Foxglove, see Digitalis.		
Fragaria indica, beautiful for hanging baskets 	12.—	1.—
Francoa glabrata, with snowy white flowers on long branched spikes, exquisite material for bouquets	—	8.—
ramosa hybrida Bridal Wreath	—	12.—
„ hybrida, large fld. rose	—	12.—
„ „ large fld. white	—	12.—
„ „ mixed	—	6.—
Fraxinella, see Dictamnus.		
Freesia hybrida Ragionieri, new varieties mixed	20.—	1.50
Leichtlinii	9.—	.75
refracta alba	8.—	.65
mixed	8.—	.65
Fritillaria imperialis mixed	—	5.—
Fuchsia		
boliviana	1000 s. 12.—	
coccinea	1000 s. 5.—	
corallina	1000 s. 10.—	
corymbiflora	1/32 oz. 3.50	
„ alba	1/32 oz. 3.50	
fulgens	1000 s. 3.—	
hybrida, single mixed	1000 s. 8.—	
„ double mixed	1000 s. 8.—	
procumbens, for hanging baskets	1/32 oz. 2.—, 1000 s. 3.—	
syringiflora	1000 s. 4.—	
Funkia (Hosta) coerulea	25.—	2.—
Fortunei robusta, grey	—	10.—
Sieboldii, glaucous	—	12.—
variegated-leaved mixed	—	6.—
large leaved mixed	—	5.—
Gaillardia Amblyodon 	9.—	.75
grandiflora 	12.—	1.—
„ Bijou (Haage & Schmidt)		
Novelty, primrose yellow with wine-red centre		
100 pkts. 50.— 10 pkts. 6.—		
„ compacta, dwarf mixed	18.—	1.30
„ maxima, yellow	18.—	1.30
„ „ Standholder (Haage & Schm.), giant flowered on exceptional wiry stems	31.50	2.50
„ oculata, new hybrids	27.—	2.—
„ regalis giant fld.	36.—	2.80
„ sanguinea	14.50	1.15
„ semiplena	27.—	2.—
„ newest varieties in splendid mixture	10.—	.80

Gaillarda:

		Ib. RM	oz. RM
Gaillarda:			
<i>picta</i>	○ purple and yellow	7.50	.65
" <i>alba</i>	7.50	.65
" <i>aurea</i>	7.50	.65
" <i>coccinea</i>	8.—	.65
" <i>Josephus red, yellow edged</i>	7.50	.65
" <i>marginata alba</i>	7.50	.65
" <i>salmonea</i>	7.50	.65
" <i>mixed</i>	5.50	.50
" <i>Lorenziana, double finest</i>			
<i>mixed</i>	11.—	.80
" " <i>bordeaux red, white tipped, double</i>	16.—	1.25
" " <i>red tipped yellow, double</i>	16.—	1.25
" " <i>The Bride, white</i>	16.—	1.25
" " <i>yellow, double</i>	16.—	1.25
Galactites tomentosa ○, seeds very interesting		22.—	1.65
Galega ♀ <i>bicolor Hartlandii</i>	5.50	.50
" <i>officinalis</i>	5.50	.50
" <i>alba</i>	5.50	.50
" <i>compacta roseo-lilacina</i>			
<i>fl. pl.</i>	7.—	.65
Gamolepis Tagetes ○		13.50	1.15
Galium ♀ <i>aureum</i>	—	4.50
Gardenia Ⓛ <i>florida</i>	22.—	1.65
<i>Thunbergii</i>	1000 s. 6.—		
Gardoquia betonicoides ○ ♀		13.50	1.15
Gasteria acinacifolia . 1000 s. 20.—			
<i>brevifolia</i>	1000 s. 25.—		
<i>decipiens</i>	100 s. 3.—		
<i>disticha</i>	100 s. 2.50		
<i>glabra</i>	100 s. 4.—		
<i>lingua</i>	100 s. 3.—		
<i>maculata</i>	1000 s. 6.—		
<i>nitida</i>	100 s. 5.—		
<i>obtusifolia</i>	100 s. 3.—		
<i>spiralis</i>	1000 s. 30.—		
<i>trigona</i>	100 s. 5.—		
<i>mixed</i>	1000 s. 18.—		
Gaura Lindheimeri ○ white		9.—	.75
Gazania hybrida Ⓛ, best selected 1000 s. 14.—			
Gazania longiscapa ○ (introduced by Haage & Schmidt), extremely free flowering annual, 6 to 8 inches in height. The flowers, 2 $\frac{1}{4}$ inches in diameter, are of a lovely golden yellow colour with a brown, silvery white spotted zone, surrounded by a blackish brown ring; of easiest culture		41.—	3.—
<i>pygmaea lutea</i> Ⓛ . 100 s. 1.—			
Genista Ⓛ <i>Andreana</i> , pretty		—	5.—
<i>Andreana: Butterfly — Firefly — Moonlight — Papilio — Springfly</i>	each	—	15.—
<i>canariensis, yellow</i>	18.—	1.30
<i>florida golden yellow</i>	—	1.80
<i>monosperma, white</i>	6.50	.50
for others, see <i>Cytisus</i> and <i>Spartium</i> , also tree-seeds.			
Gentiana ♀ <i>acaulis</i>		74.—	5.50
<i>amarella, pale violet</i>	—	6.—
<i>angustifolia</i> $\frac{1}{16}$ oz. 4.—		—	—
<i>asclepiadaea</i>	—	2.—

	lb. AM	oz. AM		lb. AM	oz. AM
Gentiana:			Gilia:		
bavarica, early dark azure			rigidula, light blue heads	3.30	.30
$\frac{1}{32}$ oz. 6.—			tricolor yellow, brown and white	3.70	.30
ciliata, sky blue, Sept. flow.	—	12.50	„ fl. albo	3.70	.30
Clusii improved form of acaulis	—	12.50	„ fl. roseo	3.70	.30
cruciata deep blue	—	2.80	„ nana compacta	5.—	.40
excisa (alpina)	—	5.50	„ rubro-violacea	3.70	.30
Farreri, pale blue, white throat $\frac{1}{32}$ oz. 5.—	—	—	„ violacea	3.70	.30
germanica, blue and violet	—	5.—	fine mixed	2.80	.25
Kochiana, lilac purple	—	8.—	Gilia \heartsuit trifoliata	—	30.—
Lagodechiana $\frac{1}{16}$ oz. 4.—			Gilliflower, see Ten-week Stocks		
lutea	18.—	1.30	Gladiolus \heartsuit		
pannonica, purple and yellow $\frac{1}{32}$ oz. 2.50	—	—	Childsii hybridus	25.—	2.—
phlogifolia, creeping, dark blue	180.—	12.50	gandavensis hybridus: red sorts	25.—	2.—
pneumonanthe $\frac{1}{8}$ oz. 8.50			white „	25.—	2.—
punctata, yellow $\frac{1}{4}$ oz. 4.—			yellow „	25.—	2.—
purpurea, violet purple	18.—	1.30	extra fine mixed	18.—	1.30
scaber Bürgeri, blue, white spotted	—	8.—	„ Giant new varieties	45.—	3.25
septemfida	—	30.—	Lemoine's hybrids, mixed	16.—	1.25
Sturmiana	—	8.—	Lemoinei, blue hybrids	30.—	2.30
tibetica, white	—	3.—	Nanceianus, finest mixture	20.—	1.50
verna, beautiful blue, one of the finest dwarf G. very early $\frac{1}{32}$ oz. 8.—			primulinus hybridus	12.50	1.—
Walujewii	—	10.—	Glaucium (Horn Poppy) \odot :		
Geranium \heartsuit argenteum $\frac{1}{32}$ oz. 8.—			corniculatum	9.—	.75
Endressi, rose	136.—	10.—	flavum tricolor, orange	11.—	.80
grandiflorum, lilac	63.—	4.50	luteum	7.50	.65
ibericum, light blue, large	—	12.—	Glechoma hederacea \heartsuit	—	30.—
lancastriense	—	24.—	Globe Amarant, see Gomphrena.		
platyanthum, violet-blue	—	15.—	„ Thistle, see Echinops.		
pratense	—	4.50	Globularia \heartsuit cordifolia $\frac{1}{32}$ oz. 2.—		
„ album	—	4.50	trichosantha, blue heads	—	6.—
pyrenaicum, violet-red	—	5.—	Gloriosa \triangle \heartsuit superba 1000 s. 20.—		
sanguineum	—	10.—	Glory Pea, see Clianthus.		
„ album	—	15.—	Glossocomia clematidea \heartsuit		
for others, see Pelargonium.			$\frac{1}{8}$ oz. 2.50		
Gerardia \heartsuit hybrida	10.—	—.80	Gloxinia hybrida grandiflora \triangle :	1000 s.	$\frac{1}{32}$ oz.
Gerbera Jamesonii 1000 s. 8.—			Circe (Haage & Schmidt), flowers	AM	AM
Jamesonii hybr. 1000 s. 5.—			horizontal, white tinged		
Gesneria \triangle macrantha (Diraea			azure blue, with a distinct		
cardinalis) $\frac{1}{32}$ oz. 12.—			reddish purple marking on		
mixed $\frac{1}{32}$ oz. 9.—			the lower lobe	1.20	18.—
Geum \heartsuit coccineum (chiloense) . . .	14.50	1.15	crassifolia, fine mixed	—.40	3.50
coccineum atrosanguineum fl.			„ crispa Fireking, scarlet	—.50	5.—
semipleno	20.—	1.50	„ „ Meteor, carmine-scar-		
„ fl. pl. Mrs. J. Bradshaw . . .	32.50	2.50	let white margined	—.50	4.—
„ hybridum Lady Stratheden,			„ „ Waterloo, black purple	—.50	4.—
yellow	32.50	2.50	„ erecta Emperor Frederic,		
„ fl. pl. Orange Queen . . .	50.—	3.50	scarlet, white edged	—.50	4.—
Heldreichii, orange	—	10.—	„ „ Emperor William, vio-		
„ magnificum, large bright			let, white margined	—.50	4.—
orange	—	15.—	„ „ Prince Adalbert, violet		
montanum large yellow alpine	—	10.—	purple white edged	—.50	4.—
sibiricum coppery-scarlet	—	8.—	„ „ Queen Victoria, white	—.50	4.—
Gilia \odot achilleifolia blue	2.80	.25	grandiflora fine mixed	—.40	3.50
capitata, blue heads	3.30	.30	„ Coquette, yellow-throat	—.50	4.—
„ fl. albo	3.—	.25	„ Defiance, brilliant scarlet	—.50	5.—
liniflora, white	7.50	.65	„ King of the Blacks, deep		
minima coerulea	3.70	.30	blue	—.50	4.—
nivalis	3.30	.30	„ Marienthal, dark red, rose		
„ nana compacta	4.50	.40	edged	—.50	4.—

	1000 s. fl.	1/32 oz. fl.	lb. fl.	oz. fl.
Gloxinia:				
gigantea fine mixed55	5.—		
„ Black Prince, black blue70	7.—		
„ Brunhilde, pure white60	6.—		
„ Cyclop, wine red, white edged70	7.—		
„ Goliath, violet purple, white edged60	6.—		
elegantissima punctata70	7.—		
striata, striped50	5.—		
tigrina, tigred50	5.—		
imperialis (Sinningia) mixed (dark leaved erecta Hybrids)50	5.—		
	lb. fl.	oz. fl.		
Gnaphalium foetidum ○	18.—	1.30		
foetidum album	22.—	1.65		
Leontopodium, true, Edelweiß ♀	216.—	15.—		
rectum ♀	—	3.—		
uliginosum ♀	—	6.—		
Godetia ○:				
Bijou, dwarf, white with rose coloured spots	10.—	.80		
Crimson Glow, intense deep crimson, splendid	13.—	1.—		
Duchess of Albany, large fl. sa- tiny-white	6.50	.50		
„ of Albany dwarf	9.—	.75		
„ of Fife, white, carmine blotch	8.—	.65		
Duke of York, carmine scarlet, white ground	9.—	.75		
Fairy Queen (H. & Sch.), whitish rose, carmine blotches	8.—	.65		
Gloriosa (Haage & Schmidt), brilliant deep bloodred, the darkest of all Godetias	8.—	.65		
grandiflora carminea fl. pl.	9.—	.75		
„ Cattleya, syringa-blue	9.—	.75		
„ maculata, white with large crimson spots	7.—	.65		
„ rosea fl. pl.	8.—	.65		
„ Rose Queen (H. & Schm.), vivid	10.—	.80		
Lady Albemarle, brilliant carmine	6.50	.50		
„ „ compacta	9.—	.75		
„ Satin Rose, carmine	11.—	.80		
Lindleyana, rosy lilac	7.—	.65		
„ fl. pleno, rosy lilac	9.—	.75		
Mandarin, pale yellow	9.—	.75		
Marchioness of Salisbury white, rose centre	9.—	.75		
nana compacta Aurora	9.—	.75		
Princess Henry rose with carmine blotches	9.—	.75		
„ of Wales, fine crimson	8.—	.65		
pumila hybrida, dwarf mixed	9.—	.75		
Rosamond (Haage & Schmidt), dwarf compact, large glossy, light pink flowers, very effective	11.—	.80		
rubicunda splendens, red	4.50	.40		
The Bride, pure white	5.50	.50		
White Pearl (Haage & Schmidt)	7.50	.65		
Godetia:				
Whitneyi			6.50	—.50
Whitneyi azaleiflora plena (H. & Schmidt), new, of great value for pot culture and cutflower			13.50	1.15
„ azaleifl. fl. pl. 'Cornelia' (H. & Schm.), new satin rose, extra double			14.50	1.15
„ „ Phyllis (H. & Schm.), new, lilac rose			16.—	1.25
„ Brilliant, carmine			7.50	.65
„ Brilliant fl. pleno			13.50	1.15
„ hybr. fl. pleno, mixed			14.50	1.15
„ Sweetheart, soft rose			—	2.50
demi-tall, sorts mixed			7.50	.65
tall, sorts mixed			7.50	.65
Gold Dust , see Alyssum saxatile compactum.				
Golden Feather , see Pyrethrum partheniifol. aureum.				
Gomphrena ○ globosa (Globe Amarant) white			3.30	—.30
globosa fleshcolour			3.30	—.30
„ rubra			3.30	—.30
„ mixed			2.80	—.25
Haageana (aurea superba)			6.50	—.50
Gourds, ornamental, large sorts				
mixed			1.80	—.15
„ „ small sorts mixed			2.30	—.25
Grahamia aromatica ○ fragrant			8.—	—.65
Grevillea ↗ robusta			23.—	1.80
„ robusta pyramidalis			31.—	2.30
Grindelia ♀ robusta, golden yellow Composite			36.—	2.80
„ squarrosa			27.—	2.—
Groundsel , see Senecio.				
Gunnera ♀ manicata			—	24.—
„ scabra			—	22.—
Gypsophila elegans ○ white			1.—	—.15
elegans, carminea, rosy carmine			2.25	—.15
„ grandiflora alba			1.30	—.15
„ maxima alba			1.30	—.15
„ kermesina, crimson			2.30	—.15
„ rosea			2.25	—.15
Manginii ♀ pale rose			6.50	—.50
muralis ○ flesh color			11.—	—.80
paniculata ♀, white			4.50	—.40
„ flore pleno, double			80.—	5.50
„ „ „ Snowflake, early			180.—	12.50
repens ♀			36.—	2.80
„ rosea			50.—	3.50
scorzonerifolia ♀ white			11.—	—.80
Hablitzia tamnoides ♀ §			36.—	2.80
Habrothamnus ↗ aurantiacus			—	2.50
Hakea ↗ saligna	100 s. 3.—			
Hardenbergia, see Kennedya.				
Harpalium ♀ rigidum			—	16.—
rigidum Daniel Dewar			—	16.—
Hawkweed , see Crepis.				
Haworthia ↗ cymbiformis				
	100 s. 3.60			
radula	100 s. 3.60			
subulata	1000 s. 12.—			

	lb. \$M	oz. \$M		lb. \$M	oz. \$M
Heartsease, see <i>Viola tricolor</i> maxima.					
Hebenstreitia \odot <i>comosa serratifolia</i>	13.50	1.15	Helichrysum:		
Hedychium \triangle <i>coronarium</i>	—	2.50	<i>purpureum</i>	13.50	1.15
<i>Gardnerianum</i>	—	2.50	<i>salmoneo-roseum</i>	13.50	1.15
Hedysarum \odot <i>coronarium</i> (French Honeysuckle) red	10.—	.80	<i>salmoneo-rubrum</i> (H. & Schm.), the brightest salmon of the whole assortment	13.50	1.15
<i>coronarium fl. albo</i>	10.—	.80	<i>sulphureum</i>	13.50	1.15
Helenium autumnale \ddagger yellow	63.—	4.50	<i>violaceum</i>	13.50	1.15
<i>autumnale Riverton Gem. wall-</i> flower colour	—	8.—	Helichrysum compositum nanum plenissimum, dwarf double:		
„ <i>Riverton Beauty, lemon</i>	—	8.—	10 colours, separate each	18.—	1.30
„ <i>superbum</i>	—	7.—	mixed	14.50	1.15
„ <i>hybridum nanum praecox,</i> new (Haage & Schmidt)	—	14.—	Heliopsis \ddagger <i>laevis</i> Golden Sun	9.—	.75
Bigelowii \ddagger yellow, black disk	50.—	3.50	<i>laevis Pitcheriana, golden yellow</i>	8.—	.65
Hoopesii \ddagger large, orange, early	9.—	.75	Pitcheriana Ernest Ladhams, orange, large flow.	14.50	1.15
<i>pumilum magnificum</i>	—	6.—	scabra	8.—	.65
Helianthella uniflora \ddagger	—	2.50	„ <i>excelsa semiplena</i>	13.—	1.—
Helianthemum \ddagger <i>Chamaecistus</i>			„ <i>gratissima</i>	13.—	1.—
yellow — wine red	—	3.50	„ <i>imbricata</i>	13.—	1.—
mutabile (variabile), mixed	16.—	1.25	„ <i>zinniiflora</i>	13.—	1.—
„ new sorts mixed	20.—	1.50	„ double and semidouble mix.	11.—	.80
polifolium, white	—	3.—	Heliotropium \triangle <i>peruvianum</i> :		
vulgare, yellow	—	3.—	Boule de neige (Snowball)	32.50	2.50
Helianthus (Sunflower) \odot :			Florina, reddish violet, dwarf	—	4.50
<i>annuus Bismarckianus</i>	1.65	—.15	Frau Lederle, deep blue, large umbels	32.50	2.50
„ <i>gailliiflorus (purpureus)</i>	2.30	—.25	Navy, deep blue, large umbels	44.—	3.25
„ „ (purpureus), Eve- ninglow	5.50	—.50	Olympia, deep violet, dwarf	60.—	4.50
„ <i>pallidus (Primrose)</i>	1.10	—.15	Reine Marguerite, dark blue, giant umbels	30.—	2.30
„ „ fl. pl.	3.70	—.30	Roi des Noires	30.—	2.30
<i>argyrophyllus</i> \odot silvery fol.	2.80	—.25	Valencia, deep violet, giant	58.—	4.50
<i>cucumberifolius</i> , small-fld.	5.50	—.50	fine mixed	18.—	1.30
„ <i>Diadem</i> (Haage & Schmidt), light lemon	5.50	—.50	dark varieties mixed	22.—	1.65
„ <i>Liliput</i>	10.—	—.80	large flowering varieties	36.—	2.80
„ <i>nanus compactus (Perkeo)</i>	7.50	—.65	regale, dwarf Giant Hybrids	40.—	3.—
„ <i>Orion</i> (Haage & Schmidt)	5.50	—.50	Helipterum \odot <i>Sanfordii</i>	12.—	1.—
„ <i>Stella</i> (Haage & Schmidt)	5.50	—.50	Helleborus \ddagger (Christmas Rose):		
„ new varieties mixed	4.50	—.40	<i>foetidus</i>	11.—	—.80
<i>globosus fistulosus fl. pl.</i> \odot	3.70	—.30	<i>hybridus, new Hybr. mixed</i>	45.—	3.25
<i>Maximilianii</i> \ddagger , early flow.	—	15.—	<i>niger</i>	10.—	—.80
<i>mollis</i> \ddagger	108.—	7.50	„ major. robust	—	8.50
<i>perennis hybridus</i> \ddagger mixed	—	12.—	<i>viridis</i>	20.—	1.50
<i>peruvianus</i> \odot	2.30	—.25	Helonias, see <i>Zygadenus</i>		
<i>rigidus</i> , see <i>Harpalium</i> .			Hepatica <i>triloba</i> \ddagger		30.—
<i>uniflorus giganteus</i>	1.10	—.15	Heracleum \ddagger <i>album</i>		
Helichrysum angustifolium \ddagger	16.—	1.25	<i>giganteum</i>	11.—	—.80
<i>bracteatum</i> , single yellow	12.—	1.—	<i>Mantegazzianum</i>	3.70	—.30
Helichrysum compositum (max.)			<i>Panaces</i> , fine feathered foliage	7.—	—.65
<i>monstrosum</i> \odot :			Herniaria <i>cinerea</i> \odot		
double, large-fl. mixed	10.—	—.80	<i>glabra</i> \ddagger	9.—	—.75
<i>aeneum-coccineum</i>	13.50	1.15	<i>hirsuta</i> \odot	11.—	—.80
<i>album, pure white</i>	13.50	1.15	Hesperis \odot \ddagger <i>matronalis</i> (Sweet Rocket), purple	2.50	—.25
<i>atropurpureum</i>	13.50	1.15	<i>matronalis</i> white	2.50	—.25
<i>atroroseum</i>	13.50	1.15	„ <i>lilacina</i>	4.50	—.40
<i>atrosanguineum</i>	13.50	1.15	„ <i>nana candidissima</i>	11.—	—.80
<i>aureum</i>	13.50	1.15	„ <i>mixed</i>	2.80	—.25
<i>bruneum</i>	13.50	1.15	<i>nivea</i> (Haage & Schmidt), rare	27.—	2.—
<i>coccineum, Fire Ball</i>	13.50	1.15	<i>tristis</i>	1.80	—.15
<i>cupreatum</i>	13.50	1.15	Heuchera \ddagger <i>alba</i>	63.—	4.50
<i>ferrugineum</i>	13.50	1.15	<i>brizoides</i>	—	10.—
<i>fuscum</i>	13.50	1.15	<i>gracillima, rose</i>	—	10.—
<i>isabellino-roseum</i>	13.50	1.15	„ <i>hybrida</i>	—	10.—

	lb. RM	oz. RM	lb. RM	oz. RM
Heuchera:				
<i>rosea</i>	—	8.—	Hypochoeris <i>radicata</i> ♀	— 2.50
<i>sanguinea</i>	126.—	9.—	Hyssopus ♀ <i>officinalis</i> fl. rubro	20.— 1.50
„ <i>hybrida</i>	90.—	6.—	Iberis (<i>Candytuft</i>) <i>affinis</i> ○	2.15 —.25
„ <i>maxima</i> , scarlet, robust	160.—	12.—	<i>amara</i> (<i>lusitanica</i>) ○	1.30 —.15
„ <i>splendens</i>	162.—	12.—	<i>coronaria</i> (<i>hesperidifolia</i>), white	
Hexacentris ▲ (<i>Thunbergia</i>)			Rocket ○	2.— —.15
<i>coccinea</i>	1000 s. 30.—		<i>coronaria</i> Empress, producing the	
§ <i>mysorensis</i>	100 s. 8.—		largest flower trusses of the	
Hibiscus <i>africanus</i> (<i>calisireus</i>) ○	7.50	.65	purest white	5.50 —.50
<i>coccineus</i> (<i>speciosus</i>) ▲	15.—	1.25	gibraltarica ♀	24.50 1.80
<i>hybrides</i> grdf. (<i>palustris</i>)	15.—	1.25	gibraltarica <i>hybrida</i> ,	18.— 1.30
liliiflorus ▲	—	6.—	<i>hybrida nana alba</i> ○	7.50 —.65
Manihot ▲ golden	5.50	.50	„ <i>nana carminea</i>	7.50 —.65
„ Sunset (grandifl.) orange	5.50	.50	„ „ <i>lilacina</i>	7.50 —.65
mutabilis ▲ white later rose	16.—	1.25	„ „ <i>purpurea</i>	7.50 —.65
rosa-sinensis ▲ mixed	1000 s. 3.—		„ „ mixed	6.50 —.50
Hieracium ♀ <i>aurantiacum</i>	14.50	1.15	jucunda, rose . . . 100 pkts. 50.—	
boreale	—	2.50	Lagascae ○	2.80 —.25
lanatum	—	4.—	odorata (pinnata, pectinata) ○	1.65 —.15
marmoreum	20.—	1.50	sempervirens ♀	45.— 3.25
pilosella, very dwarf	—	2.—	Tenoreana ♀	4.50 —.40
villosum, showy rock plant	18.—	1.30	umbellata ○ alba	4.50 —.40
Himantophyllum ▲ (<i>Clivia</i>)			„ <i>carminea</i>	6.50 —.50
<i>miniatum</i>	100 s. 16.—		„ <i>carnea</i>	6.50 —.50
large fld. Hybrids	100 s. 18.—	—	„ <i>lilacina</i> , Type	4.50 —.40
Hollyhocks, see <i>Althaea rosea</i> fl. pl.			„ <i>purpurea</i>	4.50 —.40
Honesty, see <i>Lunaria biennis</i> .			„ Queen of Italy	9.— —.75
Honeysuckle, French, see <i>Hedysarum coronarium</i> .			„ Rose Cardinal	13.— 1.—
Honeywort, see <i>Cerinthe</i> .			mixed ○	2.80 —.25
Horminum ♀ <i>pyrenaicum</i>	—	12.—	Ice Plant, see <i>Mesembrianthemum crystallinum</i> .	
Horn Poppy, see <i>Glaucium</i> .			Ilex <i>paraguayensis</i> □ Mate	— 6.—
Hosta, see <i>Funkia</i>			Illicium <i>anisatum</i> □	12.— 1.—
Hovenia ▲ <i>dulcis</i>	—	1.50	Imantophyllum, see <i>Himantophyllum</i> .	
Humulus <i>japonicus</i> ○ §, . . .	5.50	.50	Impatiens <i>glanduligera</i> ○ red.	18.— 1.30
<i>japonicus</i> fol. var.,	7.50	.65	Holstii ○ ♀ (introduced by H. & Sch.), ▲, brilliant ver-	
Hunnemannia <i>fumariifolia</i> ○	16.—	1.25	million flowers	— 24.—
Hutchinsia ♀ <i>Auerswaldii</i>	—	20.—	„ new hybrids finest mixed	
Hyacinth Bean, see <i>Dolichos Lablab</i> .			(Haage & Schmidt)	— 20.—
Hyacinthus ♀ <i>amethystinus</i>	—	4.—	Noli-me-tangere ○ yellow	— 15.—
<i>candidans</i> (<i>Galtonia</i>)	6.50	.50	Oliveri, ▲ rosy lilac	— 42.—
Hymenoxis <i>californica</i> ○	10.—	.80	Sultanii, ▲ carmine red	— 24.—
Hyoscyamus <i>albus</i> ○	4.—	.30	„ <i>hybrida</i> , mixed	— 20.—
<i>orientalis</i> ♀	—	5.—	Incarvillea ♀ <i>Delavayi</i> , large rosy	
<i>pictus</i> ○	4.—	.30	carmine flowers	98.— 7.—
Hypericum ♀ <i>Ascyron macropetalum</i>	—	6.—	grandiflora	— 20.—
Coris, fine alpine, heath-like fol.	1/32 oz. 3.50	—	„ <i>brevipes</i>	— 20.—
fragile, bright golden yellow,			<i>hybrida</i> Bee's Pink, light rose	
rockery plant	—	25.—	1/8 oz 6.—	
humifusum . . . 1/32 oz. 1.—	—	—	variabilis	33.— 2.50
montanum	—	12.—	Indian Shot, see <i>Canna</i> .	
olympicum	—	14.—	Inga <i>dulcis</i> ▲	10.— —.80
orientale	—	2.50	Saman	10.— —.80
patulum var. <i>Henryi</i>	50.—	3.70	Inula ♀ <i>ensifolia</i> , dwarf globular	
perforatum	11.—	.80	bushes, flowers golden yellow	81.— 5.50
polyphyllum	—	6.—	glandulosa grandiflora,	108.— 7.50
pulchrum	—	5.—	macrocephala	6.50 —.50
quadrangulare	—	4.—	Royleana	31.— 2.30
reptans	—	30.—	salicifolia	8.— —.65
tetrapterum	—	4.50	Ipomoea § <i>bona nox</i> (<i>muricata</i>) ○	3.— —.25
veronense	—	3.—	<i>coccinea</i> ○	4.50 —.40
			<i>grandiflora</i> (<i>mexicana</i>) alba ○	8.— —.65

	lb. \$R	oz. \$R		lb. \$R	oz. \$R
Ipomoea:					
<hederacea (morning="" .="" .<="" 1.="" 10.="" 2.="" 3.="" 4.="" 5.="" 6.="" 7.="" 8.="" 9.="" alba="" alba,="" atrocoerulea,="" atrosanguinea,="" atroviolacea="" carnea,="" colours:="" convolvulus="" elegantissima="" fringed="" glory,="" hederacea="" japanese="" kermesina,="" lilac="" lilacina,="" limbata="" major)<="" mixed="" morning="" purpurea="" rosea="" rosea,="" separate="" striata="" superba="" td="" tricolor,="" true="" violacea,<="" ▲="" ○="" ○,=""><td>6.— 6.— 6.— 4.50 98.— 4.50</td><td>.50 .50 .50 —.40 7.— —.40</td><td>Isotoma ○ Petrea, white</td><td>—</td><td>8.—</td></hederacea>	6.— 6.— 6.— 4.50 98.— 4.50	.50 .50 .50 —.40 7.— —.40	Isotoma ○ Petrea, white	—	8.—
Jacaranda ▲ mimosifolia			Petrea coerulea		10.—
Jacobaea, see Senecio elegans.			Italian Bugloss, see Anchusa.		
Jacobinia, coccinea 100 s. 1.—			Jacaranda ▲ mimosifolia	18.—	1.30
Jacob's Ladder, see Polemonium.			Jacobaea, see Senecio elegans.		
Jasione montana ♀ blue			Jacobinia, coccinea 100 s. 1.—		
perennis, Scabious like fls. . . .			Jacob's Ladder, see Polemonium.		
Jatropha ▲ Curcas			Jasione montana ♀ blue	—	10.—
Jerusalem Star, see Cerastium.			perennis, Scabious like fls. . . .	—	15.—
Jonopsidium acaule ○			Jatropha ▲ Curcas	8.—	—.65
Joseph's Coat, see Amaranthus tri-color.			Jerusalem Star, see Cerastium.		
Jove's flower, see Agrostemma coronaria.			Jonopsidium acaule ○	54.—	4.—
Jurinaea ○ alata, rosy purple . . .			Joseph's Coat, see Amaranthus tri-color.		
Justicia ▲ hyssopifolia 100 s. 3.—			Jove's flower, see Agrostemma coronaria.		
multiflora 1000 s. 10.—			Jurinaea ○ alata, rosy purple . . .	7.50	—.65
Kalanchoe ▲ crenata 1000 s. 1.—			Justicia ▲ hyssopifolia 100 s. 3.—		
globulifera (coccinea) 1000 s. 4.50			multiflora 1000 s. 10.—		
thyrsiflora 1000 s. 4.50			Kalanchoe ▲ crenata 1000 s. 1.—		
Kaulfussia ○ amelloides			globulifera (coccinea) 1000 s. 4.50		
amelloides alba			thyrsiflora 1000 s. 4.50		
„ atroviolacea			Kaulfussia ○ amelloides	18.—	1.30
„ kermesina			amelloides alba	18.—	1.30
„ rosea			„ atroviolacea	18.—	1.30
„ mixed			„ kermesina	18.—	1.30
rubro-coerulea (violacea vera)			„ rosea	18.—	1.30
○, sky blue	16.—	1.25	„ mixed	16.—	1.25
sanguinea (Mina) ○	6.50	.50	Kenilworth Ivy, see Linaria Cymbalaria.		
scarlatina ▲	18.—	1.30	Kennedyia ▲ § (Hardenbergia)		
setosa ○ ▲	12.—	1.—	digitata	—	10.—
Ipomopsis ○ mixed	20.—	1.50	nigricans	—	12.—
Iris ♀ anglica mixed	14.—	1.15	ovata alba	—	15.—
bucharica, white, yellow falls			„ coerulea	—	22.—
foetidissima	9.—	.75	„ rosea	—	15.—
furcata	8.—	.65	Kitaibelia vitifolia ♀	6.50	—.50
germanica hybrida mixed	18.—	1.30	Kleinia ▲ neriifolia 1/4 oz. 3.—		
„ newest hybrids mixed	27.—	2.—	Kochia ○ Childsii, green foliage	2.50	—.25
graminea	8.—	.65	trichophila, Burning Bush	1.30	—.15
Güldenstaedtii	7.50	.65	Kudzu Vine, see Pueraria Thunbergiana.		
himalayense	—	6.—	Lagenaria ○ § clavata, Herculean club Gourd	5.50	—.50
hispanica	—	2.50	corsica, flat	5.—	—.40
Kaempferi, best mixed	18.—	1.30	depressa	5.—	—.40
livida	—	1.—	enormis, bomb gourd	5.—	—.40
longipetala	—	1.—	leucantha longissima	6.50	—.50
mandschurica	10.—	.80	maxima	5.—	—.40
Monnier, golden yellow	—	6.—	minima	6.—	—.50
ochroleuca gigantea	—	6.—	pelerina	5.—	—.40
orientalis	5.50	.50	pyrotheca, powder flask bottle-gourd	6.—	—.50
„ Snow Queen	8.—	.65	sphaerica, Sugar Trough	6.—	—.50
Pseud-Acorus, aquatic	3.70	.30	Syphon, Dipper or Calabash Gourd	4.50	—.40
pumila hybrida mixed	27.—	2.—	Lagerstroemia ▲ indica (rosea)	—	3.—
sibirica	4.50	.40	Lagunaria (Hibiscus) Patersonii ▲	—	2.50
„ alba	5.50	.50	Lantana ▲ hybr., fine mixed	8.—	—.65
„ Perry's Blue, clear blue	—	.80	hybrida dwarf sorts mixed	11.—	—.80
„ superba, darkblue	—	.80	„ alba grandiflora	10.—	—.80
„ var. mongolica, dwarf	12.—	1.—	„ Roi des Rouges	—	1.30
Tolmieana (missouriensis) lilac and yellow	20.—	1.50	Lapageria ▲ § rosea 1000 s. 6.—		
versicolor	8.—	.65			
Isatis ♀ aleppica	11.—	.80			
glauca	4.50	.40			
tinctoria	2.80	.25			
Ismelia ○ Broussonetii	8.—	.65			
coronopifolia, similar to Chrysanthemum frutescens	8.—	.65			
Isoloma hirsutum multiflor. ▲					
1/32 oz. 36.—					
hirsutum multiflorum, new hybrids	p. pkt. 1.—				

Larkspur.

	lb. RM	oz. RM
Double tall Rocket (Delphinium Ajacis elatior fl. pl.)		
1. dark blue, 2. fleshcolour, 3. light blue, 4. lilac, 5. liver coloured, 6. reddish lilac, 7. rose, 8. tile red, 9. violet, 10. white,		
separate each	4.50	.40
The same mixed	3.70	.30
Double Hyacinth-flowered dwarf Rocket,		
1. apple-blossom, 2. ashgrey, 3. azure blue, 4. blackish blue, 5. chamois, 6. chocolate-colour, 7. dark blue 8. lilac, 9. porcelain blue, 10. rose 11. tile red, 12. violet 13. white.		
separate each	5.—	.65
The same mixed	7.50	.65
Double Hyacinth-flowered giant,		
1. chocolate-colour, 2. dark blue 3. indigo, 4. lilac, 5. reddish grey, 6. rose, 7. tile red, 8. white, 9. white tinted blue,		
separate each	6.50	.50
The same mixed	5.50	.50
Double tall branching or Stock-flowered (Delphinium Consolida fl. pl.),		
1. dark blue, 2. dark rose, 3. flesh-colour, 4. light blue, 5. lilac 6. tricolor, 7. white, 8. white striped light blue,		
separate each	4.50	.40
The same mixed	3.70	.30
brilliant carmine	6.50	.50
Double dwarf branching or Candelabrum (Delphinium Consolida candelabrum), exceedingly pretty,		
1. blackish blue, 2. light blue, 3. rose, 4. tricolor, 5. white,		
separate each	16.—	1.25
The same mixed	13.50	1.15
Double Emperor (Delphinium Consolida imperiale),		
1. azure blue, 2. blackish blue, 3. brilliant rose, 4. red striped, 5. rose, 6. tricolor, 7. violet, 8. white, 9. white striped light blue,		
separate each	5.50	.50
The same mixed	4.50	.40
Lasthenia californica ○ yellow	11.—	.80
Lathyrus articulatus, rose ○	2.—	.15
azureus ○ §	3.30	.30
„ flore albo	2.50	.25
„ fl. roseo	2.50	.25
Clymenum (Tangier Pea) ○ §	2.50	.25
Gorgonii, ○ § red	2.50	.25
hirsutus ○ §	2.50	.25
latifolius (Everlasting Pea) ♀ §		
red	8.—	.65
„ albus	11.—	.80
„ grandifl. albus White Pearl	13.—	1.—
„ Pink Beauty	13.—	1.—
„ roseus	11.—	.80
„ splendens	13.—	1.—
„ mixed	6.50	.50
luteus, yellow ○ §	2.50	.25
„ var. aurantiacus	2.50	.25
mauritanicus, dark red ○ §	2.80	.25

	lb. RM	oz. RM
Lathyrus:		
odoratus, see Peas (Sweet Peas)		
pratensis ♀ yellow	20.—	1.50
rotundifolius ♀ § scarlet	—	5.—
spathulatus, yellow ○	2.50	.25
sylvestris Wagneri ♀	7.50	.65
tingitanus (Napoleonis) ○ §	2.50	.25
tomentosus ○	2.30	.25
tuberosus ♀, carmine	—	5.50
Laurus Camphora △ 1000 s. 3.50	9.—	.75
Lavandula vera	13.50	1.15
vera, Munstead var., dwarf	—	12.—
Lavatera arborea	3.70	.30
arborea varieg. △	5.50	.50
cachemiriana ♀	12.—	1.—
olbia, ♀ rose pink	—	2.50
thuringiaca ♀	18.—	1.30
trimestris alba ○	3.30	.30
„ rosea splendens	3.70	.30
Layia ○ elegans, yellow	13.50	1.15
Leonotis Leonurus △ deep orange		
1000 s. 18.—		
Leontodon autumnale ♀	—	3.—
Leontopodium ♀ alpinum, true, Edelweiss	216.—	15.—
Amrhains new Hybrids	—	72.—
sibiricum, largest flowered Edelweiss	360.—	25.—
Leonurus Cardiaca ♀, for bees	4.50	.40
villosus ♀	7.50	.65
Lepachys pinnata ♀	—	6.—
Leptosiphon ○ aureus	13.50	1.15
densiflorus, lavender	7.50	.65
hybridus mixed	11.—	.80
luteus	13.50	1.15
roseus	13.50	1.15
Leptospermum △ laevigatum	—	5.—
Leptosyne ○ Douglassii yellow	14.50	1.15
maritima (grandiflora)	13.50	1.15
Stillmannii	18.—	1.30
Leucadendron argenteum ▲		
1000 s. 16.—		
Leucanthemum grandifl., large fld. Ox-eye Daisy ○ ♀	8.—	.65
maximum, s. Chrysanthemum uliginosum ♀	—	9.—
Leucheria senecioides , white	—	2.50
Leucocoryne ▲ ixoides odorata		
1000 s. 25.—		
Leucophae ♀ candidissima		
1000 s. 6.—		
Liatris ♀ callilepis, blue	—	6.—
spicata, purplish rose	—	6.—
Libonia △ floribunda 1000 s. 25.—		
rutilans 1000 s. 10.—		
Ligularia ♀ macrophylla	—	3.—
Lilium ♀ auratum	27.—	2.—
auratum platyphyllum	50.—	3.50
colchicum, lemon	—	10.—
cordifolium, orange	—	3.—
giganteum, wittish	—	5.—
japonicum soft rose	—	2.50
longiflorum	30.—	2.30
„ giganteum	60.—	4.50

Lilium:	lb. RM	oz. RM	lb. RM	oz. RM
Martagon	27.—	2.—		
„ album	—	12.—		
„ var. dalmaticum (Cattaneae)				
1000 s. 10.—				
Parryi, red	—	10.—		
philippinense formosanum, pure white, fragrant	136.—	10.—		
regale	13.50	1.15		
Sargentii	1000 s. 5.—			
tenuifolium, dark scarlet	45.—	3.25		
Lily of the Valley, see Convallaria.				
Limnanthus Douglasii ○	7.50	—.65		
Linaria alpina ○ ♀	—	22.—		
alpina rosea $\frac{1}{32}$ oz. 3.—				
aparinoides splendens ○	9.—	—.75		
bipartita (elegans) ○ blue	5.50	—.50		
„ alba	5.50	—.50		
„ splendida dark violet	5.50	—.50		
Cymbalaria (Kentucky Ivy), ○				
lilac	31.—	2.50		
„ fl. albo	36.—	2.80		
dalmatica ♀	14.50	1.15		
Hendersonii ○ ericoides	13.50	1.15		
genistifolia ♀	29.—	2.25		
macedonica ♀	20.—	1.50		
„ speciosa (Haage & Schmidt) flowers very large of a clear citron yellow colour, handsome hardy perennial, flowering the first year, when sown early	31.50	2.50		
„ speciosa Nymph Haage & Schmidt), cream coloured of great effect	45.—	3.25		
maroccana ○ violet purple	5.50	—.50		
„ alba „Pearl“	6.50	—.50		
„ carminea	6.50	—.50		
„ Excelsior-mixture	9.—	—.75		
„ hybrida	5.50	—.50		
multipunctata ○ yellow, spotted brown, dwarf	27.—	2.—		
Perezii ○ yellow, dwarf	8.—	—.65		
reticulata ○ aureo-carminea	7.50	—.65		
„ aureo-purpurea	8.—	—.65		
„ „ „ violacea	7.50	—.65		
triornithophora ○	—	12.—		
„ carneae	—	12.—		
vulgaris ♀	40.—	3.—		
Lindelofia spectabilis ♀	54.—	4.—		
Linum alpinum ♀, light blue	—	24.—		
austriacum ♀, blue	13.50	1.15		
flavum ♀	54.—	4.—		
grandiflorum rubrum (Scarlet Flax) ○	3.30	—.30		
narbonense ♀ large flow, blue	45.—	3.25		
perenne ♀	3.30	—.30		
„ album	4.50	—.40		
usitatissimum grandiflorum, blue ○	1.30	—.15		
„ grandiflorum album	1.30	—.15		
Lippia (Aloysia) citriodora △	54.—	4.—		
Lisianthus Russellianus ▲				
1000 s. 2.—				
Lithospermum purpureum coeruleum ♀	27.—	2.—		

	lb. RM	oz. RM		lb. RM	oz. RM
Lobelia:			Lupinus:		
<i>inflata</i> ♀	—	10.—	„ <i>superbus</i> purple, yellow and white	3.30	—.30
<i>ramosa</i> ○ blue, height foot	—	4.—	<i>luteus Romulus</i> dwarf yellow	11.—	—.80
„ <i>Heavenly Blue</i>	—	4.—	<i>Moritzianus</i> , dark blue	2.80	—.25
<i>syphilitica</i> ♀	—	45.—	<i>Mutabilis</i> , blue, yellow and white	1.80	—.15
„ <i>alba</i> 1/32 oz. 2.25	—	4.—	„ <i>roseus splendens</i> rose, yellow and white	2.80	—.25
<i>tenuior</i> ○ large fld., dark blue	—	4.—	<i>nanus</i> , blue	6.—	—.50
Lonas inodora (<i>Athanasia annua</i>), Everlasting ○	4.50	—.40	„ fl. albo, <i>Snow Queen</i>	10.—	—.80
Lophospermum ○ § <i>scandens</i> (<i>erubescens</i>)	58.—	4.50	<i>nutkaensis</i> ♀ purple and white, dwarf	—	12.—
Lotus canariensis floribunda △ 1000 s. 6.—			polyphyllus , ♀ perennial varieties mixed	2.80	—.25
<i>mascaensis</i> △ 1000 s. 7.50			„ <i>albus</i>	7.50	—.65
Love Grove , see <i>Nemophila</i> .			„ <i>Chocolate Soldier</i> , yellow and brown-violet	—	6.—
Love in a Mist , see <i>Nigella</i> .			„ <i>coeruleus</i> , dark blue	1.80	—.15
Love in a Puff , see <i>Cardiospermum</i>			„ <i>Downer's Hybrids</i>	10.—	—.80
Love-lies-bleeding , see <i>Amarantus caudatus</i> .			„ <i>Excelsior</i> , new hybrids	7.50	—.65
Luculia gratissima △ 1/32 oz. 2.—	—	—	„ <i>Harkness Regal Hybr.</i>	10.—	—.80
Luffa ○ § <i>acutangula</i> , Rag or Dish-cloth Gourd	4.50	—.40	„ <i>luteus</i>	32.—	2.50
<i>cylindrica</i>	5.50	—.50	„ <i>Maid</i> , ivory white with pink	18.—	1.30
<i>macrocarpa</i>	5.50	—.50	„ <i>Moerheimii</i> , soft rose	16.—	1.25
<i>Sooly Qua</i>	5.50	—.50	„ <i>roseus</i>	10.—	—.80
Lunaria ○ <i>biennis</i> (<i>Honesty</i>)	10.—	—.80	<i>subcarnosus</i> (<i>texanus</i>) <i>azure</i>	4.50	—.40
<i>biennis</i> <i>alba</i>	12.—	1.—	<i>sulphureus</i> (<i>Menziesii</i>)	6.50	—.50
„ <i>fol. var.</i>	16.—	1.25	tall varieties mixed ○	1.80	—.15
„ <i>kermesina</i>	13.—	1.—	demi-tall vars. mixed ○	3.30	—.30
<i>rediviva</i> ♀	—	3.25	dwarf vars. mixed ○	4.50	—.40
Lupinus ○ <i>affinis</i> , fine	4.50	—.40	Lychnis ♀ <i>alpina</i> , rose	—	15.—
<i>albo-coccineus</i>	3.30	—.30	<i>Arkwrightii</i>	—	3.—
„ „ <i>nanus</i> (<i>H. & Schm.</i>)	7.50	—.65	<i>chalcedonica</i> (scarlet)	5.50	—.50
„ „ „ <i>roseus</i>	7.50	—.65	„ <i>alba</i>	16.—	1.25
<i>albo-violaceus</i> <i>nanus</i>	9.—	—.75	„ <i>carnea</i> (<i>Salmon Queen</i>)	16.—	1.25
<i>arboreus</i> ♀	6.50	—.50	<i>Flos cuculi</i> , rose purple	27.—	2.—
„ <i>hybridus</i> <i>Paynei</i> , various shades, 6 ft. in height			<i>fulgens</i>	40.—	3.—
1000 s. 3.—			Haageana , large-flowered brilliant deep scarlet	26.—	2.—
„ „ <i>Snow Queen</i>	10.—	—.80	„ <i>atropurpureis</i>	32.—	2.50
„ „ <i>Somerset</i> , primrose	14.—	1.15	„ <i>hybrida</i> in various colours		
„ „ <i>Sunshine</i> , dwarf	16.—	1.25	mixed	24.—	1.80
„ „ new hybr. in mixture	5.50	—.50	Viscaria , rose	13.50	1.15
<i>californicus</i>	2.30	—.25	„ <i>alba</i>	23.—	1.80
<i>Cruikshanksii</i> , blue and yellow	1.80	—.15	„ <i>splendens</i> (<i>coccinea</i>)	15.—	1.25
<i>densiflorus</i> , white	12.—	1.—	Lysimachia ♀ <i>punctata</i>	—	3.—
<i>Dunnettii</i> <i>superbus</i> , dark violet, white lips	3.70	—.30	<i>vulgaris</i>	—	3.—
<i>Hartwegii</i> blue	4.15	—.40	Lythrum <i>roseum superbum</i> ♀	7.50	—.65
„ <i>albus</i>	4.15	—.40	<i>Salicaria</i> ♀ dark red	6.50	—.50
„ <i>coelestinus</i>	4.15	—.40	„ new hybrids mixed	14.—	1.15
„ <i>roseus</i>	4.15	—.40	<i>virgatum</i>	8.—	—.65
<i>hirsutissimus</i> , blue, dwarf	13.50	1.15	Machaerium <i>Tipu</i> ▲ 1000 s. 12.—		
<i>hirsutus</i> (<i>pilosus</i>), large blue	2.80	—.25	Mackaya bella ▲ 100 s. 2.—		
„ <i>albus</i> , large white	2.80	—.25	Madagascar Periwinkle , see <i>Vinca</i> .		
„ <i>carneus</i> (<i>ruber</i>), rose	2.80	—.25	Madia ○ <i>elegans</i> yellow rays	18.—	1.30
<i>hybridus atrococcineus</i> red, white tipped	4.15	—.40	Malcolmia ○ <i>flexuosa</i> , red	9.—	—.75
„ fl. <i>pleno</i> President Cleve-land, double-fld	4.—	—.30	Malope ○ <i>grandiflora rubra</i>	2.—	—.15
„ <i>insignis</i> , violet purple	4.15	—.40	<i>grandiflora alba</i>	2.—	—.15
„ <i>nigrescens</i> black blue	4.15	—.40	„ <i>rosea</i>	2.—	—.15
„ <i>roseus</i>	4.50	—.40	„ <i>mixed</i>	1.80	—.15

	lb. \$M	oz. \$M	lb. \$M	oz. \$M
Malva Alcea ♀ red purple	58.—	4.50	Mesembrianthemum adscendens ↗	
borealis ○ lilac-rose	3.—	.25	1000 s. 3.—	
capensis ↗	—	7.50	blandum ↗	1000 s. 2.—
crispa ○ white	2.—	.15	Brownii ↗	1000 s. 4.—
mauritiana ○ lilac, veined purple	3.—	.25	cordifolium	— 16.—
miniata ○ cinnabar	12.—	1.—	„ varieg. ○ rosy-purple	— 20.—
moschata ♀ Musk Mallow, pink	7.—	.65	crystallinum (Ice Plant), clean	
„ fl. albo	7.—	.65	seed ○	5.50 — .50
Mandevillea suaveolens ↗	45.—	3.25	culturatum ↗	1000 s. 2.—
Manihot utilissima, ⚡ produce			curviflorum ↗	1000 s. 4.—
Tapioca 1000 s. 20.—			Lesliei ↗	100 s. 4.—
Marigold, African & French, see			linguiforme ↗	1000 s. 2.—
Tagetes.			„ difforme ↗	1000 s. 2.—
„ Cape, s. Calendula pluvialis.			lucidum ↗	1000 s. 5.—
„ Pot, s. Calendula officinalis.			praepingue ↗	1000 s. 6.—
Martynia ○ formosa (fragrans)	25.—	2.—	pseudotruncatellum ↗	1000 s. 8.—
proboscidea	25.—	2.—	„ var. Mundtii	1000 s. 15.—
Marvel of Peru, see Mirabilis.			pustulatum ↗	1000 s. 6.—
Mask Flower, see Alonsoa.			Puttkamerianum ↗	100 s. 6.—
Matricaria, Feverfew ○ ♀:			„ var. glabrior.	100 s. 8.—
capensis fl. pl. double pure white	10.—	.80	rhomboideum ↗	1000 s. 14.—
eximia fl. pl., double white quilled	11.—	.80	Salmii ↗	1000 s. 4.—
„ grandiflora fl. pl.	16.—	1.25	spectabile ↗	1000 s. 4.—
„ „ aurea Tom Thumb	22.50	1.65	splendens ↗	1000 s. 14.—
„ nana plena Golden Ball	54.—	4.—	tigrinum ↗	1000 s. 18.—
„ „ „ Lemon Ball (luteescens)	72.—	5.—	„ superbum	1000 s. 25.—
„ „ „ Silver Ball	72.—	5.—	triangulare ↗	1000 s. 2.—
„ pyramidalis pure white	—	4.—	tricolor ○	16.— 1.25
Matthiola ○ bicornis, sweetscented			„ fl. albo	24.— 1.80
rosy lilac	2.30	.25	variabile ↗	1000 s. 20.—
thessala ♀ 1000 s. 5.—			mixed	1000 s. 2.—
Marrubium candidissimum ○	—	6.—	Methonica, see Gloriosa.	
Maurandia ○ Barclayana, blue	—	5.50	Metrosideros ↗ tomentosa	— 14.—
Barclayana alba (albiflora)	—	26.—	mixed	— 12.—
Emeryana rosea (Laceyana)	—	6.—	Michauxia campanuloides ♀	
Purpusii ♀	—	30.—	1/4 oz. 6.—	
mixed	—	4.50	Tschihatchewii 1/16 oz. 7.50	
Meconopsis ♀ Baileyi peacock blue	—	12.—	Michelia Champaca ⚡	
„ cambrica dark yellow	—	6.—	1000 s. 15.—	
„ „ fl. pleno	—	20.—	Micromeria ♀ ○ helianthemifolia,	
integerrifolia maxima 1/32 oz. 4.—			rosy purple fragrant, pretty	
nepalensis (paniculata) light			for rockeries 1000 s. 10.—	
yellow	—	5.—	Mignonette, see Reseda.	
Prattii, giant flow. blue			Mikania scandens ↗ §	
rudis, beautiful blue panicles, rare			1000 s. 1.50	
1/32 oz. 6.—			Mimosa pudica (Sensitive Plant) ○	5.50 — .50
Wallichii ♀, very rare, light blue,			Spegazzinii ⚡	— 10.—
beautiful 1/8 oz. 7.50			Mimulus ○	
Medeola, (Myrsiphyllum) ↗ §			cardinalis, scarlet	63.— 4.50
asparagoides (Smilax)	11.—	.80	aureus — orange	each: 68.— 5.—
myrtifolia 1000 s. 3.60			carneus — roseus superbus	63.— 4.50
Medicago ○ Echinus (intertexta),			Mixed	72.— 5.—
in pods	9.—	.75	grandiflorus, dark red	54.— 4.—
scutellata, in pods	4.—	.30	cupreus, coppery-red	72.— 5.—
Melaleuca ↗ leucadendron	—	6.—	„ Prince Bismarck carmine	
Melianthus ⚡ major, fine ornamental foliaged plant	—	5.50	purple, dwarf	
Melilotus gracilis ○ yellow	4.15	.40	„ Red Emperor, New. bright	
Melothria ○ § abyssinica	14.—	1.15	crimson scarlet, compact	
punctata (Pilogyne suavis)	14.—	1.15	100 pkts. 40.—	— 30.—
scabra (Musk-vine)	14.—	1.15	duplex (hose in hose) albus par-	
Mentha ♀ Pulegium	16.—	1.25	dinus	— 7.—
viridis	—	12.—	„ tigrinus (pardinus)	— 7.—

	lb. RM	oz. RM		lb. RM	oz. RM
Mimulus:					
<i>hybridus grandifl. imperialis</i>	—	11.—	<i>Myosotis alpestris elegantiss:</i>		
" " <i>Fireking</i>	—	8.—	" " " <i>alba</i>	36.—	•2.80
<i>luteus, wild type</i>	—	2.—	" " " <i>carminea</i> (H. & Sch.), bright carmine, the red or pink flowered var. (crop-failure)	—	—
<i>moschatus (Musk) yellow</i>	90.—	6.—	" " " <i>rosea</i>	36.—	2.80
<i>quinquevulnerus, five blotched</i>	—	3.25	" <i>indigo compacta, dwarf</i>	31.—	2.50
" <i>maximus, large fld.</i>	—	4.—	" <i>Messidor, indigo</i>	54.—	3.25
<i>tigrinus (pardinus)</i>	45.—	3.25	" <i>robusta grandiflora</i> (Elisa Fonrobert)	18.—	1.30
" <i>albus</i>	—	4.—	" <i>stricta indigo blue</i>	16.—	1.25
" <i>grandiflora (Queen's Prize), large fld. dwarf varieties</i>	54.—	4.—	" " " <i>Royal blue</i>	16.—	1.25
" <i>nanus roseus</i> $\frac{1}{32}$ oz. —50			" " " <i>rosea</i>	18.—	1.30
<i>Tilingii, yellow, 2 feet in height</i>	36.—	2.80	" <i>Victoria, dwarf compact blue variety with large flowers in dense umbels, the best kind for pot culture</i>	30.—	2.30
Mina lobata (introduced by H. & Schm.), beautiful climber \odot §	45.—	3.25	" <i>Victoria alba</i>	45.—	3.25
sanguinea, see Ipomoea sanguinea.			" " <i>indigoblue (ultramarin)</i>	50.—	3.50
Mirabilis Jalapa (Marvel of Perou), \odot : fine mixed	1.80	—.15	" " <i>rosea</i>	54.—	4.—
Jalapa pumila fol. var. Tom Thumb mixed	3.75	—.30	dissitiflora \odot deep blue	—	6.—
longiflora alba (odorata)	5.50	—.50	" Perfection	—	8.—
" violacea	5.50	—.50	hybrida Isolde Krotz, an improved Ruth Fisher		
Molopospermum cicutarium ♀	4.50	—.40	$\frac{1}{32}$ oz. 4.—		
Molucella laevis \odot , Shellflower	36.—	2.80	<i>Marga Sacher</i> $\frac{1}{32}$ oz. 3.—		
Momordica \odot § Balsamina, Balsam Apple	8.—	—.65	<i>Ruth Fischer</i> ♀, largest flowered Forget-me-not		
Charantia, Balsam Pear	6.—	—.50	$\frac{1}{32}$ oz. 2.—		
Elaterium, squirting Cucumb	—	2.—	" Star of Love, large flowering, dwarf, forcing	—	20.—
Monanthes brachycaulon \triangle	1000 s. 6.—		oblongata (latifolia) ♀	20.—	1.50
Monarda ♀ didyma Cambridge Scarlet	$\frac{1}{32}$ oz. 3.—		" Albion, sky blue	—	4.50
<i>hybrida rose and red shades</i>	—	2.—	" perfecta	22.—	1.65
<i>Kalmiana, violet purple</i>	—	15.—	palustris, true ♀	45.—	3.25
Monkey Flower, see Mimulus.			" Graf Waldersee	45.—	3.25
Monks Hood, see Aconitum.			" grandiflora (Water-Fairy, Fairy-Eye)	41.—	3.—
Moon Wort, see Lunaria.			" semperflorens	36.—	2.80
Morina longifolia ♀	—	6.—	rupicola, ♀ sky blue, the finest for rockery	$\frac{1}{32}$ oz. 1.—	
Morning Glory, see Ipomoea purpurea.			Myrsiphyllum see Medeola		
Morning Glory, Brazilian, see Ipomoea setosa.			Myrtus, see tree-seeds.		
Mountain Fringe, see Adlumia.			Naegelia \triangle hybrida, mixed		
Mourning Bride, see Scabiosa.			$\frac{1}{32}$ oz. 9.—		
Mucuna pruriens \triangle	100 s. 6.—		Nasturtium (Indian Cress), see Tropaeolum.		
Murraya exotica \triangle	45.—	3.25	Nemesia \odot		
Musa \triangle Arnoldiana	1000 s. 36.—		<i>hybrida Blue Gem</i>	68.—	5.—
<i>Ensete</i>	1000 s. 36.—		" <i>White Gem</i>	68.—	5.—
<i>Martini</i>	1000 s. 12.—		<i>lilacina</i> (H. & Schm.), small flowered, varying from light pink to dark pink and rosy lilac with a pale yellow centre, extremely free flowering	36.—	2.80
<i>textilis</i>	1000 s. 20.—		strumosa grandiflora (Suttoni) mixed	45.—	3.25
Muscari ♀ azureum	—	6.—	" <i>nana comp. grandiflora</i>		
<i>polyanthum</i>	—	6.—	" <i>Fireking</i>	108.—	7.50
Musk Plant, see Mimulus moschatus.			" <i>comp.grdfl.Orange King</i>	108.—	7.50
Myosotidium nobile ♀ blue, white edget	100 s. 8.—		" " " <i>Triumph</i>		
Myosotis alpestris \odot (Alpine Forget-me-not)	16.—	1.25	" <i>(superbissima) mixed</i>	90.—	6.—
<i>alpestris alba</i>	10.—	.80	versicolor	17.—	1.25
" <i>indigo blue</i>	24.—	1.80			
" <i>rosea</i>	18.—	1.30			
" <i>Mixed</i>	14.—	1.15			
" <i>elegantissima, blue</i>	36.—	2.80			

	lb. fl.	oz. fl.		lb. fl.	oz. fl.
<i>Nemophila</i> ○ atomaria, white, spotted black	3.30	.30	<i>Oenothera</i> :		
atomaria Holborn Blue Bell, deep blue	3.30	.30	bistorta Veitchii	8.—	.65
crambeoides (coelestis)	2.80	.25	campylocarpa grandiflora	2.80	.25
“ albo-nigra	2.80	.25	cinnabarina	2.80	.25
“ oculata, light blue, dark eye	2.80	.25	Clutei, ♀ soft yellow	14.50	1.15
discoidalis, deep purple, white bordered	2.30	.25	Consolida	2.80	.25
<i>insignis</i>	2.50	.25	Drummondii	8.—	.65
“ alba	2.50	.25	Fraseri, ♀ fine yellow	—	5.—
maculata white, spotted violet . .	2.50	.25	fruticosa major ♀ chrome	9.—	.75
all varieties mixed	2.50	.25	gigas	8.—	.65
<i>Nepeta</i> ♀ Cataria	8.—	.65	Lamarckiana	2.80	.25
macrantha	—	4.50	longiflora	2.—	.15
Mussinii, light blue	33.—	2.50	micans	2.80	.25
<i>Nerium</i> ▲ Oleander, fine mixed .	7.50	.65	missouriensis (macrocarpa) ♀		
Oleander album	7.50	.65	yellow	33.—	2.50
<i>Nertera depressa</i> ↗ 1000 s. 10.—			odorata	2.80	.25
<i>Nicandra</i> ○ physaloides, blue . .	2.30	.25	rhizocarpa (taraxacifolia lutea) . .	9.—	.75
<i>Nicotiana</i> ○ affinis, large fld. white, sweet scented	4.50	.40	rosea mexicana, 3 inches high, bright rose flowers, beautiful . .	13.50	1.15
affinis hybrida, large flowering in finest mixture	5.50	.50	speciosa ♀, white	—	3.—
colossea	—	16.—	tetraptera (Sarrazinii)	3.—	.25
glauca ▲	—	2.—	Youngii ♀	66.—	4.50
grandiflora purpurea	3.70	.30	<i>Omphalodes longiflora</i> ♀	54.—	4.—
<i>Sanderae</i> , magnificent, free-flo- wering annual, effective for groups	8.—	.65	<i>Ononis</i> ♀ hircina, fresh rose	—	3.—
“ hybrida, in finest mixture . .	7.50	.65	repens, rose	—	3.50
“ Scarlet King	14.—	1.15	rotundifolia, carmine rose very pretty alpine shrub	—	3.—
<i>suaveolens</i> , sweet-scented 1/16 oz. 2.—			“ pretty alpine shrup	—	8.—
<i>sylvestris</i> , flowers long, tube- shaped, pure white	8.—	.65	spinosa, old rose	—	3.—
<i>Nierembergia</i> ○ frutescens lilac .	13.50	1.15	<i>Onopordon</i> ○ Acanthium, purple .	5.50	.50
centre white	—	4.50	anatolicum	5.50	.50
<i>Nigella</i> ○ aristata, azure	2.80	.25	arabicum	3.—	.25
damascena fl. pl. (Love-in-a-mist) blue	1.50	.15	bracteatum large rosy purple fls.	9.—	.75
“ fl. pl. Miss Jekyll, blue . .	1.65	.15	illyricum	4.50	.40
“ fl. pl. Miss Jekyll, pure white	1.65	.15	polycephalum, fine	9.—	.75
<i>hispanica</i> , blue	5.—	.40	Salteri, large blue fls.	9.—	.75
“ alba	5.—	.40	tauricum	6.50	.50
“ atropurpurea	5.—	.40	<i>Onosma</i> ♀ helveticum, yellow al- pine	—	60.—
<i>Nolana</i> ○ grandiflora (triplici- folia) light blue	3.70	.30	<i>Orache</i> , see <i>Atriplex</i> .		
grandiflora alba	3.70	.30	<i>Orchids</i> , Greenhouse and Stove spe- cies, mixed ▲ per pkt. 3.—		
paradoxa violacea, dark violet .	3.70	.30	hardy out-door mixed ♀	—	36.—
prostrata, mauve	3.70	.30	<i>Orlaya</i> ○ grandiflora, large fld. white, Umbelliferae	18.—	1.30
mixed	3.—	.25	<i>Ornithogalum</i> ♀ narbonense, white, flg. bulbs	—	2.—
<i>Nonnea</i> lutea, light yellow Bora- ginaceae	—	4.—	nutans	—	2.—
<i>Notobasis syriaca</i> ○, magnificient thistle	8.—	.65	pyramidalis	—	2.—
<i>Nycteria</i> ○ capensis	18.—	1.30	<i>Orobanche</i> ○ ramosa, parasite gro- wing on the roots of Hemp . .	—	20.—
selaginoides	18.—	1.30	speciosa, interesting parasite, ad- heres to the roots of Broad Beans, seeds of both must be sown at the same time	—	
<i>Obeliscaria columnaris</i> ♀	—	6.—	<i>Orobus coccineus</i> ○	5.50	.50
pulcherrima ○	27.—	2—	formosus roseus ♀ rose	—	5.—
<i>Oenothera</i> (Evening Primrose) ○: acaulis (taraxacifolia alba) . . .	13.50	1.15	lathyroides ♀, azure racemes	—	5.—
biennis Afterglow	3.70	.30	montanus aurantiacus ♀	—	12.—
			niger ♀ violet red	14.—	1.15
			tuberous ♀ lilac purple	—	3.—
			variegatis ♀	—	1.50
			vernus ♀ violet purple	18.—	1.30
			<i>Ostrowskia</i> ♀ magnifica 1000 s. 8.—		

	lb. fl.	oz. fl.
Oxalis floribunda ♂ alba		
floribunda rosea	1/32	oz. 3.—
rosea ♂	1/8	oz. 4.—
,, flore albo	1/8	oz. 5.—
tropaeoloides (corniculata foliis atropurpureis) ♂	68.—	5.—
Valdiviana ♂ yellow scented . . .	54.—	4.—
Oxytropis campestris ♀ yellowish white	—	40.—
Oxlip, see Primula elatior.		
Paeonia ♀ anomala	41.50	3.—
arborea, see Tree seeds.		
herbacea (chinensis), newest		
double sorts mixed	11.—	.80
lutea, yellow	32.—	2.50
officinalis	9.—	.75
peregrina	12.—	1.—
Veitchii, white	—	6.—
Woodwardiana	—	10.—
Palma Christi, see Ricinus.		
Pancratium maritimum △	8.—	.65
Pansies, see Viola tricolor.		
Papaver, annual ♂ (Poppy)		
single Dainty Lady, rosy lilac .	1.80	.15
,, Danebrog, (Victoria Cross) fringed	2.—	.15
,, Darwin, purple	2.—	.15
,, giganteum, giant white .	1.30	.15
,, glaucum (Tulip) scarlet, spotted black	10.—	.80
,, laevigatum, scarlet with black spots, surrounded by a white margin . . .	6.50	.50
,, Mephisto (H. & Schm.) deep scarlet, blackish violet spots	1.80	.15

	lb. fl.	oz. fl.
Papaver		
single rose (Haage & Schmidt)		
white with rosy		
crimson margin . . .	1.80	.15
,, umbrosum, vermillion, with		
black spots	5.50	.50
,, paeoniflorum Admiral,		
white, scarlet margin	2.30	.25
,, King Eduard, crimson		
scarlet	1.80	.15
,, Miss Sherwood, white,		
soft rose	1.80	.15
,, peach pink	1.80	.15
,, pavoninum, Peacock Poppy,		
glossy black ring		
and cherry carmine		
centre	5.50	.50
,, Rhoeas coccineum aureum		
(Fire King), scarlet,		
yellow anthers . . .	6.50	.50
,, English scarlet	2.80	.25
,, Shirley mixed	3.30	.30
,, somniferum Black Prince,		
black purple	2.—	.15
,, Hansa, white, edged		
carmine, fringed . .	2.—	.15
,, Maid of the Mist,		
white, finely fringed	2.—	.15
,, The Bride, white . .	1.65	.15
,, Virginia, pure white,		
margined delicate		
rose fringed	1.65	.15
Single annual Poppies mixed . . .	1.30	.15
Double Danebrog	2.80	.25
,, Murselli, lilac	4.50	.40
,, „ Mikado, white, striped		
crimson	4.40	.40
,, Rhoeas Shirley rare shades	7.—	.65
,, „ foliis aureis Hybrids .	10.—	.80

Papaver, annual ♂ Double Poppy

paeoniflorum fl. pl. Double Paeony-flowered. Height 3 feet.

brick red on white ground	purplish scarlet	scarlet on violet ground
cherry carmine	rosy chamois	white
light scarlet	salmony rose	white scarlet striped
nankeen yellow	scarlet	each: 4.50 —.40
Mixed	3.70 —.30
American Flag, white with scarlet	.	4.50 —.40
Ariel (Haage & Schmidt) salmon red on white ground	.	4.50 —.40
Delicate chamois	4.50 —.40

paeoniflorum nanum fl. pl. Double Dwarf Paeony-flowered. Height 2 feet.

brilliant rose	rose	white (Snowball)
cherry red	salmony rose	white, red striped
dark scarlet	scarlet with white	
lilac	(Fireball)	
Mixed	each: 5.50 —.40
		4.50 —.40

Rhoeas flore pleno, Double Ranunculus-flowered. Height 2 feet.

dark red	scarlet margined white	vermilion
scarlet	slate blue	white . . . each: 7.50 —.65
Mixed	4.50 —.40

Papaver:

<u>somniferum fl. pl. Double Carnation Poppy.</u>	Height 3 feet.	lb. fl.	oz. fl.
ashgrey	dark reddish brown		
carmine on white ground	pomegranate red		
creamy white with scarlet	rosy carmine		
deep scarlet on blackish	scarlet on violet gr.		
purple ground	scarlet on white gr.		
Mixed		each: 4.15	.30
Garnet (Haage & Schmidt) coppery red		3.30	.30
<u>somniferum laciniatum fl. pl. Double Feathered Poppy.</u>	Height 3 feet.	4.50	.40

bright carmine on white ground	salmon rose	white, striped red	
delicate pink	scarlet, striped white		
Mixed	white,	each: 4.50	.40
		3.70	.30

brilliant rose	rosy carmine	scarlet, striped	
cherry carmine	rosy chamois	white	
cherry rose	(Sancta Lucia)	White Swan	
coppery red	scarlet		
Mixed		each: 4.15	.40
		3.70	.30

somniferum nanum fl. pl. Double dwarf Carnation Poppy.

chamois	light yellow	white	
bright pink	scarlet		
coppery rose	tile red		
Mixed		each 4.50	.40
		4.15	.40

	lb. fl.	oz. fl.
Papaver alpinum ♀ yellow	—	18.—
alpinum album	—	18.—
„ coccineum	—	18.—
„ roseum	—	18.—
„ mixed	—	15.—
„ laciniatum	—	16.—
bracteatum, ♀ glossy red	16.—	1.25
„ var. Livermere, bloodred, large flg.	—	5.—
californicum ♀ salmon	—	8.—
nudicaule (croceum) yellow	16.—	1.25
„ album	16.—	1.25
„ aurantiacum (cocineum mi- niatum)	16.—	1.25
„ Gartref, a new strain with edged petals	—	40.—
„ roseum, Coonara pink, new	45.—	3.25
„ sulphureum	16.—	1.25
„ mixed	13.50	1.15
„ giganteum Baker's Sunbeam mixed	27.—	2.—
„ „ album, white Giant	30.—	2.30
„ „ Gibsons Giant, orange	36.—	2.80
„ „ Rose Beauty, giant, brilliant shades	—	4.—
„ fl. pl. (croceum) double yellow	45.—	3.25
„ „ „ album, double white	45.—	3.25
„ „ „ aurantiacum, orange	45.—	3.25
„ „ „ mixed	40.—	3.—
orientale ♀ dark crimson	24.—	1.65
„ giganteum (colosseum)	36.—	2.80
„ Goliath, dark scarlet lge fld.	36.—	2.80
„ Mammoth	32.—	2.50
„ Mrs Perry, pink	90.—	6.—
„ Perry's White	—	100.—

Papaver:

	lb. fl.	oz. fl.
orientale Princess Ena, (carneum) flesh col	90.—	6.—
„ Princess Victoria Louise, salmon red	108.—	7.50
„ Queen Alexandra, salmon	90.—	6.—
„ mixed	13.50	1.15
„ mixed art shades	36.—	2.80
pilosum ♀ brick red	—	8.—
rupifragum var. atlanticum	12.—	1.—
Parochetus communis △ pretty leguminous, hanging basket plant with blue flowers	1000 s.;6.—	
Parrya Menziesii ♀ violet rare $\frac{1}{32}$ oz. 3.—		
Passiflora (Passion flower) ▲: adenopoda ▲	27.—	2.—
alba	12.—	1.—
coerulea ▲	23.—	1.80
edulis ▲ white, tinted rose	36.—	2.80
gracilis ○ white, blue rays	—	2.—
incarnata ♀	40.—	3.—
quadrangularis ▲ red, white rays	1000 s. 15.—	

Peas, Sweet Peas (*Lathyrus odoratus*)

Haage & Schmidt's Special Mix- ture of large flow.	3.—	.25
Ruffled Mixed	5.50	.50
(The best and recom- mendable Spencer vars):		
All Bright, scarlet-cerise	5.50	.50
Ascot, bright pink self	7.50	.65
Avalanche, extra white	7.50	.65
Barbara, orange-salmon	7.50	.65

	lb. RM	oz. RM
Peas, Sweet Peas (<i>Lathyrus odoratus</i>):		
Beatall, begonia-rose	7.50	—.65
Big Ben, flushed crimson-scarlet on cream	7.50	—.65
Blue Bird, bright blue	7.50	—.65
Blue Flame, deep blue	7.50	—.65
Carnival, flushed rosy-red on cream	7.50	—.65
Charming, cerise pink	7.50	—.65
Chieftain, pure satiny mauve . .	7.50	—.65
Colorado, clear orange, fine . .	7.50	—.65
Commander Godsall, dark blue . .	7.50	—.65
Constance Hinton, white, black seeded	7.50	—.65
Corona, carmine-rose on white . .	7.50	—.65
Crimson King	7.50	—.65
Damask Rose, brightest carmine-rose	9.—	—.75
Delightful, cerise-orange suffused terracotta	8.—	—.65
Del Monte, cerise-rose with salmon	8.—	—.65
Eosine, eosine-rose and salmon . .	7.50	—.65
Fluffy Ruffles, rich rose-pink, frilled	9.—	—.75
Gleneagles, light lavender	7.50	—.65
Gloriosa, orange-scarlet	7.50	—.65
Grenadier, pure scarlet	7.50	—.65
Honour, dark blood red	8.—	—.65
Ivory Picture, ivory-cream	7.50	—.65
June Flame, new, bright scarlet . .	7.50	—.65
King Eduard, (Scarlet King) . . .	7.50	—.65
King Mauve, rosy-mauve	7.50	—.65
King White, large flow. white seeded.	7.50	—.65
Kitty Pierce, soft lilac, suffused pink	9.—	—.75
Magnet, best deep chamois	7.50	—.65
Mammoth, orange-scarlet	7.50	—.75
Mermaid, the best light blue . . .	7.50	—.65
Miss Delight, salmon pink on cream	7.50	—.65
Olympia, deep purple	7.50	—.65
Picture, cream-pink	7.50	—.65
Pinkie, bright rose-pink, very large fld.	7.50	—.65
Powerscourt, lavender	7.50	—.65
Prince of Orange, deep orange . . .	7.50	—.65
Ripples, new, vivid rosy-red on cream	9.—	—.75
Rosa Bella, carmine-rose	7.50	—.65
Ruffled Orchid, lavender rose . . .	8.—	—.65
Ruffled Rose, rose, suffused salmon frilled	8.—	—.65
Snowball, pure white	7.50	—.65
Sunkist, cream Picotee, edged rose	7.50	—.65
The Fawn, chamois and pink, suffused amber	12.—	1.—
The Prince, carmine with coppery shine	7.50	—.65
Warrior, rich maroon	7.50	—.65
What Joy cream	7.50	—.65
Winnie Morse, duplex, cream. suffused rosy-red	7.50	—.65

	lb. RM	oz. RM
Peas, Sweet Peas (<i>Lathyrus odoratus</i>):		
Early or winterflowering Spencer		
Recommended for green-house growing and Market work.		
Apollo, soft salmon-rose, cerise shine	12.—	1.—
Blue Boy, light blue	10.—	—.80
Canary Bird, yellowish	10.—	—.80
Glitters, orange-scarlet, cerise shine	12.—	1.—
Grenadier, dazzling scarlet	10.—	—.80
Harmony, rosy-lilac	12.—	1.—
Mrs. Calvin Coolidge, salmony-rose, orange bronzed, wings rosy	12.—	1.—
Mrs. Herbert Hoover, rich blue	14.—	1.15
Mrs. Kerr, best clear orange	14.—	1.15
Nary, deep blu�	14.—	1.15
Navy, deep blue	14.—	1.15
Pink Charm, light rosy-red	13.—	1.15
Snowstorm, improved white	10.—	—.80
Choicest Mixed	6.50	—.50
Pelargonium ↗ hederifolium, ivy-leaved, newest hybrids		
1000 s. 16.—		
hederifolium, ivy-leaved, double fld.	1000 s. 40.—	
odoratissimum	1000 s. 6.—	
large-flowered, first class English selected	1000 s. 30.—	
French blotched or Odier, choicest selected	1000 s. 32.—	
diadematum	1000 s. 32.—	
Fancy, fine mixed	1000 s. 40.—	
grandiflorum nanum, B�rger's dwarf	1000 s. 50.—	
scarlet (zonale), choice mixed	40.—	3.—
„ newest large flowering vars. single	1000 s. 20.—	
„ newest large flowering double	1000 s. 24.—	
„ dwarf variet. mixed	1000 s. 1.50	
scarlet, white variegated-leaved, hybridized	1000 s. 36.—	
„ golden and bronze leaved, hybridized	1000 s. 36.—	
tricolor	1000 s. 36.—	
Pennyroyal, see Mentha Pulegium.		
Pentstemon ♀ acuminatus, light blue, rosy shine	36.—	2.80
arizonicus	32.—	2.50
campanulatus	12.—	1.—
Cobaea, violet purple large fld.	—	10.—
coeruleus, clear sky blue	54.—	4.—
cyananthus Brandegei deep blue	30.—	2.30
diffusus, violet blue	11.—	—.80
Digitalis (laevigatus) white	12.—	1.—
glaber, fine azure blue	16.—	1.25
„ roseus	16.—	1.25
Gordonii splendens, large flow., gentian blue	27.—	2.—

Pentstemon:

	lb. fl.	oz. fl.
Hartwegii (gentianoides) hybridus, large fld. hybrids of unsurpassable quality	45.—	3.25
„ albus, white	54.—	4.—
„ dark red and scarlet varieties	54.—	4.—
„ grandiflorus (giganteus), newest large flowering giant var.	90.—	6.—
heterophyllus	41.—	3.—
hybridus Graciella (Haage & Schmidt), very late flow., graceful spikes in many pretty colours	50.—	3.50
isophyllus (Haage & Schmidt), scarlet, small fld.	—	15.—
latifolius, white, large leaved	22.—	1.65
ovatus, blue	16.—	1.25
pubescens, pale blue	14.—	1.15
„ pygmaeus, very dwarf habit, flowers clear blue with white lower lip, pretty rock plant	—	4.50
pulchellus atropurpureus	12.—	1.—
„ coccineus	12.—	1.—
„ hybridus	10.—	.80
secundiflorus, large spikes, sky blue fls.	31.—	2.50
speciosus, gentian blue	25.—	2.—
mixed	11.—	.80

Perilla ○ nankinensis

nankin. fol. atropurp. lacin.	4.15	.40
„ macroph. crispa comp.	4.50	.40

Periwinkle, see Vinca.

Persicaria, see Polygonum orientale.

Petrocoptis, see Lychnis Lagascae.

Petunia ○ argentea (Atkinsii),

rosy white	12.—	1.—
inflata (Haage & Schmidt), lovely purplish carmine with reddish violet throat, profuse flowering Petunia for hanging baskets	13.50	1.15
„ Sapphire	31.—	2.30
phoenicea, dark red	9.—	.75

Petunia hybrida:

hybrida Adonis	18.—	1.30
„ alba	18.—	1.30
„ Carmen Sylva violet, white throat	18.—	1.30
„ Countess of Ellesmere, rose, white throat	18.—	1.30
„ illustris, rosy carmine	18.—	1.30
„ kermesina splendens	22.—	1.65
„ Lord Courtenay, rose, yellow, throat	54.—	4.—
„ maculata Belle Etoile, purplish crimson, white striped	22.50	1.65
„ „ Howards Star, dark purple, white star	38.—	2.80
„ „ Inimitable, crimson, white striped	18.—	1.30

Petunia:

	lb. fl.	oz. fl.
hybrida marginata, red. green bordered	18.—	1.30
„ Norma, lasur blue, white eye	32.—	2.50
„ sanguinea, General Dodds	98.—	7.—
„ venosa, lilac, dark veined	18.—	1.30
„ violacea	45.—	3.25
„ fine mixed	8.—	.65
„ extra choice mixed	14.50	1.15
„ compacta Erfordia (Rosy Morn)	27.—	2.—
„ „ Gloria, magentarose	41.—	3.—
„ „ nana multiflora (Dwarf Inimitable)	30.—	2.30
„ „ „ purpurea	20.—	1.50
„ „ „ Rose of Heaven bright rose	68.—	5.—
„ „ „ Snowball	45.—	3.25
„ „ „ Snowbell, large fld.	—	5.—
„ „ „ stellaris, light rose, white striped	27.—	2.—
„ pendula, Balcony-, dark red	—	25.—
„ „ deep violet blue (Karlsruher)	—	25.—
„ „ rose	—	25.—
„ „ white	—	25.—

Petunia hybrida grandifl.

the large flowered class, carefully fecundated: mixed	—	82.—
alba, white	—	90.—
atropurpurea dark purple	—	90.—
aurora, soft rose, carmine veined brilliant rose	—	90.—
deep bloodred, white throat	—	90.—
kermesina	—	90.—
maculata (Inimitable)	—	90.—
marginata green-edged	—	90.—
nigro-kermesina black crimson	—	90.—
Purple-King	—	90.—
purpurea albo-maculata	—	90.—
Queen of Balconies indigo, white stared	—	90.—
blue veined	—	90.—
venosa rosy purple dark veined	—	90.—
violacea, the darkest violet	—	90.—

Petunia hybr. grandiflora fimbriata, large flowered

single fringed mixed	—	82.—
fimbriata alba	—	90.—
„ Aurora soft rose	—	90.—
„ brilliant rose	—	90.—
„ Canary-Bird light yellow	—	90.—
„ coerulea	—	90.—
„ delicata white and rosy lilac	—	90.—
„ intus aurea	—	90.—
„ kermesina	—	90.—
„ maculata red, white star	—	90.—
„ Miranda, bright rose, changing to scarlet towards the throat	—	90.—
„ nana, compact, finely fringed mixed	—	100.—

Petunia:

	lb. RM	oz. RM
fimbriata Pepita carmine scarlet, white margined	—	100.—
„ Rosalind soft rose	—	90.—
„ rosy scarlet	—	90.—
„ Titania purple, white edged	—	90.—
„ venosa	—	90.—
„ violacea	—	90.—
Petunia hybrida grandiflora		
Superbissima , large fld. with very broad throat mixed	—	150.—
superbissima, dark rose, white throat	—	158.—
„ alba, white	—	158.—
„ atrosanguinea	—	158.—
„ Camilla (Haage & Schmidt), new, hortensia rose, dark throat, deep carmine veined	—	158.—
„ coppery red	—	158.—
„ Favorite rosy lilac, cream white blotched	—	158.—
„ fimbriata, crimson	—	158.—
„ gigantea crimson purple	—	158.—
„ King Alfons dark purple, black throat	—	158.—
„ marginata green edged	—	158.—
„ nana, dwarf mixture	—	158.—
„ nigro-purpurea	—	158.—
„ Prince of Württemberg, dark purple	—	158.—
„ Princess of Württemberg, rose	—	158.—
„ quadricolor rose, purple veined, yellow blotched	—	158.—
„ Rheingold white, golden throat	—	158.—
„ silvery rose	—	158.—
„ venosa "German Empress" bluish white, veined violet	—	158.—
„ Venus crimson, white blot- ched	—	158.—

Petunia hybr. fl. pleno,

double fld.

	1000 s. RM	1/2 oz. RM
azaleiflora alba fl. pl. white	—	5.—
caryophylloides fl. pl. lilac rose, veined	—	5.—
violacea fl. pl., violet blue	—	6.50
mixture of small fld.	—	5.—
compacta nana alba fl. pl.	—	5.—
„ „ multiflora fl. pl. Liliput Petunia (Inimitable) purple, white stared	—	6.50
„ fl. pl. brilliant rose with white	—	6.50
„ rosea fl. pl. (Rosa Bonheur)	—	5.40

**Petunia hybr. grandiflora fl.
pl., large fld. double,**
fecundated carefully with
finest double flowers, sure
to yield 25% of double flo-
wering plants:

double large fld. varieties mixed

2.— 12.—

Petunia:

	1000 s. RM	1/2 oz. RM
alba plena, white	3.40	20.—
atropurpurea fl. pl.	3.40	20.—
aurora soft rose	3.40	20.—
brilliant rose	3.40	22.—
delicatissima fl. pl. finest rose . .	3.40	20.—
Fairy Queen, blue veined double . .	3.40	20.—
gigantea fl. pl. Giant mixed	3.40	14.—
kermesina plena	3.40	20.—
maculata pl.	3.40	20.—
marginata pl.	3.40	20.—
robusta fl. pl.	3.40	20.—
rosea fl. pl.	3.40	20.—
venosa plena, double veined	3.40	20.—
violacea fl. pl.	3.40	20.—
violacea albo-maculata pl.	3.40	20.—

**Petunia hybr. grandifl. fimbri.
flore pl., double fringed
large fld.:**

	lb. RM	11.—
fimbriata alba fl. pleno (Lady of the Lake)	2.60	14.—
„ amabilis fl. pleno, delicate rose richly veined with bright carmine	2.60	14.—
„ brilliant rose	2.60	14.—
„ brilliant rose with white	2.60	14.—
„ coerulea fl. pl.	2.60	14.—
„ Concordia fl. pl., light shades . .	3.40	20.—
„ Gotelind, delicate pink on light ground	2.60	14.—
„ kermesina plena	2.60	14.—
„ maculata plena	2.60	14.—
„ robusta fl. pl.	2.60	15.—
„ rosy scarlet	2.60	14.—
„ Topas, creamy white	2.60	14.—
„ venosa pl.	2.60	14.—
„ violacea pl. (H. & Schm.) . .	2.60	14.—

lb. RM	oz. RM
—	1.25

Peucedanum ♀ palustre

Phacelia ○ campanularia, beauti-
ful deep blue

13.— 1.—

campanularia caesia (Haage &
Schmidt), bluish white

14.50 1.15

congesta, lavender

3.30 —.30

grandiflora

6.50 —.50

Parryi, violet white tipped

4.50 —.40

„ alba pure white

4.50 —.40

tanacetifolia p. cwt. 120.—

1.30 —.15

texana, early, lavender

3.30 —.30

Phaseolus Caracalla ▲ 100 s. 2.—

— 1.50

Mungo, edible fruits

— 1.50

Pheasant's-eye Pink, see Dianthus

— 1.50

plumarius.

Phlomis ♀ cachemiriana, lilac rose

— 8.—

Russelliana, golden yellow,

— 8.—

robust

— 5.—

tuberosa

— 5.—

Phlox ♀ decussata mixed

63.— 4.50

descussata, named and newest

— 6.—

finest largeflowering varie-

ties in splendid mixture

90.—

6.—

descussata nana mixed

108.—

7.50

Phlox Drummondii ○:

cuspidata, all colours mixed

20.— 1.50

fimbriata mixed

24.— 1.80

FLOWER SEEDS.

Phlox Drummondii grandifl.:

	lb. RM	oz. RM
alba pura	—	2.50
„ oculata coerulea	—	2.50
atropurpurea	—	2.50
„ albo-oculata	—	2.50
Brilliant	—	2.50
carminea	—	2.50
carnea	—	2.50
chamois rose, white eye	—	2.50
cinnabarina	—	2.50
coccinea	—	2.50
Eclipse, deep violet, pretty	—	3.—
isabellina, yellow	—	2.50
kermesina albo-oculata	—	2.50
Leopoldii, red with white eye	—	2.50
Prince Bismarck, purplish red white margined	—	3.—
quadricolor (picta) rosea	—	2.50
„ violacea	—	2.50
rosea albo-oculata	—	2.50
splendens (coccinea albo-ocu- lata), bright scarlet with white eye	—	2.50
stellata splendens, scarlet with large white centre	—	2.50
variabilis, blue, marbled dark purple	—	2.50
violacea albo-oculata	—	2.50
large flowering in finest mixture	—	2.30

Phlox Drummondii**nana compacta:**

alba superba, with red eye	—	7.—
atrocarminea	—	5.—
atropurpurea	—	5.—
carnea	—	7.50
chamois rose	—	7.50
coccinea floribunda (Fireball)	—	6.—
coerulea stellata	—	6.50
Défiance	—	6.—
grandiflora, Cecily Phlox mixture	—	6.—
hortensiaeflora, dark rose, purple eye	—	8.—
isabellina	—	6.—
Meteor rosy-scarlet	—	6.—
mirabilis, cinnabar, white star	—	7.—
nivea (Snowball), large fls.	—	9.—
punicea (cinnabarina)	—	6.50
splendens, crimson, white eye	—	8.—
variabilis, blue shades	—	7.—
vermillion scarlet	—	6.50
Victoria, dark scarlet, white eye	—	6.—
violacea stellata	—	7.—
nana compacta fine mixed	—	4.50

Phoenix, see Palms

Phormium

Colensoi	1000 s. 10.—
tenax, New Zealand Flax	9.— —.75
„ atropurpureum 1000 s. 18.—	
„ fol. variegatis 1000 s. 14.—	
„ Veitchii 1000 s. 10.—	

Phygelia capensis Δ \varnothing red, with
yellow throat $\frac{1}{32}$ oz. 3.—

Physalis Alkekengi, red fruited

Winter Cherry \odot \varnothing	14.— 1.25
Bunyardii \varnothing orange yellow	5.50
edulis \odot greenish yellow	23.— 1.80
Franchetii, \varnothing , large scarlet fruits	13.— 1.—

	lb. RM	oz. RM
Physostegia \varnothing speciosa	32.50	2.50
speciosa grandiflora alba	32.50	2.50
Physianthus albens Δ \S fragrant	9.—	.75
Phyteuma \varnothing orbiculare, violet dwarf alpine	—	6.—
Scheuchzeri light violet $\frac{1}{32}$ oz. 2.—		
spicatum, yellowish white	40.—	3.—
Phytolacca afra \varnothing	12.—	1.—
decandra \varnothing white, later rose spikes	8.—	.65
dioica Δ	20.—	1.50
Picotees, see Dianthus Caryophyllus.		
Pimpernelle, see Anagallis.		
Pimpinella Saxifraga \varnothing	—	2.50
Pincenectitia tuberculata Δ 1000 s. 5.—		
Pink, see Dianthus.		
Pink, Japanese double, see Dian- thus Hedgewigii fl. pl.		
Pittosporum Δ Tobirae, white	13.—	1.15
undulatum, white, scented	13.—	1.15
Plantago maritima \varnothing	12.—	1.—
Platycodon \varnothing Mariesii, blue	36.—	2.80
Mariesii album	36.—	2.80
for others see Wahlenbergia.		
Plocama pendula Δ	—	2.50
Plumbago Δ capensis \S , blue 1000 s. 18.—		
scandens, white	—	3.—
Podolepis \odot chrysanthia, yellow, large fld.	7.—	.65
Pogostemon Patchouli Δ 1000 s. 10.—		
Poinciana Δ Gillesii	15.—	1.25
pulcherrima (Caesalpinia) orange 1000 s. 14.—		
regia, scarlet purple	9.—	.75
Poinsettia (Euphorbia) pulcherrima Δ 1000 s. 24.		
Polemonium \varnothing coeruleum (Ja- cob's Ladder, Valerian greek) coeruleum fl. albo	7.50	.65
„ Primadonna, light blue	11.—	.80
„ flavum, yellow	9.—	.75
himalayense clear blue	18.—	1.30
humile, pale blue, alpine	8.—	.65
pauciflorum, yellow, long throat	45.—	3.25
Richardsonii, early, blue	20.—	1.50
„ album	13.—	1.—
Polyanthus, see Primula elatior		
Polycolymna Stuartii, white fl. Everlasting \odot	14.—	1.15
Polygala Chamaebuxus \varnothing $\frac{1}{32}$ oz. 2.50		
„ myrtifolia Δ	—	2.25
Polygonum elegans, fine \odot	2.80	.25
orientale \odot red	5.50	.50
„ fol. var.	11.—	.80
sachalinense \varnothing	20.—	1.50
Poppy, see Papaver.		
Portulaca \odot grandiflora: single fine mixed	9.—	.75
Parana, single crimson	11.—	.80

	lb. RM	oz. RM		lb. RM	oz. RM
Portulaca:			Primula:		
grandiflora fl. pl. double mixed	45.—	3.25	floribunda ♀, grandiflora, golden yellow, winterblooming .	—	110.—
„ alba pl. pure white . . .	—	5.—	„ grdfl. isabellina, . . .	—	110.—
„ aurea pl.	—	5.—	Florindae ♀, yellow, robust .	—	6.—
„ carnea pl.	—	5.—	Forbesii ♀, rosy lilac, yellow eye, for pots	—	12.—
„ caryophylloides pl. rose striped	—	5.—	„ magenta (Ruby)	—	22.—
„ rosea pl.	—	5.—	frondosa ♀, mealy white fol., lilac flowers $\frac{1}{32}$ oz. 15.—	—	—
„ salmonea pl.	—	5.—	Helenae ♀ (vulg.×Juliae), purple blue, Primrose flowers in abundance, earliest of all .	—	72.—
„ splendens, fl. pl. crimson .	—	5.—	helodoxa ♀, deep yellow, 3 ft .	—	18.—
„ Thellusonii pl. orange scarlet	—	5.—	hybrida ♀, Lissadell, Red. Hugh, scarlet	—	20.—
Potentilla ♀ argentea, yellow sil- very leaves	27.—	2.—	„ Moerheimi (Ipswich Hybr.) .	—	16.—
aurea	14.—	1.15	japonica ♀, violet purple . . .	41.—	3.—
calabra, yellow	27.—	2.—	„ atrosanguinea	—	6.—
hybrida atrosanguinea Gibson's scarlet	58.—	4.50	„ mixed	40.—	3.—
MacNabiana, dark brown . . .	32.—	2.50	kewensis ♀, lemon-yellow . . .	—	60.—
nepalensis (formosa) fresh rose, dark eye	20.—	1.50	„ farinosa	—	44.—
„ hybrida 'Roxana' (Haage & Schmidt), salmon scarlet, bloodred eye	58.—	4.50	Littoniana ♀ orchid fld. mauve $\frac{1}{32}$ oz. 4.—	—	—
„ „ Willmottiae, rosy car- mine, dark eye . . .	27.—	2.—	luteola ♀, yellow rockery pl. .	—	16.—
norwegica, yellow dwarf . . .	13.50	1.15	obtusifolia ♀, wine red, yellow throat	—	15.—
pilosa	26.—	1.—	officinalis ♀, yellow (Cowslip) .	24.—	1.80
procumbens $\frac{1}{16}$ oz. 3.—	.	.	„ hybrida (suaveolens) various shades	58.—	4.50
pyrenaica, canary yellow . . .	—	2.—	pulverulenta ♀, crimson and orange	—	5.—
recta, primrose	12.—	1.—	rosea grandiflora ♀, rosy carmine .	—	22.—
rupestris, large fld. white . .	27.—	2.—	„ grdfl. splendens, light rose .	—	30.—
Thurberi, bloodred	90.—	6.—	saxatilis ♀, carmine	—	8.—
fine single hybrids mixed . .	15.50	1.25	Sieboldii ♀, (cortusoides amoena grdfl.) 1000 s. 4.—	—	200.—
hybrida fl. pl.; double mixed .	72.—	5.—	sikkimensis ♀, yellow, scented .	—	20.—
Poterium ♀ obtusatum, carmine rose, pretty $\frac{1}{32}$ oz. 4.—	—	—	Veitchii ♀ purple rose	—	24.—
Prickly Poppy , see Argemone.			veris elatior ♀, Polyanthus elatior mixed	126.—	9.—
Primrose , see Primula acaulis.			„ alba, white	162.—	12.—
Primula ♀ acaulis, Garden Prim- rose mixed	180.—	12.50	„ coerulea, Blue-flowered. 1000 s. 15.—		
acaulis alba (Virginia) . . .	—	40.—	„ Gold laced	144.—	10.—
„ coerulea, large flowering blue	1000 s. 12.—	180.—	„ lutea (Harbinger)	144.—	10.—
Auricula (Auriculas), fine quality 90.—	6.—		„ Giant Crimson	180.—	12.50
„ extra fine quality from first class flowers	108.—	7.50	„ „ Primrose, new	—	20.—
Beesiania ♀ velvety-purple yellow eye	—	12.—	„ „ Purple	180.—	12.50
Briscoei, brick red	—	24.—	„ „ White	180.—	12.50
Bullesiana hybrids ♀ new, varying in colour from orange, carmine and light to deep blue	—	10.—	„ „ Yellow	180.—	12.50
Bulleyana ♀ , rich. orange . . .	—	9.—	„ „ Mixed (Polyanthus- Primrose)	144.—	10.—
cachemiriana ♀	—	100.—	„ Duplex, hose in hose	—	120.—
„ alba	—	120.—	verticillata, yellow, mealy fol.	—	60.—
„ Ruby	—	220.—	viscosa, rose, choice Alpine	—	60.—
calycina ♀ (glaucescens) dark carmine	—	10.—	vulgaris, (Common Primrose) pale yellow (acaulis)	72.—	5.—
chionantha, ♀ large white fls. .	—	50.—	Primula chinensis ↗:		
Cockburniana ♀, orange scarlet .	—	100.—	stellata mixed $\frac{1}{32}$ oz. 3.50		
cortusoides ♀, carmine	—	6.—	1000 s. 5.—		
denticulata ♀, lilac	—	28.—	fimbriata Chinese Primrose ↗: 1000 s.		
„ alba, white	—	32.—	single fringed:		
„ grdfl. hybrida	—	30.—	„ alba, fine quality	2.—	40.—
farinosa ♀, rosy lilac	—	26.—	„ alba magnifica yellow eye	3.—	48.—
			„ atrocoerulea, new, indigo		
			1/32 oz. 6.—	7.—	—

FLOWER SEEDS.

Primula chinensis:

	1000 s. RM	oz. RM
fimbriata		
Aurora, delicate pink colour	2.—	40.—
,, coccinea (atrosanguinea)	2.—	40.—
,, coerulea, blue	3.50	60.—
,, Défiance, salmon scarlet, black eye	3.—	54.—
,, kermesina splendens . . .	2.—	40.—
,, La Duchesse, flesh colour with red centre	2.—	40.—
,, L'Etincelante, deep blood- red, yellow eye	3.—	54.—
Matador, brilliant orange red . .	3.50	60.—
Orange King $\frac{1}{32}$ oz. 7.—	9.50	—
rubra (rosea), red violet . . .	2.—	40.—
Sedina, rosy carmine	2.—	40.—
fringed mixed extra	1.50	25.—
gigantea alba, giant white . .	4.—	—
,, cupreata (Emperor) coppery	5.—	—
,, rosea	5.—	—
,, giant fld. mixed	4.—	—
Primula chinensis macrophylla (filicifolia) fimbriata, fern leaved finest mixed	2.50	—

Primula chinensis fl. pl.

fimbriata, double fringed:		
alba fl. pl., double white fringed	6.—	—
coerulea fl. pl. double blue . .	6.—	—
coccinea fl. pl. double scarlet .	5.—	—
kermesina splendens fl. pl., crim- son-scarlet double	6.—	—
rosea fl. pl.	6.—	—
double fringed mixed	6.—	—

Primula malacoides 2,

	light lilac	
malacoides alba, white	—	10.—
,, carminea, carmine	—	12.—
,, rosea	—	14.—
True Rose, new	—	36.—
grandiflora, lilac, large fld. . .	—	26.—
,, alba, white, large fld. . .	—	50.—

Primula obconica 2:

gigantea, lilac (Arendsii, Pax)		
$\frac{1}{16}$ oz. 10.—		
,, apple-blossom $\frac{1}{16}$ oz. 10.—		
,, atrosanguinea, bloodred . .	$\frac{1}{16}$ oz. 10.—	
,, coerulea $\frac{1}{16}$ oz. 10.—		
,, fimbriata $\frac{1}{16}$ oz. 10.—		
,, kermesina $\frac{1}{16}$ oz. 10.—		
,, Meteor, coppery salmon . .	—	46.—
,, rosea $\frac{1}{16}$ oz. 10.—		
,, Salmon Queen $\frac{1}{16}$ oz. 12.—		
,, giant flowered mixed . . .	—	40.—
grandiflora alba $\frac{1}{16}$ oz. 10.—		
,, apple-blossom $\frac{1}{16}$ oz. 10.—		
,, atrosanguinea, Haage & Schmidt's Strain, dark crimson $\frac{1}{16}$ oz. 14.—		
,, coerulea $\frac{1}{16}$ oz. 8.—		
,, fimbriata fringed mixed . .	$\frac{1}{16}$ oz. 8.—	
,, Fire Queen $\frac{1}{16}$ oz. 12.—		
,, Hamburg red $\frac{1}{16}$ oz. 10.—		

Primula obconica:

	1000 s. RM	oz. RM
grandiflora kermesina $\frac{1}{16}$ oz. 8.—		
,, rosea $\frac{1}{16}$ oz. 8.—		
,, salmonea (Pearl) $\frac{1}{16}$ oz. 10.—		

Prince's Feather, see *Amarantus hypochondriacus*.

	lb. RM	oz. RM
Prunella 2 grandiflora, dark blue	13.50	1.15
grandiflora alba	36.—	2.80
,, carminea	36.—	2.80
incisa, deep blue	18.—	1.30
rubra, really red	—	5.—
vulgaris	11.—	.80
Webbiana, lilac, dark foliage .	40.—	3.—

Ptarmica vulgaris plenissima

	lb. RM	oz. RM
Pueraria Thunbergiana, violet- purple Kudzu Vine § 2	6.50	.50
Pulmonaria 2 virginica, sky blue, early Spring	—	20.—

Pyrethrum 2 cinerariifolium

	lb. RM	oz. RM
leucopilodes, yellow, silver leav.	14.50	1.15
partheniifolium aureum, Golden feather	4.50	.40
aureum discoideum	6.50	.50
,, Excelsior, gold, yellow leaves, fine lacinia- ted	90.—	6.—
,, Golden Gem	7.50	.65
,, Golden Moos, extre- mely dwarf	—	20.—
,, laciniatum	5.50	.50
,, Perfection	31.—	2.30
,, selaginoides	6.50	.50
100 pkts. 24.—		

ptarmiciflorum 2 new pretty

	lb. RM	oz. RM
roseum	41.—	3.—
,, atrosanguineum	80.—	5.50
,, carmineum, bright red . .	72.—	5.—
,, carneum, flesh colour . .	40.—	3.—
,, fl. albo	40.—	3.—
,, hybridum, single mixed .	21.—	1.65
,, grandiflorum	27.—	2.—
,, new single fld. mixed .	27.—	2.—
,, double-flowered mix. . . .	108.—	7.50
Tchihatchewii, white, creeping .	29.—	2.25

Pyrola 2 minor

	1/4 oz. 8.—
rotundifolia $\frac{1}{32}$ oz. 1.50	
uniflora $\frac{1}{32}$ oz. 1.50	

Ramondia 2 pyrenaica clear blue

	Verbascum like flower, fine alpine 1000 s. 1.—
pyrenaica alba 1000 s. 2.—	

Ranunculus 2 aconitifolius, white

	45.— 3.25
alpestris, white, yellow eye . .	— 50.—

	asiaticus superbissimus 12.— 1.—
Giant Florentine Strain . .	90.— 6.—

	bulbosus, yellow
gramineus	— 8.—

	Nyssanus, yellow, distinct . .
rutaefolius, white, fine cut leaves pretty dwarf alpine	— 2.50

	60.—
Raphiolepis 2 ovata, rose . . .	— 3.—

Ravenala madagascariensis 2

	1000 s. 36.—
--	--------------

	lb. \$M	oz. \$M		lb. \$M	oz. \$M
Red-hot-Poker Plant, see Tritoma.			Ricinus:		
Rehmannia angulata ♀, rosy-purple, similar to those of Incarvillea			communis major	2.—	.15
Delavayi	80.—	5.50	„ minor	4.—	.30
angulata tigrina	90.—	6.—	Gibsonii (Duchess of Edinburgh), dark red leaves with metallic lustre	2.80	.25
„ hybrida mixed	80.—	5.50	laciniatus (introduced by Haage & Schmidt)	5.—	.40
„ „ alba	90.—	6.—	sanguineus	2.—	.15
Reseda ○ alba (Giant white spiral Mignonette)	3.50	.30	zanzibariensis (introduced by Haage & Schmidt), with enormous leaves, seeds car- mine coloured	3.70	.30
odorata (Mignonette)	3.—	.25	„ cinerascens	3.70	.30
„ large-flowered	3.50	.30	„ enormis	3.70	.30
Reseda odorata grandiflora:			„ maculatus	3.70	.30
aurea (Golden Queen) compact .	12.—	1.—	„ niger	3.70	.30
Bismarck, very large flowers, improved Machet	18.—	1.30	„ mixed	2.80	.25
compacta multiflora	11.—	.80	all sorts mixed	2.80	.25
Crimson Queen	8.—	.65	Ricotia Lunaria ○, red fld.	8.—	.65
Gabriele (imperialis) large red- dish spikes	9.—	.75	Rivina ▲ aurantiaca	—	12.—
Golden Goliath (H. & Schm.), new, intense golden yellow, fine variety of the yellow flow. Mignonette with enor- mous spikes and large in- dividual flowers	90.—	6.—	humilis	—	8.—
Goliath, red	63.—	4.50	Rochea falcata ▲ ♀ scarlet 1/32 oz. 48.—, 1000 s. 1.50		
Machet, large flower-spikes, for pot culture	11.—	.80	longifolia, scarlet 1000 s. 3.—		
„ giant	12.—	1.—	Rock Cress, see Arabis.		
„ golden yellow	31.—	2.30	Rock Lychnis, see Viscaria.		
„ Ruby, large fld. coppery red	31.—	2.50	Rocket, s. Hesperis matronalis.		
„ white Pearl	24.—	1.80	Rodgersia ♀ sp. China (pinnata)		
Nineteenthundred, golden	16.—	1.25	1/8 oz. 4.—		
pumila Victoria, dark red	22.—	1.65	Roemeria ○ refracta (H. & Sch.), scarlet Papaver, black spot surrounded white	5.50	.50
Victoria, dark red, extra	16.—	1.25	Romneya Coulteri, white, rare Pa- paveraceae from California ○ ♀	81.—	5.50
finest sorts mixed	8.—	.65	Rose Campion, s. Agrostemma.		
Rhaponticum ♀ cynaroides, large purple-heads	—	5.—	Rose of Heaven, see Agrostemma coeli-rosa.		
„ helenifolium	—	5.—	Rudbeckia amplexicaulis ○	4.50	.40
Rheum (Rhubarb) ♀:			bicolor ○ Solfatara (H. & Sch.)		
Collinianum	4.50	.40	sulphur	6.50	.50
officinale	27.—	2.—	„ superba (H. & Schm.), gol- den yellow with brown spots	7.50	.65
palmatum fl. rubro, with deep red flower-spikes	4.50	.40	„ superba hybrida (H. & Schm.), petals partly flat, partly twisted	9.—	.75
„ tanguticum	4.50	.40	„ superba semiplena,	13.—	1.—
Rhodanthe ○ atrosanguinea	—	4.—	flava ♀ yellow, black disk	16.—	1.25
maculata, rose	8.—	.65	fulgida ♀ orange black disk	16.—	1.25
„ alba	8.—	.65	„ variabilis	27.—	2.—
„ „ plena	—	4.—	laciniata ♀	18.—	1.30
Manglesii, dark rose, large fld. „ flore pleno	8.—	.65	„ Golden Ball	—	12.—
Rhodochiton volubile, beautiful Greenhouse climber ▲ §	—	4.—	Neumannii ♀ (speciosa) orange, black disk	36.—	2.80
Rhododendron, see tree-seeds.			purpurea (Echinacea) ♀	45.—	3.25
Rhynchospermum jasminoides			„ hybrida (Echinacea Helian- thus)	45.—	3.25
1000 s. 10.—			Rumex roseus ○	7.50	.65
Richardia ▲ africana, see Calla aethiopica.			sanguineus ♀	12.—	1.—
Ricinus (Castor Oil Bean, Palma Christi) ○:			Safflower, see Carthamus tinc- torius.		
africanus	2.30	.25	Sage, see Salvia.		
borboniensis arboreus	2.30	.25	Sagina procumbens ♀, apt for small lawns	—	25.—
cambodgensis, very dark leaved	2.30	.25			

FLOWER SEEDS.

	lb. RM	oz. RM		lb. RM	oz. RM
Saintpaulia ionantha, Usambara-Violet	1/32 oz.	40.—	Salvia:		
Salpiglossis variabilis grandiflora			verticillata ♀ lilac	45.— 3.25
albo-lutea	purpurea aurea-		virgata ♀ blue	13.50 1.15
brunea	venosa		Santalum album	22.— 1.65
coccinea-aurea-	rosea aurea-		Santolina ♀ Chamaecyparissus,		
venosa	venosa		yellow	— 12.—
kermesina	violacea		pinnata, sulphur	72.— 5.—
purpurea	violacea aurea-		Sanvitalia procumbens, yellow,		
sulphurea	venosa	each: 26.— 2.—	blackbrown disk	14.50 1.20
Mixed		20.— 1.50	procumbens fl. pleno	36.— 2.80
nana fine mixed		12.— 1.—	Saponaria bellidifolia ♀		
superbissima (Emperor)			multiflora (calabrica), red	7.50 —.65
Brilliant crimson	Primrose		“ alba	7.50 —.65
Brown and Gold	(H. & Schm.)		“ Scarlet Queen	8.— —.65
Chamois	Purplish brown		“ compacta alba, white	12.— 1.—
Deep scarlet	and Gold		“ “ red	12.— 1.—
Faust (maroon)	Violet		ocymoides ♀ rose	8.— —.65
Light blue and	Violet and Gold		“ alba, blush-white	— 3.50
Gold	Rose, veined dark		“ splendens, carmine	11.— —.80
Lilac and Gold		each: 31.— 2.30	officinalis ♀, pale rose	9.— —.75
Mixed		26.— 2.—	“ alba fl. pl. double white	40.— 3.—
Salvia argentea, true ♀		12.— 1.—	Vaccaria (paniculata rosea),		
azurea grandiflora ♀ of great effect		— 10.—	rose, fine for cutting	3.30 —.30
Baumgartenii ♀ light blue, dark lip		— 6.—	“ alba, pure white	3.30 —.30
carduacea lilac blue		10.— —.80	Satin flow., see Lunaria biennis.		
coccinea scarlet		9.— —.75	Satureja pygmaea ♀	— 15.—
farinacea light blue		36.— 2.80	Saxifraga ♀		
“ alba, white		— 4.50	affinis, mossy, white	2.— —
globosa ♀ clear blue		7.50 —.65	“ purpurea	4.— —
glutinosa, pale yellow		— 4.—	aizoides, golden yellow to orange	2.— —
Horminum, red topped		2.80 —.25	Aizoon, white	— 30.—
“ purple topped (Williams' Salvia Blue Beard)		2.80 —.25	caespitosa, pure white	— 10.—
“ white topped		2.80 —.25	cervicornis, white large leaves	— 12.—
nemorosa superba ♀, dark violet, floriferous, fine bedder		30.— 2.30	Cotyledon, large white panicles	— 32.—
nutans ♀ dark blue drooping flowers		54.— 4.—	crustata	3.— —
patens , large fld., skyblue, beautiful		— 9.—	Cymbalaria (Huettii), pretty miniature plant with light green foliage and yellow flowers ♀	2.— —
pratensis ♀ violet		13.— 1.—	decipiens, white	— 10.—
“ alba		— 1.50	“ grandiflora hybrida	— 10.—
“ rosea		18.— 1.30	“ lutescens, pale yellow	— 15.—
“ Tenori (atroviolacea)		16.— 1.25	“ rosea	— 6.—
recognita, ♀ rose		— 18.—	geum, pyramidal	3.— —
ringens ♀ amethyst		— 5.—	granulata, common Meadow	— 12.—
Roemeriana scarlet, dwarf		— 5.—	Hostii, white, encrusted	3.— —
Sclarea ♀ blue and white fls.		7.50 —.65	hybrida Bedding Queen, bright carmine	— 30.—
splendens scarlet		22.50 1.65	“ Purple Cloth	— 30.—
splendens compacta erecta (Bonfire) dwarf		30.— 2.30	hypnoides, white	— 15.—
“ “ Zürich, very early		32.— 2.50	lingulata, white, silvery encrusted	— .
“ Fireball		36.— 2.80	longifolia vera, the Queen of Saxifrages, large rosettes, panicles of white flowers	5.— —
“ Fireball of own crop		140.— 10.—	mutata, large yellow spikes, encrusted	4.— —
“ Harbinger, earliest, own — crop		180.— 12.50	palmata, mossy, white	2.— 30.—
“ Sky Rocket, dwarfer than Fireball, erect spikes		20.—	Rheei superba rose, mossy	— 30.—
“ Vesuvius, compact, early		54.— 4.—	rotundifolia, loose white spikes	3.— —
sylvestris ♀ light blue		20.— 1.50	sarmentosa 1000 s. 2.— 2.—		
turkestanica ♀ bright pink		29.— 2.25	tellimoides, white,		
verbascifolia var, Syria ♀		20.— 1.50	crusted sorts mixed	— 64.—

Megasea Hybrids

	lb. RM	oz. RM		lb. RM	oz. RM
Scabiosa (Scabious) ○ atropurpurea fl. pl. Double annual			Schizanthus:		
Scabious:			pinnatus grandiflorus hybr. comp.		
atropurpurea aurantiaca . . .	6.50	.50	dwarf mixed	5.50	.50
„ major candidiss. Snowball .	6.50	.50	„ Mixed	4.50	.40
„ minor aurea, double yellow .	8.—	.65	retusus, rose and orange	11.—	.80
„ maxima (grandiflora)			„ albus, white yellow	11.—	.80
blackish purple lilac			„ nanus dwarf	11.—	.80
brick red purple			„ „ fl. albo	11.—	.80
cherry red reddish brown			Rosamond (Haage & Schmidt), rose pink	16.—	1.25
crimson rose			„ trimaculatus (Haage & Schmidt), red, three golden spots	36.—	2.80
flesh colour white, each: 11.—			„ trimaculatus albus (Haage & Schmidt), pure white with large golden yellow, spots	36.—	2.80
Mixed	7.50	.65	„ trimaculatus lilacinus (H. & Schm.), lilac with large pure golden yellow, light yellow veined spots	36.—	2.80
„ Azure Fairy,	11.—	.80	wisetonensis mixed	45.—	3.25
„ Fiery scarlet	11.—	.80	„ albus, Nuptial Veil	54.—	4.—
„ King of the Blacks	11.—	.80	„ Excelsior compact mixed	54.—	4.—
„ Sulphur yellow	11.—	.80	„ Monarch red shades large fld.	90.—	6.—
„ grandiflora compacta fl. pl., mixed	14.50	1.15	„ roseus	54.—	4.—
„ nana fl. pl., double dwarf:			Schizolobium excelsum □		
azure blue pure white			10 s. 1.50		
black-purple purple			Schizopetalum ○ Walkeri white		
blood red rose			scented		26.—
crimson rosy, lilac			Scilla ♀, campanulata, azure	24.—	1.80
lilac violet each 5.50			peruviana, blue heads		1.—
Mixed	4.50	.40	Scleranthus perennis ♀		3.50
„ Fiery scarlet (Haage & Schmidt)	5.50	.50	Scorodosma, foetidum, Bunge (Ferula Narthex, Boiss) ♀ ornamental, silvery fol. effectful	15.—	1.25
caucasica ♀ large fld., delicate			Scotch Pinks, see Dianthus plumarius.		
lilac	50.—	3.50	Scrophularia ♀ chrysantha, spring flowering, yellow	32.—	2.50
„ perfecta , dark lilac, very double	108.—	7.50	nodosa, mahogany		2.—
„ alba	63.—	4.50	Scutellaria ♀ alpina coerulea, white lip		10.—
„ „ perfecta , very double 108.—	7.50		alpina rosea, white lip		20.—
„ Diamond , very large, blue 228.—	16.—		baicalensis coelestina , rich light-blue		20.—
„ Fair Perfection (Haage & Schmidt), large lavender blossoms, compact	144.—	10.—	galericulata, pale blue		3.—
„ new large fld. hybrids mixed	96.—	7.—	Sea Lavender, see Statice.		
Columbaria ♀ lilac			Sedum ♀ acre, yellow	136.—	10.—
„ var. ochroleuca, yellow			Aizon, yellow		14.—
graminifolia ♀ pale blue, alpine			altissimum, pale yellow		30.—
japonica ♀ lilac	7.50	.65	anglicum, peach blossom		
stellata ○ blue	8.—	.65	1/32 oz. 3.—		
Webbiana ♀ pale blue, alpine			Braunii, demitall, yellow		
Schizanthus ○:			1/32 oz. 2.—		
gracilis	4.50	.40	calabricum, rose, creeping		
Grahamii, red	12.—	1.—	1/32 oz. 2.—		
albus			carpathicum, large lilac umbels		18.—
carmineus			coeruleum ○	180.—	12.—
carneus	each: 12.—	1.—	Ewersii lilac rose, rock species		
pinnatus, lilac	4.50	.40	10 pkts. 4.—		
„ albus	5.50	.50	hybridum, yellow		10.—
„ niveus, snowwhite	5.50	.50	ibericum, dark rose, true		12.—
„ papilionaceus	5.—	.40	kamtschaticum, yellow, trailing		12.—
„ roseus, pink, bloodred blotch	5.50	.50	Maximowiczii, golden yellow, 1 ft.		4.—
„ tigridioides, extra tigred	5.50	.50			
„ grandiflorus albus	5.50	.50			
„ „ maximus Dr. Badgers Hybrids splendid tints	8.—	.65			
„ „ nigricans, violet red on black	5.—	.40			
„ „ oculatus, light purple, black eye	5.—	.40			

FLOWER SEEDS.

Sedum:

	lb. RM	oz. RM
oppositifolium, carmine rose	—	20.—
pallidum roseum	—	5.—
pilosum, dark rose 1000 s. 2.—		
pruinose \times Forsterianum, bright golden	—	40.—
pulchrum, rose	—	10.—
purpurascens rose, purplish fol.	—	20.—
reflexum, Stone Orpine, yellow fld.	—	18.—
spurium	72.—	5.—
„ album	—	12.—
„ splendens (coccineum)	—	15.—
Telephium rose and white fls.	—	7.50
Wallichianum, yellow, dwarf	—	12.—
mixed	72.—	5.—

Sempervivum:

Greenhouse species. ↗

arboreum	gracile hybridum
aureum (Greenovia)	Haworthii
barbatum	hierense (Aeonium)
Burchardii (Aeonium)	holochrysum
caespitosum „	lancerotense
canariense „	Lindleyi
„ hybridum	percarneum
Castello Paivae (Aeonium)	sedifolium
ciliatum	Smithii (Aeonium)
cruciatum	strepsicladum
decorum (Aeonium)	(Aeonium)
dichotomum	subvillosum
diploeyclum (Greenovia)	(Aichryson)
giganteum	tabulaeforme
Goorhiae	undulatum
gracile (Greenovia)	(Aeonium)
each sort 1000 s. 1.—	urbicum
Greenhouse Species mixed	valverdense hybrid.
	villosum

 $\frac{1}{32}$ oz. 2.—

Hardy Species mixed — 50.—

Hardy Species new Hybrids
100 pkts. 40.—

Senecio adonidifolius ♀	—	3.—
clivorum ♀	—	13.—
„ Orange Queen	16.—	1.25
„ Othello dark orange	16.—	1.25
„ subcrenatum, yellow	14.50	1.15

doronicum ♀ yellow $\frac{1}{8}$ oz. 8.— —

Senecio elegans fl. pl. (Jacobaea double) ○:		
albus, white	cupreatus	
atropurpureus	ruber	
carneus	violaceus	
coeruleus	each: 116.—	9.—

Mixed 108.— 7.50

Dwarf double mixed 116.— 9.—

Senecio Jacobaea ♀	—	2.—
„ sagittifolius ♀	—	3.—
„ Veitchianus ♀	—	2.50
„ Wilsonianus ♀	—	3.50

Sensitive Plant, see Mimosa pudica.

Seseli ♀ caespitosum $\frac{1}{32}$ oz. 1.50

Shortia soldanelliflora, white, reverse pink

Sicyos angulata, rapid growing climber ○ § 12.— 1.—

Sida Napaea ♀ 45.— 3.25

Sidalcea ♀ candida 10.—

Listeri, rose, large fld. 16.—

Rosy Gem 27.— 2.—

Rose Queen, bright rose 44.— 3.25

lb.
RMoz.
RMlb.
RMoz.
RM

Sideritis hyssopifolia ♀

—

1.—

Silene:

acaulis ♀ rosy purple, dwarf tufted, Alpine $\frac{1}{16}$ oz. 20.—

alpestris, white 63.— 4.50

Armeria (Catchfly) ○ red 3.70 —.30

„ fl. albo, white 3.70 —.30

„ fl. roseo 3.70 —.30

Astarias grandiflora ♀

Haage & Schmidt), purple red 58.— 4.50

dichotoma, bee pasture ○ 3.— —.25

Elisabethae, scarlet, one of the prettiest, rare $\frac{1}{32}$ oz. 12.—

Fortunei ○, large rose fld., fringed 27.— 2.—

maritima ♀ ○ Sea Pink, white 4.50 —.40

„ rosea ♀ — 2.80

orientalis, beautiful ○ ♀ red 4.50 —.40

„ alba 4.50 —.40

„ compacta 5.50 —.50

pendula (rosea graeca) ○ 1.80 —.15

„ alba 2.— —.15

„ Bonnettii, dark red, dark leaved 3.— —.25

„ ruberrima, dark folige 2.80 —.25

„ fl. pl. double rose 5.50 —.50

„ „ alba 5.50 —.50

„ „ Bijou, chamois 9.— —.75

„ „ Bonnettii, magenta 5.50 —.50

„ „ delicata, flesh colour 5.50 —.50

„ „ ruberrima, red 5.50 —.50

„ compacta, dwarf rose 3.— —.25

„ „ alba 3.— —.25

„ „ Bonnettii 3.— —.25

„ „ Empress of India red, dark foliage 4.— —.30

„ „ ruberrima, red 3.— —.25

Snowking 5.50 —.50

„ fl. pl., dwarf rose 7.50 —.65

„ „ alba 9.— —.75

„ „ Bonnettii, Dwarf Queen 11.— —.80

„ „ Ladies' Rose, salmon 18.— 1.30

„ „ Peach-blossom 9.— —.75

„ „ syringa blue 9.— —.75

„ „ ruberrima — (Triumph) 9.— —.75

„ Mixed 1.80 —.15

Pseudo-Atocion ○ red 2.50 —.25

pusilla ♀, white, star-like fls. green tufts $\frac{1}{32}$ oz. 1.—

Reichenbachii ♀ white — 2.50

rubella ○ red 2.30 —.25

Saponaria ○ 2.30 —.25

Saxifraga ♀ white 23.— 1.80

Schafta ♀, carmine 32.— 2.50

Zawadskii ♀ (octopetala) — 3.50

Silybum eburneum ○ 3.— —.25

Sinningia ↗ hybrida imperialis, see Gloxinia.

Sisymbrium carpaticum ♀ yellow 10.— —.80

Sisyrinchium anceps ♀ violet — 6.50

iridifolium, buff and violet — 4.—

	lb. fl.	oz. fl.		lb. fl.	oz. fl.
Skimmia japonica △	14.—	1.15	Spurge, variegated, see Euphorbia variegata.		
Smilacina ♀ bifolia, white clusters	—	4.50	Stachys alpina ♀ darkrose white leaves	11.—	.80
Smilax, see Myrsiphyllum asparagoides.			coccinea ○ scarlet	—	2.—
Snake Cucumber, see Cucumis flexuosus.			lanata, ♀ silvery leaves, beautiful for edgings	4.50	.40
Snapdragon, see Antirrhinum.			Stapelia △ bella	100 s. 2.50	
Solanum ▲ arboreum (auriculatum) red fruits	—	3.50	Fleckii	100 s. 3.—	
atropurpureum ○	14.50	1.15	grandiflora	100 s. 3.—	
Balbisii (sisymbifolium) ○	12.—	1.—	variegata	1000 s. 15.—	
cabiliense argenteum (marginalium)	13.50	1.15	mixed	1000 s. 15.—	
Capsicastrum	16.—	1.25	Statice ♀ arborea △ lavender	—	4.—
” nanum	19.—	1.50	arborea hybrida	—	4.—
Hendersonii orange scarlet frs.	32.—	2.50	auriculifolia	—	6.50
jasminoides	1000 s. 6.—		Bonduellii, ○ yellow	3.70	.30
laciniatum, fine ○	31.—	2.50	brassicifolia △ lavender	—	4.—
robustum	23.—	1.80	caspia light-blue fine spikes	90.—	6.—
Pseudo capsicum	22.—	1.65	dumosa	23.—	1.80
Seaforthianum, blue, climbing	—	8.—	eximia lilac rose	40.—	3.—
texanum ○ red fruits	6.—	.50	fruticosa △	—	5.—
Warscewiczii	—	3.50	Gmelinii violet-blue	24.—	1.80
Weatherilli red fr.	30.—	2.30	imbricata △ glycine blue	—	4.—
Soldanella alpina ♀ blue drooping fls., dwarf Alpine 1/4 oz. 30.—			incana hybrida nana, ♀, mixed (Sea Lavender)	8.—	.65
Solidago ♀ alpestris, yellow	—	5.—	latifolia lavender	40.—	3.—
brachystachys, dwarf, 1 ft.	—	5.—	macrophylla △	—	4.—
canadensis, Golden Rod	22.—	1.65	macroptera △	—	4.—
hybrida Golden Wings	54.—	4.—	Perezii △	32.—	2.50
latifolia	—	4.—	puberula △	—	4.—
multiradiatus	—	5.50	singuata atrocoerulea	4.50	.40
odorata	—	3.50	„ candidissima	4.50	.40
spectabilis	—	2.50	„ rosea	3.70	.30
virga aurea	22.—	1.65	„ hybrida mixed	3.70	.30
„ „ nana, dwarf, true	31.50	2.50	superba ○ pink, long plumose spikes	10.—	.80
Sollya △ § heterophylla			„ fl. albo	10.—	.80
1000 s. 10.—			Suworowii ○ (introduced by Haage & Schmidt), large, bright rose spikes	9.—	.75
Sophora △ secundiflora			tartarica ♀	7.50	.65
1000 s. 20.—			Stenactis speciosa ♀	22.—	1.65
tetraptera, vide Edwardsia.			Stenanthium ♀ robustum, greenish white spikes		12.—
Sparaxis ♀ pulcherrima mixed	—	10.—	Stephanophysum ▲ longifolium (Eranthemum)		
Sparmnia africana	100 s. 4.50		Stephanotis floribunda ▲ §, beautiful climber		
Spartium, see Genista and Tree-seeds.			Sterculia ▲ acuminata, Cola nut. 10 nuts. 6.—		
Spergula ♀ pilifera	—	50.—	Stevia ○ Eupatoria white	—	4.—
„ „ aurea	1000 s. 2.—		Lindleyana, small white fls. sweet scented	29.—	2.—
Spergularia azoroides, miniature plant ○ blue	—	3.50	purpurea	36.—	2.80
Sphenogyne ○ speciosa (anthemoides) yellow, steel-blue ring	13.—	1.—	serrata, white, fine flower for bouquets	29.—	2.—
„ aurea, golden yellow, steel-blue ring	18.—	1.30	Stillingia △ sebifera	—	2.—
Spiderwort, see Cleome.			Stitchwort, golden, see Stellaria.		
Spilanthes ○ oleracea	—	3.50			
Spiraea ♀ Aruncus filipendula	20.—	1.50			
Humboldtii	27.—	2.—			
Ulmaria	—	4.—			
	3.70	.30			

Stocks.

We grow these on the largest scale and with the utmost attention. All grown in pots carefully selected, sure to produce an unsurpassable percentage of double-flowering plants.

Dwarf early-flowered ten week Stocks (English)

			lb. fl.	oz. fl.
apple blossom	carmine			
azure blue	chamois			
blackish brown	crimson			
bloodred	dark blue			
brilliant rose	flesh colour			
canary yellow	light blue			
Mixed: pot seed			each: 81.—	5.50
Mixed: ground seed				68.— 5.—
				44.— 3.25

Large-flowering ten week Stocks,

ashgrey	dark blue	purplish carmine		
blackish brown	deep bloodred	purplish violet		
brick red	fleshcolour	reddish brown		
brilliant rose	isabel	rose		
canary yellow	light blue	Sunrise		
carmine	maroon	white		
coppery carmine	pale brown			
crimson	purplish brown			
Mixed, extra, pot seed			each: 86.—	6.—
Mixed ground seed				72.— 5.—
				44.— 3.25

Perpetual or Branching ten week Stocks (Dresden)

apple-blossom	crimson	purple carmine		
bloodred	dark blue	rose		
canary-yellow	flesh colour	yellow, shaded pink		
coppery-red	golden chamois		each: 86.—	6.—

Princess Alice, snowwhite

Empress Augusta Victoria delicate silvery lilac

Mixed			86.—	6.—
-----------------	--	--	------	-----

Excelsior Giant Perpetual ten week Stocks, large flowering, single stemmed.

blackish brown	dark blue	rose		
chamois	light blue	snowwhite		
crimson	purplish brown		each: 172.—	12.—

Mixed			162.—	12.—
-----------------	--	--	-------	------

Gloria, new, dark crimson

Excelsior Mammoth Column (Goliath) Long single stem, 2 ft. in height, for market work

Brilliant rose	coppery scarlet	Silver Lilac		
Chamois rose	crimson	white, rose sheen		
Chamois with Gold			each: 180.—	12.50

Mixed			172.—	12.—
-----------------	--	--	-------	------

Illusion, new, dark Ruby red			180.—	12.50
----------------------------------------	--	--	-------	-------

Moonlight, new, yellow			180.—	12.50
----------------------------------	--	--	-------	-------

Large flowering pyramidal ten week Stocks

canary yellow	deep bloodred	purple violet		
carmine	light blue	white		
dark blue			each: 136.—	10.—

Mixed			126.—	9.—
-----------------	--	--	-------	-----

Princess May, light primrose			136.—	10.—
----------------------------------------	--	--	-------	------

Robust Giant pyramidal ten week Stocks (Bismarck)

canary yellow	dark blue	silver lilac		
chamois	flesh colour	syringablue		
chamois-rose	light blue	white		
coppery red	rose	white, rose sheen		
crimson	salmony-rose		each: 86.—	6.—

Mixed			72.—	5.—
-----------------	--	--	------	-----

Victoria Bouquet ten week Stocks

bloodred	dark blue	rose		
canary yellow	light blue	white		
chamois	purplish carmine		each: 81.—	5.50

Mixed			72.—	5.—
-----------------	--	--	------	-----

Stocks

			lb. fl.	oz. fl.
Autumn-flowering or Intermediate Stocks				
brick red	flesh colour	peach blossom		
carmine	light blue	rose		
crimson	maroon	white		
dark blue			each:	— 15.—
Mixed			—	13.—
Autumn — Early fl. pyramidal Perfection				
carmine	light blue	rose		
dark blue	purple	white		
flesh colour			each:	— 13.50
Mixed			—	12.—
Autumn — East Lothian Stocks				
crimson	deep lilac	scarlet		
dark blue	light blue	white		
dark bloodred			each:	— 21.—
Mixed			—	20.—
Brilliant-rose			—	21.—
White, wallflower leaved			—	21.—
Emperor-large flowered Stocks				
brilliant rose	deep violet	rose		
crimson	flesh colour	sulphur, wall.-leaved		
dark carmine	light blue	white		
deep blood red			each:	— 15.—
Mixed			—	12.50

Winter-or Brompton Stocks

			lb. fl.	oz. fl.
blackish brown	flesh colour	rose		
carmine	light blue	violet		
dark crimson	maroon	white		
fiery red			each:	— 13.—
Mixed			—	11.—
Empress Elisabeth, bright rosy carmine,			—	15.—
White Lady			—	12.50
Zephir, lavenderblue			—	12.50
Glory of Elberfeld, giant				
brick red	dark blue	rose		
dark scarlet	light blue	white		
Mixed			each:	— 16.—

Winter-Brompton Early Giant Nice, long spikes and extremely large flowers.

			lb. fl.	oz. fl.
Abundantia, lilac rose		Montecarlo, canary yellow		
Almond Blossom, white shaded		Nuit d'été, petunia-blue		
carmine		Parma Violet		
Aurora, salmon-rose		Rose of Nice, carmine-rose		
Beauty of Nice, flesh pink		Souvenir de Cannes, maroon granat		
Cote d' Azur, violet blue		Souvenir de Monaco, magenta violet		
Garnet, porphyre-red		White of Nice		
L'Entincelante, deep bloodred				
Mont Blanc, snowwhite			each:	72.— 5.—
Mixed			—	58.— 4.50

Winter-Dwarf Bouquet Brompton Stocks

			lb. fl.	oz. fl.
Brilliant-rose				
Millionary, brilliant carmine			—	15.—

Winter-Giant Cape or Cocardeau Brompton Stocks single stemmed.

			lb. fl.	oz. fl.
apple blossom	crimson	rose		
azure blue	dark violet	white		

			lb. fl.	oz. fl.
Mixed			—	15.—

			lb. fl.	oz. fl.
Stokesia cyanea ♀, large flowering, blue, very pretty	24.—	1.80	Streptocarpus  hybridus Cirrus (Haage & Schmidt), giant	
cyanea alba	32.—	2.50	pure white, purplish violet blotched; petals slightly fringed $\frac{1}{16}$ oz. 14.—	

			lb. fl.	oz. fl.
Stonecrop, blue, see Sedum coeruleum.			hybrid. Goliath, giant flowered blue	$\frac{1}{16}$ oz. 14.—

			lb. fl.	oz. fl.
Strawberry Spinach, see Blitum.			hybridus grandiflorus:	

			lb. fl.	oz. fl.
Strelitzia augusta	100 s. 6.—		large flowering hybrids finest mixed	

			lb. fl.	oz. fl.
Reginae, orange with blue	100 s. 16.—		—	100.—

FLOWER SEEDS.

	lb. fl.	oz. fl.		lb. fl.	oz. fl.
Streptocarpus:					
hybridus grandiflorus White					
Lady	1/16	oz. 14.—			
Wendlandii	1000	s. 2.—			
Strychnos nux vomica	13.50	1.15			
Summer or Standing Cypress, see Kochia trichophylla.					
Sun Drops, see Oenothera.					
Sunflower, see Helianthus annuus.					
Sun Rose, see Helianthemum.					
Sutherlandia frutescens	33.—	2.50			
Swainsonia alba		7.50			
carminea		7.50			
rosea		7.50			
grandiflora mixed		4.—			
Swallow-wort, see Asclepias.					
Swan River Daisy, see Brachycome.					
Sweet Alyssum, see Alyssum Benthamii.					
„ Pea, see Lathyrus odor.					
„ Scabious, see Scabiosa.					
„ Sultan, see Centaurea mo- schata and suaveolens.					
„ William, see Dianthus bar- batus.					
Symphandra ♀ ⊙ Hofmannii					
1/32 oz. 1.—					
Symphytum ♀ aspernum		5.—			
Tacsonia §					
mollissima vivid rose					
1000 s. 15.—					
Van Volxemii scarlet					
1000 s. 15.—					
Tagetes erecta fl. pl., Double African Marigold ⊙:					
aurantiaca, orange	11.—	.80			
„ fistulosa (Eldorado), quilled	13.—	1.—			
pallida, pale yellow	13.—	1.—			
Prince of Orange	13.—	1.—			
sulphurea	13.—	1.—			
„ fistulosa, quilled	13.—	1.—			
nana aurantiaca	14.50	1.15			
„ pallida	14.50	1.15			
„ sulphurea	14.50	1.15			
mixed	9.—	.75			
Tagetes lucida, orange sweet-scen- ted	22.—	1.65			
Tagetes patula fl. pl., Double tall French Marigold:					
aurantiaca orange	13.—	1.—			
aurea fistulosa orange quilled	13.—	1.—			
brunea (ranunculoides)	13.—	1.—			
„ fistulosa	13.—	1.—			
lutea yellow	13.—	1.—			
pulchra yellow on brown	13.—	1.—			
mixed	11.—	.80			
Tagetes patula nana fl. pl. (Pygmy) Double dwarf French Mari- gold:					
aurea	13.—	1.—			
„ fistulosa	13.—	1.—			
brunea	13.—	1.—			
„ fistulosa	13.—	1.—			
grandiflora Golden Ball	13.—	1.—			
lutea	13.—	1.—			
„ fistulosa	13.—	1.—			
pallida	13.—	1.—			
Tagetes patula nana fl. pl.:					
pulchra				13.—	1.—
Reginae, brown, and yellow, large fld.				13.—	1.—
Robert Beist, reddish brown				13.—	1.—
striata striped				13.—	1.—
dwarf double mixed				11.—	.80
Liliput, double brown				13.50	1.15
„ golden yellow				13.50	1.15
„ spotted				13.50	1.15
„ sulphur yellow				13.50	1.15
„ mixed				12.—	1.—
Tagetes patula nana, Single dwarf French Marigold:					
Golden Star, golden yellow, with regular purplish brown radial stripes				5.50	—.50
Legion of honour, yellow, brown spotted				5.50	—.50
Silver King, light sulphur yellow with brown spots				6.50	—.50
Tagetes signata golden yellow, orange signed, fine border plant				20.—	1.50
signata pumila				20.—	1.50
„ pumila Golden Ring, golden orange				25.—	2.—
Tamarindus indica	1000	s. 28.—			
Tamus communis ♀				20.—	1.50
edulis §				1000	s. 10.—
Tanacetum corymbosum ♀ (macro- phyllum)				14.—	1.15
vulgare ♀				5.50	—.50
vulgare crispum					1.50
Tassel Flower, see Cacalia.					
Tecoma Smithii ♀					
winter-flowering				1000	s. 1.60
for others, see Bignonia.					
Telekia speciosa (cordifolia) ♀				4.50	—.40
Templetonia retusa	100	s. 6.—			
Tephrosia candida §				12.—	1.—
Terminalia Catappa	100	s. 10.—			
Testudinaria elephantidens					
10 s. 1.—					
Tetranema mexicanum 1/32 oz. 8.—					
Teucrium ♀ Chamaedrys, beautiful alpine pl.					
montanum (incanum), pale yellow				—	8.—
Scorodonia, pale yellow				13.50	1.15
Thalictrum ♀ adiantifolium				9.—	—.75
angustifolium, large heads of yellow fls.				27.—	2.—
aquilegiifolium (purpureum)				36.—	2.80
„ fl. albo				41.50	3.—
„ hybridum, new varieties mix.				20.—	1.50
Delavayi, pale purple fls.					20.—
dipterocarpum, mauve				54.—	4.—
„ flavum, pale yellow, similar to angustifol.				22.—	1.65
„ glaucum				9.—	—.75
„ minus, greenish yellow				14.50	1.15
„ spurum				13.50	1.15
Thea Bohea	1000	s. 28.—			
sinensis	1000	s. 16.—			
viridis	1000	s. 28.—			
Theobroma Cacao	10	s. 15.—			

	lb. fl.	oz. fl.		lb. fl.	oz. fl.
Thermopsis ♀ caroliniana, golden yellow	—	15.—	Tritoma:		
fabacea	—	18.—	Tuckii (May Queen)	18.—	1.30
lanceolata	—	15.—	Uvaria grandiflora	45.—	3.25
Thevetia neriifolia Ⓛ 100 fr. 12.—			new early hybrids mixed	39.—	3.—
Thrift, see Armeria.			Trollius ♀ caucasicus, Orange Ball	14.—	
Thunbergia ⓠ §			europaeus	72.—	5.—
alata mixed	13.50	1.15	hybridus Earliest of all	108.—	7.50
coccinea, see Hexacentris.			„ Excelsior	108.—	7.50
fragrans Ⓛ § 100 s. 1.50			„ Goliath	108.—	7.50
Gibsonii Ⓛ § 100 s. 6.—			„ Helios	108.—	7.50
Thymus ♀ nitidus, masses of purple flowers 1/32 oz. 2.—			„ Orange Globe	108.—	7.50
Serpillum	108.—	7.50	„ mixed	90.—	6.—
Tigridia ♀ canariensis, cream	—	3.—	Ledebouri, dark orange	—	18.—
Tillandsia Ⓛ pruinosa 1000 s. 10.—			„ „ Golden Queen, deep orange late flow	—	36.—
Tolpis ⓠ barbata (Hawkweed)	7.50	—.65	Tropaeolum majus (Nasturtium)		
barbata fl. albo	7.50	—.65	○ §:		
Torenia ⓠ Ⓛ			atropurpureum, dark purple	2.30	—.25
Baillonii, yellow, marronthroat	—	20.—	coccineum, scarlet	2.30	—.25
Fournieri (edentula)	54.—	4.—	Dunnett's Orange (Sunlight)	2.30	—.25
„ alba (White Wings)	54.—	4.—	Eduard Otto, lilac	2.30	—.25
„ compacta	—	4.50	hemisphaericum, yellow-orange	2.30	—.25
„ grandiflora	—	5.—	luteum	2.30	—.25
„ speciosa, blue	—	8.—	nigro - purpureum (King Theodore) black - purple dark leaved	2.30	—.25
„ „ alba (The Bride)	—	8.—	Pearl, cream	2.30	—.25
Touch-me-not, see Balsam.			Prince Henry light yellow, red marbled	2.30	—.25
Toxicophlaea spectabilis Ⓛ			Regelianum (purpureum), violet-crimson	2.30	—.25
(Acokanthera) 100 s. 8.—			Scheuermannii, pale yellow, spotted	2.30	—.25
venenata Ⓛ 100 s. 12.—			Vesuvius, terracotta dark leav.	2.30	—.25
Trachelium ⓠ coeruleum	—	8.—	von Moltke, bluish rose	2.30	—.25
coeruleum album	—	8.—	tall mixed	2.—	—.15
„ roseum (Haage & Schmidt)	—	12.—	flore pleno, Golden Gleam, double, new	3.—	—.25
Trachymene coerulea ⓠ	23.50	1.80	flore pleno, Scarlet Gleam, double new	3.—	—.25
Tradescantia discolor Ⓛ			„ „ Gleam Hybr., double mixed	36.—	2.80
1000 s. 15.—			Tropaeolum majus nanum (Tom Thumb) ⓠ:		
lanceolata 1000 s. 18.—			aurora, apricot	2.50	—.25
virginica ♀, blue	36.—	2.80	bronze	2.50	—.25
Tree Cypress, see Ipomopsis.			Chamaeleon, cream, spotted scarlet	2.50	—.25
Tree Parsnip, see Heracleum.			coccineum	2.50	—.25
Trichosaeeme lanata Ⓛ 100 s. 5.—			coeruleo-roseum, bluish-rose	2.50	—.25
Trichosanthes ⓠ § Anguina vera .	11.—	—.80	Crystal Palace Gem pale yellow, dark leaved	2.50	—.25
coccinea (colubrina)	8.—	—.65	Golden Midnight, dark purple, yellow leaved	2.50	—.25
Trientalis ♀ europaea, white starlike fls. very dwarf, for shady positions very pretty .	—	30.—	„ Queen, golden yellow and yellow foliage	2.50	—.25
Trifolium repens fol. atropurpureis ♀, yellowish white	27.—	2.—	King of Tom Thumb fiery scarlet, dark fol.	2.50	—.25
rubens ♀ large purple red fls. .	20.—	1.50	Ladybird orange, spotted, dark leaved	2.50	—.25
suaveolens ⓠ, pretty	7.50	—.65	Prince Henry yellow, spotted purple	2.50	—.25
Trillium ♀ grandiflorum, blush-white, early, for rockeries for shady places	—	15.—	Regelianum, violet-purple	2.50	—.25
Tritoma (Redhof-poker-plant) ♀ (Kniphofia):			Ruby King, dark leaved	2.50	—.25
aloides	—	6.—	Scheuermannii coccineum	2.50	—.25
corallina, pretty	—	10.—	Vesuvius, salmony-pink	2.50	—.25
foliosa	—	6.—	Tom Thumb mixed	2.20	—.20
hybrida Express, early	16.—	1.25			
„ gracilis	45.—	3.25			
„ mirabilis (Haage & Schmidt) .	72.—	5.—			
„ elegans multicolor (multi-flora)	81.—	5.50			
„ new hybrids mixed (Haage & Schmidt)	—	10.—			

	lb. \$R	oz. \$R		lb. \$R	oz. \$R
<i>Tropaeolum Lobbianum</i> ○ §:					
Asa Gray, cream	2.30	.25			
atropurpureum	2.30	.25			
aureum, golden	2.30	.25			
Black Prince (H. & Schm.) . .	2.30	.25			
Brilliant, fiery scarlet, dark leav.	2.30	.25			
cardinale, dark scarlet	2.30	.25			
Crystal Palace, scarlet	2.30	.25			
Firefly, orange, dark leaved. . .	2.30	.25			
hederifolium, scarlet	2.30	.25			
Lucifer	2.30	.25			
Margaret, light yellow, dark leaved	2.30	.25			
Napoleon III. golden with brown	2.30	.25			
Primrose	2.30	.25			
Princess Victoria Louise (Haage & Schmidt), creamy, spotted orange-scarlet	2.30	.25			
Queen Wilhelmina, scarlet rose .	2.30	.25			
Regina, salmony red	2.30	.25			
Rudolf Virchow, ruby	2.30	.25			
Spitfire, fiery scarlet	2.30	.25			
Zanderi nigrum, dark crimson .	2.30	.25			
mixed in splendid variety . . .	2.—	.15			
dark leaved sorts finest mixed (Madame Gunther)	2.—	.15			
Liliput (<i>compactum</i>) small flo- wered mixed	2.20	.20			
Queen of Holland Hybrids . . .	2.50	.25			
separate colours:					
Babyrose, cream, spotted					
Fairy King					
Lady Cherry, wine red					
Othello, blackish red					
Ruby					
Snow-Queen					
<i>Tropaeolum minus</i> (<i>trimacula-</i> <i>tum</i>) ○	3.30	.30			
minus coccineum ○	3.30	.30			
peregrinum (<i>canariense</i>) ○ . .	6.50	.50			
speciosum	—	.6—			
tricolor grdfl. △ 1000 s. 24.—					
Trumpet Flower, see Datura.					
Tulipa ♀:					
Greigii, vermillion red, rare . .	—	16.—			
hortensis mixed	60.—	4.50			
Kaufmanniana, white and cream, reverse carmine the earliest of all Tulips	—	8.—			
Tunica Saxifraga ♀ rose	4.50	.40			
Saxifraga alba	4.50	.40			
Tydaea ▲:					
hybrida grandiflora mixed					
1/32 oz. 9.—, 1000 s. 1.—					
Umbrella Plant, see <i>Cyperus</i> <i>adenophorus</i> .					
Urania speciosa, see <i>Ravenala</i> .					
Ursinia ○ anethoides, orange, purple ring	30.—	2.30			
Uvularia ♀ grandiflora, golden yellow large fld., very early .	—	20.—			
Valeriana ♀ dioica, rose	—	5.—			
officinalis	54.—	4.—			
rubra (Valerian, <i>Centranthus</i>) .	11.—	.80			
“ fl. albo	10.—	.80			
“ fl. coccineo	11.—	.80			
sambucifolia	—	5.—			
Valerian, Greek, see <i>Polemonium</i> <i>coeruleum</i> .					
Vangueria edulis ▲ 100 s. 3.—					
Vanilla aromatica ▲ 10 pods 15.—					
Venidium ○ <i>calenduloides</i> . . .	14.50	1.15			
fastuosum, new, orange, maroon band	—	12.—			
Venus Looking Glass, see <i>Campa-</i> <i>nula Speculum</i> .					
Venus Navelwort, see <i>Cynoglossum</i> <i>linifolium</i> .					
Veratrum ♀ album	—		7.50		
nigrum	—		12.—		
Verbascum ♀ Blattaria	11.—		.80		
giganteum	—		6.—		
Harkness Hybrid	9.—		.75		
Libani, primrose, grey-green fol. branched	10.—		.80		
Miss Willmott	11.—		.80		
nigrum yellow, purple eye, dwarf	13.50	1.15			
nigrum fl. albo	27.—	2.—			
olympicum, deep yellow, white woolly leaves	32.50	2.50			
pannosum, golden, one stemmed .	36.—	2.80			
phlomoides	13.50	1.15			
phlomoides × thapsiforme . .	45.—	3.25			
phoeniceum mixed	10.—	.80			
thapsiforme	18.—	1.30			
Thapsus	5.50	.50			
Wiedemannianum, deep violet .	31.—	2.50			
Verbena ○ Aubletia <i>atrovirens</i> (Haage & Schmidt), new . .	18.—	1.30			
Aubletia candidissima (Haage & Schmidt)	9.—	.75			
“ grandiflora	9.—	.75			
“ purpurea carminea, new . .	16.—	1.25			
citriodora (<i>triphylla</i>), Lemonscen- ted Verbena △	54.—	4.—			
Drummondii (<i>montana</i>) rosy . .	9.—	.75			
erinoides	18.—	1.30			
“ alba	18.—	1.30			
pulcherrima (<i>geraniifolia</i>) lilac .	10.—	.80			
teucrioides (<i>Nivenii</i>) white, scen- ted	11.—	.80			
venosa, violet	22.—	1.65			
hybrida choice mixed	20.—	1.50			
“ extra selected	26.—	2.—			
“ auricula flowered large white eye	30.—	2.30			
“ candidissima, pure white . .	29.—	2.25			
“ coccinea	32.50	2.50			
“ “ oculata	32.50	2.50			
“ coerulea	29.—	2.25			
“ “ oculata	30.—	2.30			
“ Défiance, fiery scarlet . .	54.—	4.—			
“ lutea	32.50	2.50			
“ nigro-violacea albo-oculata	32.50	2.50			
“ Purple Cloak	32.50	2.50			
“ striata, striped	32.50	2.50			
“ Mammoth (grandifl.) mixed	45.—	3.25			
“ “ alba (Snow Queen) . .	63.—	4.50			
“ “ Cardinal	81.—	5.50			
“ “ Carmine	90.—	6.—			
“ “ Crimson, white stared . .	63.—	4.50			
“ “ Etna, garanium scar- let, yellowish eye . .	63.—	4.50			

	lb. RM	oz. RM		lb. RM	oz. RM
Verbena:					
<i>hybrida Mammoth Lucifer</i> , brilliant					
scarlet	72.—	5.—			
" " Purple Shades	72.—	5.—			
" " Rose Queen	63.—	4.50			
" " Royal Blue	72.—	5.—			
" " colossea, rose shades .	81.—	5.50			
" " gigantea, large fld., with white eye mix.	63.—	4.50			
<i>compacta candidissima</i> . . .	63.—	4.50			
" carnea, flesh colour .	81.—	5.50			
" Defiance, fiery scarlet	108.—	7.50			
" erecta coccinea oculata	58.—	4.50			
" " Crownprince .	90.—	6.—			
" rosea	63.—	4.50			
" striata, striped . . .	63.—	4.50			
" Vesta (H. & Schm.), crimson, later scar- let	63.—	4.50			
" " violacea	63.—	4.50			
" " dwarf mixed	70.—	5.—			
Veronica ♀ <i>Allionii</i> , deep blue, dwarf	—	5.—			
<i>amethystina</i> , bright blue . . .	36.—	2.80			
<i>candida</i> (incana) violet, silvery foliage	—	6.—			
<i>Chamaedrys</i>	20.—	1.50			
<i>elegantissima</i> , delicate rose . .	—	5.50			
<i>fruticulosa</i> (buxifolia), rare al- pine	90.—	6.—			
<i>gentianoides</i>	63.—	4.50			
<i>Hendersonii</i>	31.—	2.30			
<i>longifolia</i>	18.—	1.30			
" <i>alba</i>	—	3.—			
" <i>atrocoerulea</i>	27.—	2.—			
<i>montana</i>	—	9.—			
<i>Prenja</i>	36.—	2.80			
<i>prostrata</i>	40.—	3.—			
" <i>alba</i>	—	5.—			
" <i>lilacina</i>	—	5.—			
<i>repens</i> , porcelain blue carpet . .	50.—	3.50			
<i>satureyoides</i>	—	12.—			
<i>saxatilis</i>	1/16 oz. 6.—				
<i>serpyllifolia</i>	—	10.—			
<i>spicata</i> , dark blue spikes, true .	32.—	2.50			
" <i>alba</i>	—	4.50			
" <i>rosea</i> , pure rose	—	6.—			
<i>spuria</i>	18.—	1.30			
<i>Teucrium</i>	27.—	2.—			
" Royal Blue	36.—	2.80			
<i>virginica</i> fl. <i>albo</i>	—	12.—			
<i>Waldsteinii</i>	—	16.—			
hardy perennial sorts mixed . .	22.50	1.65			
greenhouse var. mixed	—	18.—			
Viburnum , see tree-seeds.					
<i>Vicia</i> ○ <i>atropurpurea</i>	5.50	—.50			
<i>Cracca ♀</i> blue	—	1.20			
<i>Gerardii</i> , purple	6.50	—.50			
<i>globosa</i>	5.50	—.50			
<i>hybrida Snowdrift</i> (H. & Schm.)	6.50	—.50			
<i>Vinca</i> ▲ <i>rosea</i> (<i>Madagascar Peri-</i> <i>winkle</i>)	15.—	1.25			
<i>rosea alba</i>	15.—	1.25			
" <i>alba pura</i>	15.—	1.25			
" <i>mixed</i>	13.—	1.—			
Viola bosniaca ♀			54.—	4.—	
<i>cornuta</i> ○ ♀ (violacea, Purple Queen)			36.—	2.80	
" <i>alba</i>			45.—	3.25	
" <i>G. Wermig</i>			220.—	16.—	
" <i>Mauve Queen</i>			32.50	2.50	
" <i>Papilio</i>			36.—	2.80	
" " <i>albida</i>			36.—	2.80	
" " <i>deep violet</i>			41.—	3.—	
" <i>Puck</i> , yellow and violet .			68.—	5.—	
" <i>rosea</i>			36.—	2.80	
" <i>Thuringia</i> , deep blue, white eye			32.—	2.50	
" <i>Vernal Sign</i> , purple . .			40.—	3.—	
Viola cornuta hybrida					
<i>Admiration</i> , dark blue			36.—	2.80	
<i>Apricot</i>			—	15.—	
<i>aurea</i>			36.—	2.80	
<i>Avalanche</i> , snow white			54.—	4.—	
<i>Black Prince</i> , black			33.—	2.50	
<i>Cyclop</i> , blue, large white eye .			36.—	2.80	
<i>Firmament</i> , sky blue			45.—	3.25	
<i>Ilona</i> , purple-violet			29.—	2.25	
<i>Lord Beaconsfield</i>			36.—	2.80	
<i>magnifica</i> , purple			36.—	2.80	
<i>Perfection</i> blue, light blue . .			32.—	2.50	
" white			40.—	3.—	
<i>Rose Queen</i> (Haslemere) . . .			81.—	5.50	
<i>Sensation</i> , violet purple . . .			36.—	2.80	
<i>mixed</i> (Tufted Pansies)			32.—	2.50	
<i>gracilis</i> ♀ black blue, white eye, very dwarf, true			—	40.—	
" <i>Jewel</i> , rich glowing violet purple, continuously bloo- ming			—	12.—	
" <i>Lord Nelson</i> , new, violet purple			—	20.—	
<i>lutea</i> ♀			22.50	1.65	
" <i>splendens</i>			27.—	2.—	
<i>Munbyana</i> ♀, dark blue, long stemmed			1/32 oz. 5.—		
odorata ♀ (<i>semperflorens</i>) sweet					
<i>Violet</i>			30.—	2.30	
" <i>alba</i>			41.50	3.—	
" <i>Czar</i> dark blue			66.—	4.50	
" <i>Czar</i> fl. <i>albo</i>			50.—	3.50	
" <i>Empress Augusta</i>			54.—	4.—	
" <i>Hamburg forcing</i>			54.—	4.—	
" <i>Queen Charlotte</i>			40.—	3.—	
" <i>Rose Pearl</i>			63.—	4.50	
<i>palustris</i> ♀ pale blue			—	10.—	
<i>sylvestris</i> ♀ clear blue			—	3.—	
Viola tricolor maxima, Pansies ○:					
<i>Mixtures</i>					
all colours fine mixed			14.50	1.15	
superior quality (Butterfly)					
mixed, fine strain			24.—	1.80	
Bugnot's large flowered, extra quality			98.—	7.—	
Cassier, large flowered blotched			81.—	5.50	

	lb. \$16	oz. \$16
Viola tricolor maxima, Germania, flowers very large, five blotched, with undulated pe- tals	72.—	5.—
Odier (imperialis) small fld. com- pact, large blotches	81.—	5.50
Orchideiflora, delicate colourings	36.—	2.80
Trimardeau, Giant, mostly three blotched, very large flowers	36.—	2.80
„ Parisian giant, large spotted improved	44.—	3.25
Roggli Giant	126.—	9.—

Bedding Varieties

alba pura, see candidissima.		
apricot coloured (H. & Schm.), rare and delicate	—	20.—
atropurpurea	27.—	2.—
„ marginata alba, silver edged	27.—	2.—
„ „ aurea, gold laced	27.—	2.—
aurea pura (Yellow Gem)	27.—	2.—
Black Prince, velvety black	27.—	2.—
candidissima, dark seeded	27.—	2.—
Cardinal, red	29.—	2.25
Cliveden purple	24.—	1.80
„ yellow	24.—	1.80
„ white	24.—	1.80
Coquette de Poissy, mauve	27.—	2.—
Emperor Frederic, dark red, yellow bordered	27.—	2.—
„ William, indigo, the finest blue variety	25.—	2.—
Eros, velvety red, bordered yellow	27.—	2.—
Fairy Queen, azure, white bordered	27.—	2.—
Faust, satiny black	27.—	2.—
Fire King, yellow, spotted purple	27.—	2.—
havanabrown, distinct	45.—	3.25
Lord Beaconsfield, bicolor, blue and white	24.—	1.80
Meteor, glossy red	27.—	2.—
Prince Bismarck, brown and gol- den bronze marbled, re- markably beautiful	40.—	3.—
Psyche, velvety violet blue blot- ched on white ground undu- lated and curled	72.—	5.—
quadricolor	36.—	2.80
slate blue	27.—	2.—
striped fancy	27.—	2.—
Victoria, claret red	27.—	2.—
white, dark centre	27.—	2.—
yellow, dark centre	27.—	2.—

**Viola tricolor maxima, Giant
Pansies;**

Adonis, light blue with white	41.—	3.—
Alpenglow (Roggli) red	—	12.—
atropurpurea (Trimardeau)	40.—	3.—
auriculiflora	32.—	2.50
Berna (Roggli) deep blue	136.—	10.—
Blue Domino (Germania)	45.—	3.25
Bridesmaid	63.—	4.50
candidissima	41.—	3.—

	lb. \$16	oz. \$16
Viola tricolor maxima, Giant:		
Cardinal	45.—	3.25
Emperor Francis Joseph white, spotted blue	45.—	3.25
„ William, ultramarine	30.—	2.30
Fireking	32.—	2.50
five blotched golden yellow		
Giant (Cassier)	54.—	4.—
Freya black violet, edged silver	36.—	2.80
Golden Gem	36.—	2.80
Golden Yellow (Roggli), brown spotted	180.—	12.50
hortensia red	36.—	2.80
indigo blue	32.—	2.50
King of the Blacks	36.—	2.80
Lake of Thun (Roggli) ultramarine	136.—	10.—
Lord Beaconsfield	36.—	2.80
Mad. Perret, mahogany	36.—	2.80
Mauve Queen	36.—	2.80
Merkur, velvety black purple	41.—	3.—
Orange King	72.—	5.—
Peacock	36.—	2.80
Preziosa (Trimardeau)	36.—	2.80
Prince Bismarck	41.—	3.—
„ Henry dark blue, dark eye	36.—	2.80
Purple King	50.—	3.50
Snowflake (Snow Queen, Lady in white) white seeded	45.—	3.25
striped	36.—	2.80
violet blue	32.—	2.50
white, dark centre	32.—	2.50
yellow dark centre	36.—	2.80
the above Giant-Pansies in finest mixture	31.—	2.30

Winter flowering Varieties

Celestial Queen, light blue	27.—	2.—
Helios, pure yellow	27.—	2.—
Ice King, white, dark eye	27.—	2.—
Jupiter, purple and white	27.—	2.—
March Beauty, dark blue	27.—	2.—
Mars, dark blue	27.—	2.—
North Pole, snowwhite	27.—	2.—
Snowstorm, yellowish white	27.—	2.—
Wodan, velvety black	27.—	2.—
Winter Sun, yellow dark eye	27.—	2.—
Mixed	25.—	2.—

Virginian Stock, see Cheiranthus
maritimus.

Viscaria \circ alpina (Lychnis) rose	—	15.—
oculata, lilacrose, dark eye	7.50	.65
„ azurea (Haage & Schmidt), lasur-blue	11.—	.80
„ Burridgii, white, rosy sheen	5.50	.50
„ candida (H. & Schm.), flo- wers of the purest white, very useful for cutting	11.—	.80
„ cardinalis, scarlet	11.—	.80
„ coerulea	9.—	.75
„ Dunnettii, silver lilac	6.50	.50
„ elegans picta, carmine	6.50	.50
„ Fire King	41.—	3.—
„ nobilis (H. & Schm.) sal- mony-rose, large darkred eye	13.50	1.15

	lb. RM	oz. RM		lb. RM	oz. RM
Viscaria:			Single flowered Wallflower		
oculata rosea	6.50	.50	" Harbinger, brown, early	6.50	.50
" fine mixed	7.50	.65	" light brown	6.50	.50
" nana compacta, Tom Thumb mixed	18.—	1.30	" Linnaeus, yellowish white	5.50	.50
Vittadinia triloba ○ 2, pretty ed- ging plant with Daisy-like rosy flowers	18.—	1.30	" Phoenix, light brown, very early	5.50	.50
Wahlenbergia 2 grandiflora . . .	18.—	1.30	" Primrose, sulphur	6.50	.50
grandiflora alba	45.—	3.25	" Ruby Gem	7.50	.65
" coerulea plena	—	15.—	" Ruppert, large-flowered brown-red	7.50	.65
" nana (Mariesii) deep blue .	36.—	2.80	" Vesuvius, orange	6.50	.50
" " alba	36.—	2.80	" violet-red	7.50	.50
" " "	—	—	" Vulcan velvety crimson	6.50	.50
" " "	—	—	" White Gem	5.50	.50
" " "	—	—	" large-flowered single mixed	4.15	.40
" " "	—	—	" Haage and Schmidt's splen- did mixture	5.—	.40
" " "	—	—	" Tom Thumb Vars.		
" " "	—	—	" " blackish brown	16.—	1.25
" " "	—	—	" " bloodred	16.—	1.25
" " "	—	—	" " golden yellow	16.—	1.25
" " "	—	—	" " violet	16.—	1.25
" " "	—	—	" Winter blooming (Cheiran- thus kewensis)	—	4.50
Water Lily, see Nymphaea.					
Watsonia 2 hybrida bulbous, a grand mixture of white, rose and carmine flowers	54.—	4.—			
Whitavia ○ grandiflora	7.50	.65			
grandiflora alba	7.50	.65			
" gloxinoides	7.50	.65			
" mixed	6.50	.50			
Wigandia 1 caracasana, lilac . . .	—	3.—			
imperialis	—	3.—			
urens, light blue	—	3.—			
Vigieri, mauve	—	3.—			
Winter Cherry, see Physalis Alkekengi.					
Wulfenia 2 carinthiaca, blue erect spikes, evergreen Alpine	1/32 oz.	1.50			
Xeranthemum annuum ○:					
double white	11.—	.80			
" purple	11.—	.80			
imperiale plenissimum, purple . .	12.—	1.—			
roseum, double rose	11.—	.80			
superbissimum	11.—	.80			
" fl. albo	11.—	.80			
" fl. roseo	11.—	.80			
" imperiale	11.—	.80			
double mixed	9.—	.75			
Youth and Old Age, s. Zinnia.					
Yucca 2					
aloifolia (viridis)	14.50	1.15			
" fol. variegatis	14.50	1.15			
" purpurea	14.50	1.15			
" tricolor	14.50	1.15			
" quadricolor	14.50	1.15			
angustifolia	25.—	2.—			
baccata, white panicles, robust .	36.—	2.80			
filamentosa, long narrow fol. .	22.50	1.65			
glaucia	25.—	2.—			
gloriosa, large white flowers, reverse carmine	—	9.—			

	lb. RM	oz. RM		lb. RM	oz. RM
Yucca:					
Whipplei, Californian species .	40.—	3.—	Zinnia eleg. grandiflora robusta plenissima, <u>Giant Zinnias:</u>		
Haage & Schmidt's new hardy Hybr., extremely floriferous. Their foliage varies from deep green to a bright glaucous like <i>Yucca recurvata pendula</i>			crimson scarlet		
100 pkts. 40.— 10 pkts. 5.—	—	—	flesh colour sulphur yellow		
Zauschneria ♀ <i>californica</i> , scarlet red, Penstemon-like flowers			golden yellow violet		
1000 s. 2.—			purple white		
Zea japonica , see Ornamental Grasses.			rose Isabella each 21.—	1.65	
Zigadenus glaberrimus ♀	—	3.—	Giant Mixed 17.—	1.25	
Zinnia ○ eleg. single-fld. mixed . .	3.70	—.30	Zinnia eleg. grandiflora robusta plenissima, <u>Giant Dahlia fld.:</u>		
Zinnia elegans plenissima:			brilliant carmine golden yellow		
alba isabellina			chamois orange red		
atropurpurea kermesina			crimson purple rose		
aurea lilacina			dark carmine pure white rose		
carminea lutea			dark crimson salmon rose		
carnea Reginae			fiery scarlet violet each 23.—	1.80	
coccinea rosea			Giant Dahlia fld. mixed . . . 22.—	1.65	
crispa violacea			Zinnia elegans fl. pl. <u>Liliput:</u>		
	each 9.—	—.75	golden yellow white		
double Mixed	5.50	—.50	scarlet each 18.—	1.30	
Zinnia eleg. nana (pum.) fl. pl.:			Mixed 14.—	1.15	
alba purpurea			Zinnia gracillima coccinea fl. pl. 22.—	1.65	
atrococcinea rosea			gracillima lutea fl. pl. . . . 22.—	1.65	
aurea salmonea-rosea			" fl. pl. mixed 18.—	1.30	
carminea sulphurea			Zinnia Haageana (sp. Mexico)		
	each 14.50	1.15	orange, single 9.—	—.75	
dwarf double mixed . . . 13.—	1.—		Haageana flore pleno 36.—	2.80	
			„ hybrida, charming hybrids 22.—	1.65	
			„ „ Perfection, double mixed 45.—	3.25	
			Zinnia linearis, very pretty yellow Border plant —	—	

Mixtures of Flower Seeds

for the decoration of rural walks, shrubberies, borders etc.

	lb. RM	oz. RM		lb. RM	oz. RM
Annual tall sorts mixed	1.50	—.15	Annual Immortelles mixed	9.—	—.75
„ demi-tall sorts mixed	2.30	—.25	„ Japanese Flower Garden	4.15	—.40
„ dwarf sorts mixed	2.80	—.25	Perennial tall sorts mixed	18.—	1.30
„ for bees	2.80	—.25	„ dwarf sorts mixed	18.—	1.30
„ climbing plants	3.—	—.25	„ dwarf rockery mixed	36.—	2.80

Ornamental Grasses.

Those marked with an asterik are perennial.

	lb. RM	oz. RM		lb. RM	oz. RM
Aegilops ventriocosa	7.50	—.65	Avena nuda elegantissima	3.70	—.30
Agrostis algeriensis	10.—	—.80	sterilis, animated Oat, black seeded	3.30	—.30
dulcis	4.50	—.40	„ white seeded	3.30	—.30
Fontanesii	8.—	—.65	Brachypodium distachyum	2.—	—.15
laxiflora	5.50	—.50	gracile	5.50	—.50
mexicana	5.50	—.50	platystachyum	3.—	—.25
miliacea	12.—	1.—	Briza maxima (Quaking Grass) . .	3.30	—.30
nebulosa	16.—	1.25	maxima compacta	9.—	—.75
pulchella (elegans)	18.—	1.30	„ compacta	9.—	—.75
*Andropogon argenteus formosus	18.—	1.30	*media	16.—	1.25
Anthoxanthum gracile	3.70	—.30	minima	3.30	—.30
Aristida coerulescens	9.—	—.75	*spicata	—	2.—
*Arundo Donax	13.50	1.15	Bromus arduennensis	2.80	—.25
„ Donax fol. var.	18.—	1.30	asper	13.50	1.15
			briziformis	1.15	—.15

	lb. RM	oz. RM		lb. RM	oz. RM
Bromus:					
cristatus	3.50	.30	Hare's Tail Grass, see Lagurus.		
Gussonii, pretty	1.50	.15	* <i>Hordeum jubatum</i> , Squirrel Tail Grass	8.—	.65
macrostachyus (lanuginosus)	2.—	.15	* <i>Isolepis gracilis</i> (<i>tenella</i>) 	—	50.—
madritensis, beautiful	2.80	.25	Job's Tears, s. <i>Coix Lacrymae</i> .		
patulus, pretty	3.50	.30	Koeleria Bergthaea, pretty	9.—	.75
" nanus	4.50	.40	* <i>brachystachya</i>	9.—	.75
pendulinus, very pretty	3.30	.30	Lagurus ovatus, Hare's Tail Grass	4.15	.40
purpureus	2.15	.15	* <i>Lasiagrostis argentea</i>	—	3.—
unioloides	2.—	.15	Love Grass, see <i>Eragrostis elegans</i> .		
* <i>Calamigrostis lanceolata</i>	—	2.—	* <i>Luzula maxima</i>	—	1.50
Carex vide Aquatics			" <i>nivea</i>	9.—	.72
Ceratochloa pendula	1.80	.15	* <i>Melica altissima</i> , silvery white	6.50	.50
Chloris ciliata	—	1.50	" " <i>atropurpurea</i>	7.50	.65
<i>latifolia</i>	16.—	1.25	" " <i>ciliata</i>	7.—	.65
<i>radiata</i>	8.—	.65	* " <i>uniflora</i>	—	1.65
Chrysurus cynosuroides (<i>Lamarckia aurea</i>)	4.50	.40	* <i>Molinia coerulea</i>	3.30	.30
Coix Larcrymae , Job's tears.	1.15	.15	* <i>Nardus stricta</i>	—	2.—
* <i>Cryptopyrum</i> (<i>Dactyloctenium</i>)			Pampas Grass , see <i>Gynerium</i> .		
<i>Richardsonii</i>	10.—	.80	* <i>Panicum altissimum</i>	8.—	.65
<i>Cynosurus echinatus</i>	5.50	.50	<i>capillare</i>	11.—	.80
Cyperus Paramatta			<i>Crus corvi</i>	4.50	.40
for others see aquatics	5.50	.50	<i>Crus galli</i>	4.50	.40
Digitaria ciliaris , pretty, useful for bouquets	4.—	.30	<i>fimbriatum</i> , pretty	5.50	.50
<i>sanguinalis</i>	4.—	.30	<i>jumentorum</i>	5.50	.50
Diplachne fascicularis	6.50	.50	<i>oryzinum</i>	4.50	.40
Eleusine coracana	2.80	.25	<i>*palmatum</i> , fine 	—	3.—
<i>indica</i> (spec. China)	4.—	.30	<i>*plicatum</i> , true 	—	3.—
<i>oligostachya</i>	4.50	.40	<i>sanguinale</i>	—	1.50
* <i>Elymus arenarius</i>	8.—	.65	<i>sulcatum</i> 	—	3.50
<i>europaeus</i>	—	2.—	<i>violaceum</i>	4.50	.40
<i>giganteus</i>	11.—	.80	Paspalum elegans	10.—	.80
<i>glaucus</i>	—	1.—	Penicillaria spicata , Pearl Millet	1.30	.15
Eragrostis abyssinica	6.50	.50	Pennisetum longistylum (<i>villosum</i>), the best for bouquets	7.50	.65
<i>amabilis</i>	6.50	.50	<i>longistylum violaceum</i>	9.—	.75
<i>capillaris</i>	6.50	.50	<i>Rueppelianum</i>	13.—	1.—
<i>elegans</i> , very pretty	4.50	.40	* <i>Phalaris coerulescens</i>	11.—	.80
<i>maxima</i>	13.—	1.—	* <i>Phleum Boehmeri</i>	9.—	.75
<i>namaquensis</i>	5.50	.50	* <i>Phragmites communis</i> fol. <i>aureis</i>	13.50	11.15
* <i>Erianthus</i> (<i>Saccharum</i>) <i>Ravennae</i> , beautiful perennial grass, very hardy	3.15	.15	Piptatherum Thomasii	16.—	1.25
Euchlaena (<i>Reana</i>) luxurians			Poa alpina	—	1.25
<i>Teosinte</i>	7.—	.65	" " <i>vivipara</i>	—	1.25
* <i>Eulalia japonica</i>	8.—	.65	" <i>amabilis</i>	8.—	.65
* <i>japonica zebrina</i>	13.50	1.15	" <i>annua</i>	4.50	.40
Feather Grass , see <i>Stipa pennata</i> .			" <i>capillaris</i>	9.—	.75
* <i>Festuca alpina</i>	10.—	.80	" <i>pilosa</i>	5.50	.50
* <i>amethystina</i>	—	1.50	" <i>salina</i>	9.—	.75
* <i>crinum ursi</i> , for borders	18.—	1.30	" <i>sudetica</i> , coppery, 3 feet	—	2.—
* <i>gigantea</i>	6.50	.50	Polypogon monspeliensis , pretty	3.15	.25
* <i>glauca</i>	18.—	1.30	Quaking Grass , see <i>Briza maxima</i> .		
* <i>rigida</i> , pretty	9.—	.75	Reana, see <i>Euchlaena</i> .		
* <i>silvatica</i>	8.—	.65	<i>Serrafalcus Hughii</i>	6.—	.50
<i>stipoides</i> ○	7.50	.65	Setaria alopecuroides nigra	3.30	.30
* <i>viridis</i>	5.—	.40	<i>glauca</i>	—	1.—
* <i>Glyceria plicata</i>	—	3.—	<i>macrochaeta</i>	—	1.—
* <i>Gymnothrix caudata</i> 	7.—	.65	<i>viridis</i>	5.50	.50
<i>japonica</i>	7.—	.65	Squirrel Tail Grass , see <i>Hordeum</i> .		
<i>latifolia</i>	7.—	.65	* <i>Stipa capillata</i>	36.—	2.80
* <i>Gynerium argenteum</i> (Pampas Grass)	5.50	.50	<i>elegantissima</i>	—	—
<i>argenteum jubatum</i>	10.—	.80	<i>gigantea</i>	13.50	1.15
" <i>roseum</i>	17.—	1.25	<i>pennata</i> (Feather-Grass)	32.—	2.50
			<i>splendens</i>	23.—	1.80
			Tricholaena atropurpurea	8.—	.65
			<i>rosea</i> (Natal Grass)	8.—	.65

	lb. \$R	oz. \$R		lb. \$R	oz. \$R
* <i>Trisetum alopecuroides</i>	8.—	.65	<i>Zea japonica</i> fol. var.	1.25	.15
<i>Triticum ciliatum</i>	3.30	.30	„ „ „ <i>quadricolor gigantea</i>	1.80	.15
* <i>Uniola latifolia</i> , very pretty	7.50	.65	„ „ „ <i>perfecta</i> , dwarf, yellow with rose, dark red striped	1.80	.15
<i>Urolepis cuprea</i>	—	1.50	Ornamental Grasses ○ mixed	3.30	.30
<i>Zea Caragua</i> , giant	1.—	.15			
„ <i>gracillima</i> (<i>minima</i>)	1.25	.15			
„ „ fol. var.	1.30	.15			

Aquatics.

	lb. \$R	oz. \$R		lb. \$R	oz. \$R
<i>Acrostichum aureum</i> , pretty Water fern	1/32 oz. 8.—		<i>Echinodorus macrophyllus</i>	1000 S. 3.—	
<i>Alisma lanceolatum</i>	—	3.—	<i>Epilobium palustre</i> , carmine	—	24.—
„ <i>Plantago</i>	9.—	.75	<i>Eriophorum angustifolium</i> white	—	16.—
<i>Aponogeton distachyon</i> 100 s. 10.—			„ <i>latifolium</i> wolly	—	20.—
<i>Arundo Phragmites</i>	13.50	1.15	„ <i>vaginatum</i> heads	—	16.—
„ <i>Phragmites aurea</i> vide ornamental grasses.			<i>Euryale ferox</i>	—	3.—
<i>Berula angustifolia</i> 1/32 oz. 1.—			<i>Galium palustre</i> , mossy like tufts, neat	—	15.—
<i>Butomus umbellatus</i> , rose	—	14.—	<i>Glaux maritima</i>	—	1.—
<i>Calla palustris</i> , white	—	30.—	<i>Glyceria aquatica</i>	—	12.—
<i>Callitricha verna</i> , white, submerged	—	20.—	„ <i>fluitans</i>	—	12.—
<i>Caltha palustris</i> , Marsh Marigold, golden	—	6.—	<i>Hippuris vulgaris</i> , Common Mare-stail 1/32 oz. 2.50		
<i>Canna flaccida</i> , yellow	—	1.50	<i>Hottonia palustris</i> , Featherfoil	—	16.—
<i>Carex arenaria</i>	—	6.—	<i>Hydrocotyle vulgaris</i>	—	36.—
„ <i>echinata</i>	—	6.—	<i>Iris Pseud-Acorus</i>	3.70	.30
„ <i>elongata</i>	—	4.—	<i>Isolepis gracilis</i> (<i>tenella</i>)	—	50.—
„ <i>filiforme</i>	—	8.—	<i>Juncus articulatus</i> 1/32 oz. 1.—		
„ <i>glaucia</i>	—	4.—	„ <i>bufonius</i>	—	9.—
„ <i>Grayi</i> , large starlike fruits	—	3.—	„ <i>effusus</i>	—	7.—
„ <i>leporina</i>	—	3.—	„ <i>filiformis</i> 1/32 oz. 1.50		
„ <i>muricata</i>	—	9.—	„ <i>Gerardii</i> 1/32 oz. 2.—		
„ <i>Oederi</i>	—	6.—	„ <i>glaucus</i>	—	10.—
„ <i>panicea</i>	—	7.50	„ <i>lamprocarpus</i>	—	10.—
„ <i>paniculata</i>	—	6.—	„ <i>squarrosum</i>	—	6.—
„ <i>pendulina maxima</i>	—	2.50	„ <i>tenuis</i>	—	9.—
„ <i>Pseudo - Cyperus</i> , the most beautiful of this genus	—	3.—	„ <i>uliginosus</i>	—	6.—
„ <i>punctata</i>	—	6.—	<i>Lycopus europaeus</i>	32.—	2.50
„ <i>rostrata</i>	40.—	3.—	<i>Lythrum Salicaria</i> , dark red spikes 6.50	—	.50
„ <i>vesicaria</i>	—	6.—	<i>Malachium aquatum</i>	—	5.—
<i>Catabrosa aquatica</i> , watergrass	54.—	4.—	<i>Mentha aquatica</i>	—	9.—
<i>Ceratopteris cornuta</i> , waterfern	—	30.—	<i>Menyanthes trifoliata</i>	60.—	4.50
„ <i>thalictroides</i>	—	20.—	<i>Mimulus luteus</i> , wild type	—	2.—
<i>Cicuta virosa</i>	40.—	3.—	<i>Myosotis caespitosa</i>	—	18.—
<i>Cirsium palustre</i> 1/32 oz. 1.—			„ <i>palustris</i>	45.—	3.25
<i>Comarum palustre</i>	—	9.—	„ <i>versicolor</i>	—	30.—
<i>Cyperus adenophorus</i> (introduced by Haage & Schmidt), effective green panikles 20 inches in diameter, decorative plant	—	24.—	<i>Narthecium ossifragum</i>	—	8.—
„ <i>alternifolius</i>	23.—	1.65	<i>Nelumbium album</i>	10.—	.80
„ „ <i>nanus compactus</i>	—	5.—	„ <i>speciosum rose</i>	7.50	.65
„ <i>flabelliformis</i>	—	6.—	<i>Nuphar luteum</i>	27.—	2.—
„ <i>natalensis</i> (<i>Scirpus</i>)	14.—	1.15	<i>Nymphaea alba</i>	45.—	3.25
„ <i>Papyrus</i> , true	—	20.—	„ <i>dentata</i>	—	20.—
<i>Desmanthus brachyloba</i>	—	6.—	„ „ <i>magnifica</i>	—	20.—
<i>Drosera rotundifolia</i> 1/32 oz. 4.—			„ „ <i>rosea</i>	—	10.—
			„ „ <i>rubra</i>	—	20.—
			„ „ <i>superba</i>	—	30.—
			„ <i>devoniensis</i> 1/32 oz. 2.—		
			„ <i>gigantea</i> , 1000 s. 40.—, 100 s. 5.—		

	lb. RM	oz. RM		lb. RM	oz. RM
Nymphaea			Scirpus:		
„ hybrida Bissetti	—	32.—	„ palustris	—	5.—
„ „ Frank Trelease	—	80.—	„ sylvaticus	—	5.—
„ „ Geo Huster $\frac{1}{32}$ oz. 2.50	—	—	Senecio aquaticus	—	7.50
„ kewensis	—	30.—	Sium angustifolium	—	5.—
„ lilacina	—	32.—	„ latifolium	—	3.60
„ O'Marana	—	30.—	Sonchus palustris	—	12.—
„ Ortgiesiana rubra	—	18.—	Sparganium minimum	—	10.—
„ stellata	—	18.—	„ ramosum	—	1.50
„ zanzibariensis azurea	—	12.—	„ simplex	—	3.50
„ „ coerulea	—	12.—	Stachys palustris	—	4.—
„ new varieties mixed	—	20.—	Thalia dealbata	100 s.	3.50
Oenanthe aquatica	—	2.—	Trapa natans	100 nuts	15.—,
„ fistulosa	—	2.—	„ verbanensis		
Oryza sativa	3.50	.40	100 nuts 15.—, 10 nuts 1.80		
Papyrus antiquorum	—	20.—	Triglochin maritimum	—	5.—
Parnassia palustris	—	10.—	„ palustre	—	7.20
Pedicularis palustris	—	2.50	Typha angustifolia	—	5.50
„ Sceptrum Carolinum	—	4.—	„ latifolia	—	4.50
„ sylvatica	—	2.50	„ Laxmannii	—	8.—
Peplis portula	—	10.—	„ Shuttleworthii	—	3.—
Polygonum Hydropiper	—	4.50	„ stenophylla	—	7.—
Potamogeton natans	—	2.50	Veronica Anagallis	—	8.—
„ perfoliatus	—	24.—	„ Beccabunga	—	8.—
Rhynchospora alba	—	20.—	Victoria regia	10 s.	9.—
Rumex Hydrolapathum	—	2.50	„ regia var. Cruziana 10 s. 9.—		
Saccharum officinarum	—	7.50	Collection of aquatics for open		
Sagittaria sagittifolia	—	4.50	air basin (12 sorts) 1.50		
Scirpus lacustris	—	4.50	„ of aquatics for aquarium		
„ maritimus	—	3.—	(12 sorts) 2.50		

Ferns.

For the complete collection see our General Catalogue.

	$\frac{1}{32}$ oz. RM	pkt. RM		$\frac{1}{32}$ oz. RM	pkt. RM
Acrostichum aureum	8.—	.50	Angiopteris javanica	—	1.—
Adiantum Capillus veneris	—	.50	Aspidium capense	—	.30
concinnum latum	6.—	.40	cristatum	—	.25
cuneatum	4.—	.30	Filix mas	lb. 80.—	—
„ Charlottae	—	1.—	molle	—	.30
„ fol. var.	4.—	.30	spinulosum	lb. 100.—	.10
„ gracillimum	4.—	.30	Thelypteris	$\frac{1}{4}$ oz. 6.—	.20
decorum	5.—	.30	Asplenium bulbifer.	—	.40
elegans (Griesbaueri)	4.—	.30	Colensoi	—	.40
„ gracile	6.—	.40	dimorphum	—	.30
fragrantissimum	4.—	.30	emarginatum	—	.40
fulvum	—	.40	filix femina see Athyrium.		
hybridum	—	.50	foeniculaceum	—	.40
Lathamii	10.—	.50	Hookeri	—	.50
Matador	—	.50	lanceum	—	.50
scutum	6.—	.40	Nidus avis	—	.40
„ roseum	10.—	.50	Ruta muraria	$\frac{1}{4}$ oz. 5.—	.15
setulosum	6.—	.40	Trichomanes	—	.40
tenerum	4.—	.30	Athyrium filix femina	$\frac{1}{4}$ oz. 10.—	.20
Triumph	10.—	.50	filix femina rubricaulis	—	.25
Weigandii	3.—	.25	umbrosum	—	.50
Williamsii	—	.50	Balantium antarcticum	—	.60
Alsophila australis	oz. 3.—	.25	Blechnum brasiliense	—	.30
glabra	—	.10	penna Mariana	—	.40
glauca	—	.60	Camptosurus rhizophyllus	—	.50
Anemia Phyllitidis	—	.50	Ceratopteris cornuta	—	.25
rotundifolia	5.—	.30	thalictroides	$\frac{1}{4}$ oz. 5.—	.20

	$\frac{1}{32}$ oz. RM	pkt. RM		$\frac{1}{32}$ oz. RM	pkt. RM
Cheilanthes odora	—	.50	Pellaea densa	—	.50
Cibothium Barometz	8.—	.60	gracilis	—	.50
Cyrtomium falcatum	4.—	.30	Platycerium alcicorne	5.—	.30
falcatum caryotideum	6.—	.40	Hillii majus	5.—	.30
„ Rochfordianum	3.50	.30	Stemmaria	6.—	.40
Davallia affinis	—	.40	Polypodium aureum	2.—	.20
Griffithi	—	.40	glaucum	7.—	.40
Dicksonia punctilobula	—	.50	neriifolium	3.—	.25
tenera	7.—	.40	pectinatum	3.50	.25
Doodia aspera	—	.40	Reinwardtii	2.50	.20
caudata	5.—	.40	vulgare	1.50	.15
Gymnogramme Laucheana	—	.50	Polystichum Tsus-simense	—	1.—
sulphurea	—	.50	Pteris Alexandrae	4.—	.25
tartarea	5.—	.30	aquilina	2.—	.20
Veitchii	5.—	.30	arguta	6.—	.40
Hemionitis palmata	5.—	.30	argyraea	2.80	.25
Lastraea aristata variegata	—	.50	asuncionis	—	1.—
Lomaria ciliata	4.—	.30	cretica albo-lineata	3.—	.25
gibba	—	1.—	„ major	3.50	.25
spicant	2.30	.20	longifolia	3.50	.25
Lygodium circinatum	—	1.—	palmata	5.—	.30
Nephrodium erythrosorum	2.50	.25	Parkeri	—	.50
molle	—	.50	semipinnata	—	.50
Nephrolepis acuta	8.—	.50	serrulata	5.—	.30
bostoniensis	7.20	.40	tremula	3.—	.20
cordata compacta	10.—	.60	umbrosa	—	.30
duplex Jankii	10.—	.60	Wimsettii	—	.50
exaltata	6.—	.40	Scolopendrium officinarum	4.—	.25
Giatrasii	—	1.—	Selliguea Feei	—	1.—
Mrs. Roosevelt	—	1.—	Struthiopteris germanica oz. 26.—	1.—	.10
pectinata	—	.60	pennsylvanica	—	.50
philippinensis	7.—	.40	Todea barbara	—	1.50
Piersonii	—	.50	Woodwardia radicans	6.—	.40
Whitmannii	—	.50	Greenhouse and Stove Ferns mixed		
W. A. Harris	—	1.—	1/4 oz. 10.—	1.80	.25
Wredii	—	1.—	Tree Ferns mixed	1.40	.25
Onoclea sensibilis	1.—	.20	Hardy Ferns mixed lb. 60.—		
Osmunda regalis	4.—	.25	oz. 4.50 —.25 —.10		

Cacti.

	1000 s. RM	100 s. RM		1000 s. RM	100 s. RM
Anhalonium Williamsii, Eng. (Peyote)	28.—	3.10	Cereus:		
Ariocarpus fissuratus, K. Sch.	6.—	.70	bavosus, Web.	10.—	1.20
furfuraceus, Wats.	—	3.—	Bonplandii, Parm.	16.—	2.—
Kotschubeyanus, K. Sch.	7.—	.80	„ var. pomanensis, Web.	—	4.—
Lloydii, Rose	30.—	3.60	candelabrum, Web.	4.—	.50
retusus, Scheidw.	4.60	.60	candicans	4.—	.50
trigonus	4.—	.50	chiotilla, Web. (Escontria)	6.50	.75
Astrophytum Asterias, Zucc.	12.—	1.40	Coryne, Otto (Stetsonia)	4.—	.50
capricorne	16.—	1.80	Damazioi similis	—	5.—
myriostigma, S.-D.	8.—	1.—	Dayami, Speg	—	5.—
„ hybrids	8.—	1.—	Dumortieri	2.80	3.—
ornatum, P. DC.	10.—	1.20	eburneus	4.—	.50
Aztekium Ritteri, Böd.	—	2.50	eriophorus, Pfeiff.	10.—	1.20
Cephalocereus senilis	4.80	.60	Forbesii, Otto	8.—	1.—
„ Palmeri	4.80	.60	fulgidus, Hook.	20.—	2.40
Cereus aethiops, Haw	20.—	2.40	gummatus, Mart.	12.—	1.50
Anisitsii, K. Sch.	—	3.—	geometrizans, Mart.	2.—	.30
Baumannii, K. Sch.	6.—	.70	giganteus Eng.	5.—	.60
„ flavigispina	—	2.40	grandiflorus, Mill.	6.—	.70
			gummosus	14.—	1.60

Cereus:	1000 s. fl.	100 s. fl.	Echinocactus:	1000 s. fl.	100 s. fl.
Hildmannianus	8.—	1.—	ingens var. Visnaga	1.50	—.20
inermis, Otto	—	4.—	Kurtzianus, Gürk	14.—	1.60
Jamacaru, P. DC.	4.50	—.50	lamellosus	4.—	—.50
„ monstruosus	14.—	1.50	lancifer, Rchb.	10.—	1.20
Lauterbachii, K. Sch.	15.—	1.70	Lecontei	6.—	—.70
macrogonus	4.—	—.50	Leninghausii, K. Sch.	14.—	1.60
marginatus P. DC.	5.—	—.60	Lloydii, Rose	6.—	—.70
Martinii, Lab	20.—	2.40	longihamatus, Gal.	2.40	—.30
mixtecacensis	—	2.—	„ gigas	8.—	1.—
nycticalus, Lk.	8.—	1.—	„ var. papyracantha	3.—	—.40
paraguayensis, K. Sch.	6.—	—.70	lophothele	5.—	—.60
pasacana	7.—	—.80	Mc. Dowellii	3.—	—.40
pecten aboriginum	12.—	1.40	Mathssonii, Berge	4.—	—.50
peruvianus, Mill.	6.—	—.70	michoga, Fric.	—	2.—
„ monstruosus	14.—	1.60	microspermus,	8.—	1.—
Pitahaya monstruosus	10.—	1.20	„ var. macrancistra K. Sch.	10.—	1.20
Pringlei	12.—	1.40	Mihanovichii	—	5.—
pruinosus	5.—	—.60	minusculus, Web. (Echinopsis miniscula)	8.—	1.—
Spachianus, Lem.	3.50	—.40	„ cristatus	14.—	1.60
speciosus	5.—	—.80	Monvillei, Lem.	20.—	2.40
stenogonus, K. Sch.	10.—	1.20	multicostatus, Hildm.	2.40	—.30
strigosus	7.—	—.80	multiflorus, Hook.	10.—	1.20
tortuosus, Forb.	10.—	1.40	„ var. hybopleura	15.—	1.70
Terscheckii (Trichocereus)	7.—	—.80	nidulans	8.—	1.—
tuberosus	14.—	1.60	Ottonis	15.—	1.70
validus	6.—	—.70	Ourselianus, Monv.	8.—	1.—
„ var. alpina	8.—	1.—	Pampeanus, Speg.	7.—	—.80
mixed	10 000 s. 28.—	3.—	Pfeiferi, Zucc.	6.—	—.70
Echinocactus acanthoides	6.—	—.70	pilosus, Gal.	2.—	—.30
Anisitsii	—	3.—	Quehlianus, Hge. jun.	10.—	1.20
Beguinii	4.—	—.50	rafaelensis	4.—	—.50
„ var. senilis	4.—	—.50	recurvus, Lk. et Otto	4.—	—.50
bicolor	2.40	—.30	robustus, Lk. et Otto	3.60	—.40
„ var. Bolansis, Rge.	3.—	—.40	Saglionis, Cels.	4.—	—.50
„ tricolor	6.50	—.70	Scheerii, S.-D.	4.—	—.50
centeterius, Lem.	6.—	—.70	Schickendanzii	6.50	—.75
concinnus, Mon.	8.—	1.—	Schilinskyanus, Hge. j.	7.—	—.80
conothelos	7.—	—.80	Schumannianus, Nik.	20.—	2.40
coptonogonus, Lem.	6.—	—.70	Sellowii, Lk. et Otto	20.—	2.40
corniger, P. DC.	1.80	—.20	„ Courantii	24.—	2.80
„ var. flavispina	1.80	—.20	setispinus, Eng.	4.—	—.50
Covillei, Br. & R. (Emoryi)	6.—	—.70	Strausianus	5.—	—.60
crispatus, P. DC.	8.—	1.—	submamillosus, Lem.	16.—	1.80
cylindraceus, Eng. (Lecontei)	10.—	1.20	tabularis, Cels.	—	3.—
De Laetii	16.—	2.—	tetracanthus	—	3.—
denutatus var. paraguayensis	—	2.—	texensis, Hopff.	4.—	—.50
durangensis, Rge.	5.—	—.60	uncinatus, Gal.	3.60	—.40
ebenacanthus	6.—	—.70	violaciflorus, Quehl	12.—	1.40
echidna	2.40	—.30	viridescens, Nutt.	10.—	1.20
electracanthus, Lem.	2.—	—.30	Wislizenii, Eng.	4.—	—.50
erinaceus, Lem.	15.—	1.80	zacatecasensis, Rose	5.—	—.60
flavovirens, Scheidw.	6.—	—.70	mixed	10 000 s. 22.—	2.50
gibbosus, P. DC.	20.—	2.40			—.30
gracillimus	10.—	1.20	Echinocereus de Laetii	6.—	—.70
Grahianus Hge.	7.—	—.80	enneacanthus, Eng.	4.—	—.50
grandis, Purp.	4.—	—.50	Fendleri, Rümpl	10.—	1.20
Grossei, K. Sch.	22.—	2.60	glycimorphus, Först.	2.50	—.30
Grusonii Hildm. 10 000 s. 200.—	2.50	—.30	Knippelianus	12.—	1.40
Haselbergii, Hge. jr.	30.—	3.60	leptacanthus	12.—	1.40
heterochromus, Web.	10.—	1.20	paucispinus, Rümpl.	4.—	—.50
hexaedrophorus	5.—	—.60	pectinatus, Eng.	6.—	—.80
horizontalonius, Lem.	3.—	—.40	„ var. rigidissimus, Eng.	—	—
hybridus (Haage & Schmidt)	—	2.50	Rainbow Cacti	3.—	—.40
ingens, Zucc.	1.50	—.20	procumbens, Lem.	4.—	—.50
„ var. saltillensis	1.50	—.20	Ritteri, Berger	10.—	1.20

	1000 s. RM	100 s. RM		1000 s. RM	100 s. RM
<i>Echinocereus</i>			<i>Mamillaria</i> :		
<i>sarriosophorus</i>	5.—	—.60	<i>lenta</i> , Brdg.	6.—	—.70
<i>stramineus major</i>	2.—	—.30	<i>Leona</i> , Poselg.	6.—	—.70
<i>mixed</i>	10 000 s. 17.—	1.80	<i>Lloydii</i> , Rose	—	2.—
<i>Echinopsis albispina</i>	10.—	1.20	<i>longimamma</i> , P. DC.	4.—	—.50
<i>aurea</i> , Rose	16.—	1.80	„ <i>uberiformis</i> , Zucc.	8.—	1.—
<i>caespitosa</i>	—	5.—	<i>Macdougali</i> , Rose	6.50	—.75
<i>calochlora</i>	20.—	2.40	<i>meiacantha</i> , Eng.	2.—	—.30
<i>campylacantha</i> , R. Mey	4.—	—.50	<i>Moelleriana</i> , Boed.	—	1.—
<i>Eyriesii</i> , Zucc.	14.—	1.60	<i>mutabilis</i> , Scheidw.	4.—	—.50
„ var. <i>Duvallii</i> , Hort.	12.—	1.40	<i>mystax</i> , Mart.	4.—	—.50
<i>Fiebrigii</i> , Gürke	25.—	2.80	<i>nigra</i> , Ehrenbg.	—	2.—
<i>formosa</i> , Jacobi	5.—	—.60	<i>pallida</i>	4.—	—.50
<i>gemmata</i> (<i>turbinata</i>)	18.—	2.—	<i>Palmeri</i> , Jac.	5.—	—.60
<i>Huottii</i> , Lab.	—	5.—	<i>Parkinsonii</i> , Ehrenb.	6.—	—.70
<i>Lagemannii</i> , Dietr.	6.—	—.70	<i>plumosa</i>	6.—	—.70
<i>multiplex</i> , Zucc.	4.—	—.50	<i>Potosina</i> , Hort.	4.—	—.50
„ <i>rosea</i>	10.—	1.20	<i>pusilla</i> , P. DC.	6.—	—.70
„ <i>picta</i>	10.—	1.20	<i>recurvata</i> , Engl.	—	1.—
<i>obrepanda</i>	—	2.—	<i>rhodantha</i> , Lk. et Otto	7.—	—.80
<i>oxygona</i> , Zucc.	6.—	—.70	„ var. <i>crassispina</i> K. Sch.	7.—	—.80
„ var. <i>rosea</i>	18.—	2.—	„ „ <i>Pfeifferi</i> , K. Sch.	—	1.20
<i>paraguayensis</i>	10.—	1.20	<i>Schelhasei</i>	—	2.—
<i>Pentlandii</i>	18.—	2.—	<i>Schmillii</i>	—	2.—
<i>rhodacantha</i> , S.-D.	5.—	—.60	<i>simplex</i>	—	2.—
<i>rhodotricha</i> , K. Sch.	12.—	1.40	<i>sphacelata</i> , Mart.	5.—	—.60
„ <i>argentinensis</i> , R. May	14.—	1.60	<i>spinosisima sanguinea</i> Hge.	—	2.—
<i>Rhohlandii</i> , Hort.	15.—	1.70	<i>strobiliform.</i> (Escr.) Mühlenpf.	7.50	—.80
<i>Salmiana</i> , Web. (<i>Bridgesii</i>)	—	2.—	<i>uncinata</i> , Zucc.	2.40	—.30
<i>salpingophora</i> , Lem.	9.—	1.10	<i>valida</i> , Webb.	6.—	—.70
<i>triumphans</i> , Jac.	—	1.—	<i>variabilis</i> , Hort.	7.—	—.80
<i>tubiflora</i> , Zucc.	10.—	1.20	<i>Vaupeliana</i>	4.—	—.50
<i>Zuccarinii</i> , Pfeiff.	10.—	1.20	<i>Viereckii</i>	8.—	1.—
<i>mixed</i>	10 000 s. 26.—	3.—	<i>viperina</i> , J. A. Purp.	12.—	1.40
<i>Haagea Schwarzii</i> (<i>Porfiria coahuilensis</i>)	—	4.50	<i>mixed</i>	2.30	—.30
<i>Leuchtenbergia principis</i> , Hook. et Fisch.	—	4.—	<i>Melocactus Maxonii</i>	—	2.—
<i>Mamillaria Altamiranoi</i>	—	—	<i>Obregonia Denegrii</i> , Fric.	6.—	—.70
<i>angularis</i> Lk. et Otto	2.—	—.30	<i>Opuntia</i>		
<i>applanata</i>	3.—	—.40	<i>Arrastradillo</i>	4.50	—
<i>Bocasana splendens</i> , Schlecht	4.—	—.50	<i>azurea</i>	15.—	—
<i>candida</i> , Scheidw.	3.50	—.40	<i>Bergeriana</i> , Haw.	10.—	—
„ <i>rosea</i> , S.-D.	5.—	—.60	<i>cardenche</i> , Griff.	8.—	1.—
<i>caput Medusae</i> , Otto	4.—	—.50	<i>cereiformis</i> , Web.	8.—	1.—
<i>carnea</i>	4.—	—.50	<i>chakensis</i> var. <i>inermis</i>	—	2.50
<i>Celsiana</i>	5.—	—.60	<i>cholla</i> , Web.	10.—	1.20
<i>centricirrha</i> , Lem.	2.—	—.30	<i>cuija</i>	10.—	1.20
<i>chionocephala</i> , Purp.	4.—	—.50	<i>elongata</i> , Haw.	8.—	1.—
<i>cirrhifera</i> , Mart.	—	2.—	<i>Engelmannii</i>	8.—	1.—
<i>conoidea</i>	3.—	—.40	<i>ficus-indica</i> , Mill.	lb. 20.—	3.—
<i>decipiens</i> , Scheidw.	4.—	—.50	<i>fulgida</i> , Eng.	6.—	—.80
<i>difficilis</i>	4.—	—.50	<i>fulvispina lutea</i>	15.—	2.—
<i>Echinus cornuta</i>	—	1.20	<i>glaucophylla</i>	3.—	—.40
<i>elegans</i> , P. DC.	6.—	—.70	<i>imbricata</i>	3.—	—.40
<i>elephantidens bumamma</i>	16.—	1.80	<i>joconostle</i>	8.—	1.—
<i>elongata</i> , P. DC.	16.—	1.80	<i>Kleiniae</i>	8.—	1.—
<i>fertilis</i>	—	1.40	<i>Labouretiana</i>	10.—	1.20
<i>Güldowiana</i>	18.—	2.—	<i>leptocaulis</i> , P. DC.	5.—	—.60
<i>Haageana</i> , Pfeiff.	—	4.—	<i>leucotricha</i> , P. DC.	5.—	—.60
<i>Hahniana</i>	16.—	1.80	<i>macrophylla</i>	6.—	—.80
<i>Heesiana</i> , Mc. Dow.	8.—	1.—	<i>maculacantha</i> , Förster	20.—	2.40
<i>Heyderi</i> var. <i>appl.</i> , Engl.	4.—	—.50	<i>microdasys</i> , Pfeiff.	6.—	—.80
<i>hidalgensis</i>	12.—	1.40	„ var. <i>rufida</i>	10.—	1.20
<i>Kunzeana</i> , Böd. et Quehl	6.—	—.70	<i>monacantha</i>	6.—	—.80
			<i>Quimilo</i> , K. Sch.	12.—	—.80
			<i>Rafinesquii</i> , Engl.	9.—	1.—
			<i>rastrera</i> , Web.	10.—	1.20

	1000 s. RM	100 s. RM		1000 s. RM	100 s. RM
Opuntia:					
robusta	6.—	.70	Pelecyphora aselliformis, Ehrenbg.	—	5.—
senilis, Roezl.	16.—	1.80	pectinata, K. Sch.	16.—	1.80
Stapeliae, P. DC.	6.—	.70	Phyllocactus large fld. hybrids mix.	11.—	1.20
streptacantha, Lem.	8.—	.90	Haage & Schmidt's new large		
sulphurea, Gill.	12.—	1.40	flow. Hybrids	20.—	2.40
„ v. rosea	12.—	1.40	Pilocereus Celsianus	8.—	1.—
tomentosa, S.-D.	6.—	.70	euphorbioides	8.—	1.—
triacantha	10.—	1.20	excerens	18.—	2.—
tuna, Mill.	5.—	.60	Hoppenstedtii	15.—	1.70
tunicata, Lk. et Otto	4.—	.50	lanatus, snowwhite silkenwoolly	—	8.—
vulgaris, K. Sch.	8.—	1.—	Straussii	5.—	.60
mixed	2.—	.30	Trollii	10.—	1.20
edible sorts mixed	4.—	—	Roseia castanedei	—	3.—
hardy sorts mixed	6.—	.70	Rhipsalis cassytha	10.—	1.20
Peireskia aculeata	—	4.—	Cacti all sorts mixed 10000 s. 13.—	1.50	—.20
„ amapola, Web.	24.—	3.—			

Palm Seeds.

	1000 s. RM	100 s. RM		1000 s. RM	100 s. RM
Acanthophoenix crinita	15.—	1.80	Cocos:		
Acrocomia sclerocarpa	—	14.—	Weddelliana	36.—	4.—
Areca alba	15.—	1.80	Yatai	15.—	1.80
Baueri (Seaforthia robusta)	15.—	1.80	Copernicia cerifera	50.—	6.—
Catechu	—	16.—	Corypha australis 10000 s. 120.—	14.—	1.60
lutescens	20.—	2.40	„ Gebanga	20.—	2.40
madagascariensis	20.—	2.40	Cycas revoluta	—	20.—
rubra (Acanthophoenix)	15.—	1.80	Daemonorops fissus	—	14.—
sapida	15.—	1.80	Elaeis guineensis	48.—	5.50
Arenga saccharifera	—	8.—	Geonoma gracilis	33.—	4.—
Attalea macrocarpa	—	56.—	Glaziova insignis (Cocos)	—	15.—
Borassus flabelliformis	—	24.—	Hyophorbe indica (Areca lutescens) 20.—	2.40	
Brahea Brandegei	50.—	6.—	Verschaffeltii	—	4.—
calcarea	30.—	3.50	Jubaea spectabilis	32.—	4.—
edulis (Erythea)	14.—	1.80	Kentia:		
glaucia (Erythea armata, B. Roezlii)	20.—	2.40	Belmoreana	50.—	6.—
nitida	20.—	2.40	Canterburyana	160.—	20.—
Calamus Rotang	40.—	4.80	Forsteriana	50.—	6.—
Caryota sobolifera (mitis)	30.—	3.50	McArthuri	—	6.—
„ urens	17.—	2.10	Sanderiana	—	6.—
Chamaerops arborea (robusta) . .	6.—	.80	Latania borbonica vid. Livistona . .		
carnariensis	5.—	.60	Commersonii (rubra)	—	14.—
elegans	5.—	.60	glaucophylla (Loddigesii)	—	16.—
excelsa (Fortunei) lb. 1.—	2.—	.30	Licuala grandis	20.—	2.40
humilis	lb. 1.—	2.80	Rumphii	—	4.—
„ argentea	4.—	.60	spinosa	—	4.—
Hystrix	18.—	2.40	Livistona altissima	30.—	4.—
macrocarpa	6.—	.80	Hoogendorpii	—	8.—
tomentosa	18.—	2.40	oliviformis	10.—	1.20
Chrysalidocarpus Baroni	40.—	5.—	rotundifolia	50.—	6.—
Cocos australis	10.—	1.20	sinensis (Latania borbonica) lb. 1.50	4.—	—.50
Bonnettii	12.—	1.40	Martinezia caryotifolia	—	10.—
campestris	12.—	1.40	erosa	—	10.—
coronata	10.—	1.20	Oreodoxa oleracea	18.—	2.—
Datil	18.—	2.20	regia	20.—	2.40
eriospatha	15.—	1.80	Pandanus odoratissimus	—	12.—
flexuosa	12.—	1.40	utilis	30.—	4.—
insignis vide Glaziova.	—		Phoenix canariensis 10000 s. 18.—	2.—	—.30
plumosa	12.—	1.40	canariensis macrocarpa	10.—	1.20
Romanzoffiana	12.—	1.40	cycadifolia	26.—	3.—

Phoenix:		1000 s. lb.	100 s. RM		1000 s. RM	100 s. RM
dactylifera	lb. 4.50	6.—	—.80	Ptychosperma Alexandrae	
farinifera	22.—	2.50	(Archontophoenix)	24.— 3.—
glauca	16.—	1.80	Raphia Ruffia	— 16.—
hybrida (canariensis \times dactylifera)	12.—	1.40	Rhapis flabelliformis	— 10.—
leonensis	4.—	—.50	Sabal Adansonii	4.50 —.60
pumila	5.—	—.60	„ Blackburniana	6.— —.70
reclinata	4.—	—.50	„ Ghiesbreghtii	6.— —.70
Roebelenii	20.—	2.40	„ havanensis	14.— 1.60
rupicola	18.—	2.—	„ Palmetto	5.— —.60
senegalensis	9.—	1.20	„ princeps	5.— —.60
sylvestris	5.60	—.70	„ umbraculifera	5.— —.60
tenuis	4.50	—.50	Seaforthia elegans	13.— 1:50
Pritchardia (Washingtonia) filiformosa	2.—	—.30	Stevensonia grandifolia	24.— 3.—
„ pacifica	24.—	3.—	Thrinax altissima	26.— 3.20
„ robusta	2.50	—.35	„ argentea	24.— 2.80
„ Sonorae	4.—	—.50	Verschaffeltia splendida	— 12.—
„ Thurstonii	—	4.—	Washingtonia, see Pritchardia.		

Tree Seeds.

All Tree and Shrub seeds offered by us will be of the new crop and believed to be of the best germination quality obtainable. The various sorts, however, differ greatly in this respect, and as we cannot possibly make a trial before selling them, we wish it to be distinctly understood, that we sell no seeds with warranty, express or implied, in any respect, and will neither be responsible for the crop, nor for the right denomination of the different species.

Conifers.

	lb. RM	oz. RM		lb. RM	oz. RM	
Abies amabilis	22.50	1.65	Biota:		
arizonica	31.50	2.50	orientalis aurea	5.50 —.50
balsamea, Balm of Gilead Fir	22.—	1.65	„ compacta	4.50 —.40
brachyphylla, Nikko Fir	9.—	—.75	„ elegantissima	8.— —.65
cephalonica, Greek F.	5.50	—.50	„ pyramidalis (tartarica)	4.50 —.40
cilicica	7.50	—.65	„ semperaurea	7.— —.65
concolor, white F.	6.50	—.50	Callitris quadrivalvis (Thuja articulata)	16.— 1.25
„ violacea	27.—	2.—	Casuarina, see flower seeds.		
firma	5.50	—.50	Cedrus atlantica, clean seed	8.— —.65
Fraseri	26.—	2.—	atlantica argentea	8.— —.65
grandis, Great Silver F.	16.—	1.25	Deodara (Himalayan Cedar),		
lasiocarpa (subalpina)	27.—	2.—	clean seed	7.— —.65
magnifica, Red Fir	21.—	1.65	Libani (Cedar of Lebanon) cl. s.	7.— —.65
Mariesii	9.—	—.75	Cephalotaxus drupacea	2.80 —.25
nobilis, European seed	12.—	1.—	Fortunei	2.80 —.25
„ American seed	20.—	1.50	pedunculata	7.— —.50
Nordmanniana	10.—	—.80	Chamaecyparis Lawsoniana		
pectinata (Pinus Abies), common				(Cupressus)	4.15 —.40
Silver Fir	cwt. 90.—	1.—	—	Lawsoniana argentea	9.— —.75
Pinsapo, Spanish F.	4.50	—.40	„ aurea	9.— —.75
sachalinensis	14.—	1.15	„ erecta	9.— —.75
sibirica (Pichta), Siberian Silver				„ glauca	9.— —.75
Fir	14.—	1.15	„ pyramidalis	9.— —.75
Veitchii, Veitch F.	14.—	1.15	nutkaensis (Thujopsis borealis)	16.— 1.25
Araucaria Bidwillii	100 s. 20.—			obtusa (Retinispora)	4.50 —.40
brasiliensis	100 s. 12.—			pisifera (Retinispora)	9.— —.75
excelsa	100 s. 10.—			„ filifera	22.— 1.65
imbricata	100 s. 8.—			„ plumosa	50.— 3.50
Arbor Vitae, see Thuja and Biota.				„ squarrosa	72.— 5.—
Biota orientalis (Thuja), Chinese				sphaeroidea (Cupressus thyoides),		
Arborvitae	3.—	—.30	white Cedar	27.— 2.—

	lb. Rm	oz. Rm
Cryptomeria japonica	5.50 —.50
japonica araucariooides	13.50 1.15
" elegans	13.— 1.—
" Lobbii (viridis)	9.— —.70
Cunninghamia sinensis (Pinus lan-		
ceolata)	22.50 1.65
sinensis glauca	32.50 2.50
Cupressus arizonica, true	19.— 1.50
Benthamiana	10.— —.80
chinensis	13.50 1.15
Corneyana	13.50 1.15
elegans	11.— —.80
fragrans	11.— —.80
funebris	8.— —.65
glauca (lusitanica)	4.50 —.40
" pendula vera	8.— —.65
Goveniana	20.— 1.50
gracilis	9.— —.75
Knightiana	13.50 1.15
Lampertiana, see macrocarpa.		
Lawsoniana, see Chamaecyparis.		
Lindleyana	13.— 1.—
lusitanica, see C. glauca		
Mac Nabiana	32.— 1.50
macrocarpa	10.— —.80
semperfivrens (horizontalis)	1.50 —.15
" pyramidalis (fastigiata)		
upright	1.50 —.15
torulosa, Himalayan C.	5.50 —.50
" majestica	22.50 1.65
Tournefortii	— —
Ephedra altissima	— 3.—
Ginkgo biloba (Salisburia adian-		
tifolia	1.30 —.15
Juniperus Bermudiana	9.— —.75
chinensis (dioica)	5.50 —.50
" nana (japonica)	9.— —.75
communis	cwt. 60.—	— —.60
" pyramidalis	1.65 —.15
drupacea	9.— —.75
excelsa	2.80 —.25
littoralis	16.— 1.25
macrocarpa	3.70 —.30
Oxycedrus	2.30 —.25
phoenicea	2.30 —.25
Reevesiana, see chinensis.		
rigida	9.— —.75
Sabina	7.50 —.65
" scopulorum, Colorado J.	7.50 —.65
virginiana (Red Cedar)	1.50 —.15
" Red Cedar clean seed	5.50 —.50
" American seed	8.— —.65
" argentea	3.70 —.30
" pyramidalis	3.70 —.30
Keteleeria Fortunei	— —
Larix dahurica	14.— 1.15
europaea, Larch	3.— —.25
" sibirica (intermedia)	13.50 1.15
leptolepis, Japanese L.	13.— 1.—
Libocedrus decurrens (Thuja gigantea		
Craigiana)	4.50 —.40
Picea ajanensis	27.— 2.—
alba, white American Spruce	4.50 —.50
Alcockiana	18.— 1.30
Engelmannii	18.— 1.30

	lb. Rm	oz. Rm
Picea:		
excelsa (Pinus Picea), Norway		
Spruce	cwt. 290.— 5.50 —.50
Glehnii	27.— 2.—
Morinda (Khutrow, Smithiana)	32.50 2.50
nigra, black American Spruce	— 6.—
Omorica, Serbian S.	— 10.—
orientalis	— 5.—
politae, Tigertails	13.50 1.15
pungens, Colorado S.	19.— 1.50
" glauca	27.— 2.—
rubra	— 5.—
sitchensis (Menziesii)	27.— 2.—
Pinus		
attenuata	— 3.50
austriaca, see P. Laricio austriaca.		
Banksiana, Jack Pine	9.— —.75
Bungeana, Lacebark P.	18.— 1.30
canariensis	5.50 —.50
caribaea, Slash P.	27.— 2.—
Cembra, Swiss Stone Pine	1.65 —.15
contorta (Mc Intoshiana)	27.— 2.—
" Murrayana	27.— 2.—
Coulteri (macrocarpa)	27.— 2.—
densiflora	5.50 —.50
Douglasii, see Pseudotsuga.		
echinata	33.— 2.50
edulis	5.50 —.50
excelsa (Strobus excelsa), Nepaul		
Weymouth Pine	5.50 —.50
" Peuce	11.— —.80
flexilis	14.50 1.15
funebris	9.— —.75
halepensis	3.30 —.30
insignis (radiata)	8.— —.65
Jeffreyi	14.50 1.15
koraiensis	5.50 —.50
Lambertiana	11.— —.80
lanceolata, see Cunninghamia.		
Laricio, Corsican Pine (true)	6.50 —.50
" austriaca, black Austrian Fir	3.70 —.30
longifolia	20.— 1.50
Massoniana (sinensis)	11.— —.80
mitis	— 5.—
monophylla (Fremontiana)	— 5.—
montana, upright dwarf Moun-		
tain Fir	7.50 —.65
" Mughus, creeping Mountain		
Fir	9.— —.75
" uncinata	8.— —.65
monticola	27.— 2.—
muricata	24.— 1.80
Nordmanniana, see Abies.		
palustris (australis)	18.— 1.30
pentaphylla	11.— —.80
Picea, Norway Spruce, see Picea		
excelsa.		
Pinaster (maritima, syrtica)	1.— —.15
" Hamiltonii	5.50 —.50
Pinea, Italian Stone Pine	1.— —.15
ponderosa	10.— —.80
pumila (Cembra nana)	14.— 1.15
resinosa (rubra)	50.— 3.50
rigida, Pitch Pine	27.— 2.—
Sabiniana	6.50 —.50
silvestris, Scotch Fir, finest quality	6.50 —.50
" rigensis	14.— 1.15

Pinus:	lb. RM	oz. RM		lb. RM	oz. RM
sitchensis, see Picea.				Taxus baccata (Yew)	3.70 —.30
Strobus, Weymouth Pine . . .	4.50	—.40		„ „ adpressa	8.— —.65
Taeda	27.—	2.—		„ „ cuspidata	9.— —.75
Tanyosho globosa, Japanese globe- pine	—	4.—		„ „ fastigiata (hibernica) .	8.— —.65
Thunbergii (Massoniana) . . .	11.—	—.80		„ „ pyramidalis	5.50 —.50
Torreyana	34.—	2.65		Thuja gigantea, Nuttall (Th. Lob- bii)	18.— 1.30
for others, see Abies, Picea, Pseu- dotsuga and Tsuga.				occidentalis (American Arborvi- tae)	8.— —.65
Podocarpus chinensis	5.50	—.50		„ Wareana	18.— 1.30
macrophyllus	5.50	—.50		orientalis (Chinese Arborvitae), see Biota.	
Pseudolarix Kaempferi	16.—	1.25		plicata, giant form	36.— 2.80
Pseudotsuga Douglasii	20.—	1.50		Thujopsis borealis, see Chamaecy- paris.	
„ Douglasii glauca	20.—	1.50		„ dolabrata	13.50 1.15
Retinispora, s. Chamaecyparis.				dolabrata fol. var	— 6.—
Salisburia, see Ginkgo biloba.				Torreya californica (Myristica) . .	18.— 1.30
Sciadopitys verticillata	10.—	—.80		nucifera	18.— 1.30
Sequoia gigantea (Wellingtonia), American grown	36.—	2.80		Tsuga canadensis, Hemlock Spruce	32.— 2.50
semperfivens (Taxodium)	6.50	—.50		Mertensiana	41.— 3.—
Taxodium (Cupressus) distichum, deciduous Cypress	2.30	—.25		Sieboldii	18.— 1.30
distichum, cl. s.	6.50	—.50		Wellingtonia, see Sequoia.	

Evergreen and Deciduous Trees and Shrubs.

	lb. RM	oz. RM		lb. RM	oz. RM
Acer campestre cwt. 50.—	—.50	—.15		Ampelopsis Henryana	— 4.—
circinatum	22.50	1.65		heterophylla var. humulifolia . .	— 4.—
dasycarpum	8.—	—.65		megalophylla	1000 s. 5.—
Ginnala	7.50	—.65		quinquefolia (hederacea)	2.15 —.15
japonicum	7.50	—.65		Ampelopsis Veitchii	3.30 —.30
macrophyllum	8.—	—.65		Amygdalus communis, sweet Almond	1.— —.15
monspessulanum	3.50	—.30		communis amara, bitter	1.— —.15
Negundo	1.20	—.15		„ fragilis, Princess Almond .	4.50 —.40
„ fol. variegatis	2.30	—.30		persica, Peach cwt. 36.—	—.40 —
palmatum (polymorphum) . . .	9.—	—.75		Andromeda floribunda, white . .	— 6.—
pictum	9.—	—.75		japonica, fruits	— 5.—
platanoides (Maple) . . cwt. 50.—	—.50	—.15		Anona triloba (Asimina)	8.— —.65
polymorphum atropurpureum 1000 s. 8.—				Aralia japonica (sinensis)	13.50 1.15
Pseudoplatus (Sycamore)	cwt. 50.—	—.50		spinosa	13.50 1.15
„ fol. atropurpureis	1.80	—.15		Arbutus canariensis	— 9.—
saccharinum, American seed . .	7.50	—.65		Menziesii	— 2.50
striatum (pennsylvanicum) . .	13.50	1.15		Unedo	5.50 —.50
tataricum	5.50	—.50		Arctostaphylos glauca, Manzanita, the redbark of California . .	— 2.—
Actinidia arguta	20.—	1.50		pungen;	— 2.—
polygama	20.—	1.50		Uva ursi	36.— 2.80
Aesculus Hippocastanum, cwt. 10.—	—.20	—		Aristolochia Siphon	27.— 2.—
rubicunda	1.—	—.15		Armeniaca vulgaris, Apricot stones	
Ailanthus glandulosa	—.65	—.15		cwt. 45.—	—.45 —
Akebia lobata §	9.—	—.75		Atriplex Halimus	7.— —.65
quinata §	9.—	—.75		Ash, see Fraxinus.	
Alnus cordifolia	4.50	—.40		Aucuba japonica variegata	2.80 —.25
glutinosa, common or red Alder				japonica viridis	1.80 —.15
cwt. 175.—	1.75	—		Azalea japonica	— 26.—
incana, white Mountain Alder				Kaempferi	— 12.—
cwt. 225.—	2.25	—		mollis	— 4.—
viridis	5.50	—.50		pontica, fine mixed	— 6.—
Amelanchier canadensis	22.50	1.65		procumbens (Loiseleuria) $\frac{1}{16}$ oz. 8.—	
Amorpha fruticosa	1.15	—.15		Baccharis halimifolia	4.50 —.40
glabra	3.70	—.30		Bay, sweet, see Laurus nobilis.	

	lb. RM	oz. RM		lb. RM	oz. RM
Beech, see <i>Fagus sylvatica</i> .			Celtis australis, Nettle Tree . . .	1.30	.15
Benthamia fragifera	2.80	.25	occidentalis (cordata) . . .	2.30	.25
Benzoin odoriferum, see <i>Laurus</i> .			orientalis (Tournefortii) . . .	3.—	.25
Berberis Aquifolium, (Mahonia) clean seed	4.50	.40	Cephalanthus occidentalis . . .	5.50	.50
<i>Bealii</i> (Mahonia)	12.—	1.—	Ceratonia Siliqua	1.30	.15
<i>Darwinii</i>	32.50	2.50	Cercidiphyllum japonicum	—	3.—
<i>elegans</i>	3.—	.25	Cercis canadensis	9.—	.75
Berberis gracilis (Mahonia) . . .	—	1.20	<i>Siliquastrum</i>	1.15	.15
<i>japonica</i> (Mahonia)	12.—	1.—	„ fl. albo	4.50	.40
<i>Thunbergii</i>	7.50	.65	Cherry Stones, see <i>Prunus Cerasus</i> .		
„ <i>atropurpurea</i> , scarlet foliage 1000 s. 15.—			Chestnut, Spanish, see <i>Castanea vesca</i> .		
vulgaris, berries	1.30	.15	Chionanthus virginica	11.—	.80
„ clean seed	4.15	.40	Cissus heterophylla variegata . . .	—	2.50
„ <i>foliis purpureis</i> , berries . .	3.50	.30	Cistus candidissimus	—	3.50
Wilsonii	1000 s. 4.—		<i>laurifolius</i>	—	3.—
Betula alba (Birch) . . cwt. 60.—	1.—	—	<i>monspeliensis</i>	—	2.50
<i>alba laciniata</i>	3.70	.30	<i>salvifolius</i>	—	2.50
<i>lenta</i>	14.—	1.15	Cladrastis tinctoria (<i>Virgilia lutea</i>)	11.—	.80
<i>lutea</i>	14.—	1.15	Clematis alpina (Atragena)	—	24.—
<i>nigra (rubra)</i>	18.—	1.30	<i>Armandii</i> 1000 s. 5.50		
<i>papyrifera</i>	18.—	1.30	<i>coccinea</i> ,	—	12.—
<i>populifolia</i>	14.—	1.15	<i>Flammula</i> , white, scented . . .	4.50	.40
Bignonia Catalpa	1.65	.15	<i>graveolens</i> , yellow fld.	—	12.—
<i>grandiflora</i>	27.—	2.—	<i>Jackmannii</i> Hybrids, single large		
<i>Kaempferi</i>	4.50	.40	fld. mixed	—	6.—
<i>radicans</i>	16.—	1.25	„ Hybrids, double mixed . . .	—	15.—
<i>speciosa</i> (Catalpa)	7.50	.65	<i>montana</i> <i>grandiflora</i>	32.50	2.50
Bilberry, see <i>Vaccinium Myrtillis</i> .			„ <i>rubens</i>	—	6.—
Birch, see <i>Betula</i> .			<i>paniculata</i> , white	9.—	.75
Bird Cherry, see <i>Prunus Padus</i> .			<i>tangutica</i> , golden yellow . . .	—	6.—
Black Thorn, see <i>Prunus spinosa</i> .			<i>Vitalba</i>	1.—	.15
Bramble, see <i>Rubus fruticosus</i> .			<i>Viticella</i>	2.30	.25
Broom, see <i>Spartium scoparium</i> .			Clethra alnifolia	11.—	.80
Broussonetia papyrifera	9.—	.75	Cneorum pulverulentum	22.50	1.65
Bruckenthalia spiculifolia 1/16 oz. 10.—			Cockspur, see <i>Crataegus oxyacantha</i> .		
Buddleya variabilis cl. seed . . .	14.50	1.15	Colutea arborescens	—.80	—.15
Bupleurum fruticosum	9.—	.75	<i>purpurea</i>	1.—	—.15
Buxus sempervirens, Box Tree . .	4.50	.50	Common Privet, see <i>Ligustrum</i> .		
Callicarpa americana	13.—	1.—	Convolvulus floridus . . 1000 s. 7.50		
Calluna vulgaris	50.—	3.50	<i>scoparius</i> 1000 s. 15.—		
Calycanthus floridus	7.50	.65	Coriaria japonica	12.—	1.—
<i>praecox</i> (<i>Chimonanthus fragrans</i>)	7.50	.65	<i>myrtifolia</i>	6.—	.50
„ <i>grandiflorus</i>	10.—	.80	Cornus alba sibirica	6.—	.50
Capparis inermis	—	3.—	<i>florida</i>	4.50	.40
<i>spinosa</i>	—	2.50	<i>mascula</i>	1.—	.15
Caragana arborescens	5.50	.50	<i>sanguinea</i>	1.30	.15
Carpinus americana	22.—	1.65	Coronilla Emerus	8.—	.65
<i>Betulus</i> (Hornbeam), cwt. 90.—	—.90	—	<i>glaucha</i>	10.—	.80
<i>Ostrya</i>	5.50	.50	Corylus Avellana, common hazel-		
Carya alba	3.—	.25	nut cwt. 75.—	—.75	—
<i>oliviformis</i>	4.50	.40	<i>Avellana</i> fol. <i>purpureis</i> . . .	5.50	.40
<i>tomentosa</i>	3.—	.25	„ <i>Piemont</i> , round shape . . .	1.50	.15
Caryopteris mastacanthus, beautiful blue flowering late in the autumn	—	4.—	„ <i>Sicily</i> , long shape . . .	2.—	.15
Castanea vesca, Sweet Chestnut . .	1.—	.15	„ <i>Colurna</i>	2.30	.25
„ <i>vesca macrocarpa</i>	1.15	.15	Cotoneaster acutifolia	4.50	.40
Catalpa, see <i>Bignonia</i> .			<i>buxifolia</i>	5.50	.50
Ceanothus americanus	16.—	1.25	<i>divaricata</i>	4.50	.40
<i>azureus</i> , azure blue	—	3.50	<i>horizontalis</i>	8.—	.65
<i>hybridus Gloire de Versailles</i> . .	—	4.—	<i>microphylla</i>	4.50	.40
„ mixed	—	3.50	<i>moupinensis</i> (<i>bullata</i>) . . .	11.—	.80
Celastrus scandens	12.—	1.—	<i>Simonsii</i>	7.50	.65

Cranberry, see *Vaccinium*.

	lb. \$M	oz. \$M		lb. \$M	oz. \$M
<i>Crataegus arbutifolia</i> , see <i>Photinia</i> .			<i>Evonymus</i> :		
<i>Azanolus</i>	1.80	.15	<i>japonicus</i>	4.—	.30
<i>coccinea</i> , berries65	.15	„ fol. aureis	—	1.50
<i>cordata</i> (<i>populifolia</i>)	5.50	.50	<i>latifolius</i>	4.—	.30
<i>Crus galli</i>70	.15	<i>Exochorda grandiflora</i> (<i>Spiraea</i>) . .	18.—	1.30
<i>glabra</i> (<i>Photinia serrulata</i>)	4.50	.40	<i>Fagus sylvatica</i> (<i>Beech</i>) . cwt. 60.—	.60	.15
<i>monogyna pendula</i>	2.—	.15	„ „ <i>purpurea</i>	3.70	.30
<i>nepalensis</i>	7.50	.65	<i>Ficus Carica</i> , Figs mixed	—	4.—
<i>oxyacantha</i> , berries, cwt. 28.—	.30	—	<i>Fontanesia phillyraeoides</i>	11.—	.30
„ clean seed	cwt. 90.—	.90	<i>Forsythia suspensa</i>	—	12.—
<i>punctata maliformis</i>	1.30	.15	<i>Fraxinus americana alba</i>	1.15	.15
<i>Pyracantha</i>	1.80	.15	<i>excelsior</i> (Ash).	cwt. 30.—	.30
„ <i>Lalandii</i>	3.70	.30	„ <i>pendula</i>	1.—	.15
<i>Currants</i> , see <i>Ribes rubrum</i> .			<i>Oregonia</i>	11.—	.80
<i>Cydonia japonica</i> , clean seed	7.50	.65	<i>Ornus</i>	1.—	.15
<i>vulgaris</i> (<i>Quince Pips</i>)	7.50	.65	<i>pubescens</i>	3.—	.25
<i>Cytisus albus</i>	19.—	1.75	<i>viridis</i>	7.50	.65
<i>alpinus</i>	4.—	.30	<i>Fremontia californica</i>	—	24.—
<i>capitatus</i>	—	6.—	<i>Furze</i> , see <i>Ulex europaeus</i> .		
<i>glabratus</i>	—	2.50	<i>Gaultheria procumbens</i>	36.—	2.80
<i>hirsutus</i>	—	3.50	„ <i>Shallon</i> , for rockeries	—	6.—
<i>Laburnum</i>	cwt. 180.—	1.80	<i>Genista aethnensis</i>	11.—	.80
<i>nigricans</i>	13.50	1.15	<i>alba</i> vide <i>Cytisus</i>		
<i>praecox</i> , primrose	—	12.—	<i>Andreana</i>		
<i>proliferus albidus</i>	4.50	.40	„ <i>Butterfly</i>		
<i>purpureus</i>	—	8.—	„ <i>Dragon-fly</i>		
<i>sessilifolius</i>	22.50	1.65	„ <i>Firefly</i>		
<i>Watereri</i> , yellow	—	1.—	„ <i>Mayfly</i>		
<i>Daphne alpina</i>	—	44.—	see Flower-seeds		
„ <i>cneorum</i>	1/8 oz. 24.—		<i>germanica</i>	16.—	1.25
„ <i>Gnidium</i>	—	3.—	<i>radiata</i>	—	.80
„ <i>Laureola</i>	—	1.50	<i>sibirica</i>	7.50	.65
„ <i>Mezereum</i> , clean seed	9.—	.75	<i>tinctoria</i>	5.70	.50
„ „ <i>album</i>	—	25.90	<i>Gleditschia caspica</i>	3.70	.30
<i>Decaisnea Fargesii</i>	—	6.—	<i>inermis</i>	3.—	.25
<i>Desmodium Dillenii</i>	—	1.50	<i>japonica</i>	10.—	.80
<i>japonicum</i>	—	3.—	<i>sinensis</i> (<i>horrida</i>)	6.50	.50
<i>nutans</i>	18.—	1.30	<i>triacanthos</i>	cwt. 85.—	1.—
<i>Deutzia crenata</i> (<i>scabra</i>)	5.50	.50	<i>Glycine frutescens</i>	9.—	.75
crenata fl. pleno	9.—	.75	<i>multijuga</i>	—	1.50
gracilis	—	3.—	<i>sinensis</i>	1000 s. 8.—	
<i>Diervilla florida</i> (<i>Weigelia rosea</i>) . .	27.—	2.—	100 s. 1.—	4.50	.40
<i>Dimorphanthus mandschuricus</i>	9.—	.75	„ fl. albo	7.—	.65
<i>Diospyros Kaki</i> (<i>sinensis</i>)	7.50	.65	<i>Gooseberry</i> , see <i>Ribes Grossularia</i> .		
<i>Lotus</i>	1.65	.15	<i>Gorse</i> , see <i>Ulex</i> .		
<i>virginiana</i>	3.40	.30	<i>Guelder Rose</i> , see <i>Viburnum Opulus</i> .		
Dog Rose, see <i>Rosa canina</i> .			<i>Gymnocladus canadensis</i>	4.50	.40
Dogwood, see <i>Cornus</i> .			<i>Halesia diptera</i>	18.—	1.30
<i>Edgeworthia papyrifera</i>	—	2.50	„ <i>tetraptera</i>	7.50	.65
<i>Elaeagnus angustifolia</i>	1.60	.15	<i>Halimodendron argenteum</i>	20.—	1.50
longipes (<i>edulis</i>)	9.—	.75	<i>Hamamelis japonica</i>	13.50	1.20
reflexa	11.—	.80	„ <i>virginiana</i>	13.—	1.—
Elder, see <i>Sambucus racemosa</i> .			<i>Hawthorn</i> , see <i>Crataegus oxyacantha</i> .		
Elm, see <i>Ulmus</i> .			<i>Hedera Helix</i> (<i>Ivy</i>)	1.—	.20
<i>Erica arborea</i> , Heath	—	24.—	„ <i>hibernica</i>	2.—	.20
carnea	—	90.—	„ <i>quinquefolia</i> , see <i>Ampelopsis</i> .		
<i>cinerea</i> , new hybrids	—	90.—	<i>Helianthemum variable</i> (<i>mutable</i>),		
<i>scoparia</i>	—	20.—	mixed, see Flowerseeds		
<i>vulgaris</i> (<i>Calluna</i>), cl. s.	50.—	3.50	<i>Hibiscus syriacus</i> , mixed	1.25	.20
<i>Evonymus alatus</i>	8.—	.65	„ <i>syriacus</i> fl. pleno, double fl. sorts		
americanus	9.—	.75	mixed	2.—	.20
atropurpureus	9.—	.75	<i>Hickory</i> , see <i>Carya alba</i> .		
europaeus	2.80	.25	<i>Hippophaë rhamnoides</i>	2.80	.25
fimbriatus	5.50	.50	Holly, see <i>Ilex</i> .		

	lb. RM	oz. RM		lb. RM	oz. RM
Honey Locust, see <i>Gleditschia triacanthos</i> .			Lonicera alpigena	5.50	.50
Honeysuckle, see <i>Lonicera</i> .			brachypoda	6.50	.50
Hornbeam, see <i>Carpinus Betulus</i> .			„ reticulata	—	1.—
Horse Chestnut, see <i>Aesculus</i> .			Caprifolium	5.50	.50
Hydrangea japonica (rosalba)	20.—	1.50	Periclymenum	—	3.—
„ paniculata	16.—	1.25	tartarica rosea	4.50	.40
„ vestita pubescens	—	2.—	Xylosteum	2.50	.25
Hypericum calycinum	—	2.—	Lycium europaeum	14.—	1.25
Idesia polycarpa (Polycarpa Maximowiczii)	20.—	1.50	„ sinense	16.—	1.25
Ilex Aquifolium, berries	1.20	.20	Maclura aurantiaca (rustica)	7.—	.65
„ „ clean seed	2.80	.25	Magnolia acuminata	16.—	1.25
„ „ foliis aureis variegatis	4.50	.40	Alexandrinae 100 s. 2.50		
Indigofera dosua, cl. seed	—	6.—	atropurpurea	18.—	1.30
Ivy, see <i>Hedera</i> .			Campbelli	—	6.—
Jasminum gracile	27.—	2.—	glauca	14.50	1.20
Judas tree, see <i>Cercis Siliquastrum</i> .			Magnolia grandiflora	4.50	.40
Juglans cinerea	2.—	—	hypoleuca (obovata)	—	1.50
cordiformis	4.50	.40	Kobus	9.—	.75
nigra cwt. 60.—	—.60	—	Soulangeana	12.—	1.—
Regia cwt. 80.—	—.80	—	tripetala (umbrella)	13.50	1.20
„ praeparturiens (fertilis)			Yulan (conspicua)	11.—	.80
10) nuts. 7.—			Mahonia, see <i>Berberis</i> .		
serotina 100 nuts. 7.—			Male Cornel, see <i>Cornus mascula</i> .		
Sieboldiana	3.50	.35	Mandevillea suaveolens	45.—	3.25
For Hickory nuts, see <i>Carya</i> .			Maple, see <i>Acer platanoides</i> .		
Kalmia glauca	—	26.—	Melia Azedarach	—.80	.20
latifolia	—	2.80	japonica	4.50	.40
Koelreuteria paniculata	1.80	.20	Mespilus Amelanchier	8.—	.65
Laburnum, see <i>Cytisus Laburnum</i> .			germanica (Medlar)	3.75	.30
Laurel, common, see <i>Prunus Lauro-Cerasus</i> .			other sorts, see <i>Crataegus</i> .		
Laurel, Portugal, see <i>Prunus lusitania</i> .			Mistletoe, see <i>Viscum</i> .		
Laurus Tinus, s. <i>Viburnum Tinus</i> .			Mock Orange, see <i>Philadelphus</i> .		
Benzoin	9.—	.75	Morus alba	3.40	.30
nobilis	—.80	—	alba var. Morettii	9.—	.75
Sassafras	13.50	1.20	„ nigra	4.50	.40
for others see Flower Seeds.			nigra vera	—	2.50
Lavandula vera	14.50	1.20	Mountain Ash, see <i>Sorbus aucuparia</i> .		
Lavatera arborea	4.50	.40	Mulberry, see <i>Morus</i> .		
arborea variegata	5.50	.50	Myrica cerifera	13.50	1.20
Ledum palustre	—	40.—	Gale	—	2.50
Lespedeza bicolor	9.—	.75	Myrtus communis (Myrtle), cl. s.	5.50	.50
striata, in pods	6.50	.50	romana	5.50	.50
Leycesteria formosa	—	7.20	tarentina	6.60	.50
Ligustrum coriaceum	5.60	.50	Nandina domestica	7.50	.65
Ibota	4.50	.40	Nyssa aquatica	14.50	1.20
japonicum	—.80	.20	multiflora (sylvatica)	13.50	1.20
lucidum	2.80	.25	Oak, see <i>Quercus</i> .		
ovalifolium	2.40	.25	Olea europaea	1.60	.20
sinense	3.75	.30	Osage Orange, see <i>Maclura</i> .		
vulgare cwt. 60.—	—.75	.20	Ostrya carpinifolia	5.50	.50
Lilac, see <i>Syringa</i> .			virginica	—	4.—
Lime, see <i>Tilia</i> .			Paeonia arborea, mixed	9.—	.75
Liquidambar styraciflua	16.—	1.25	„ „ extra quality	32.—	2.50
Liriodendron tulipifera (Tulip Tree)	1.60	.20	Paliurus aculeata, forming impenetrable hedges in warmer countries clean seed	1.80	.20
„ tulipifera, American seed	8.—	.65	Paulownia imperialis	1.75	.20
Locust Tree, see <i>Robinia Pseud-acacia</i> .			Peach, see <i>Persica</i> .		
			Pear Pips, see <i>Pirus communis</i> .		
			Periploca graeca	18.—	1.30
			laevigata	—	4.—
			Persica vulgaris, common Peach cwt. 36.—	—.40	—

TREE SEEDS.

	lb. RM	oz. RM		lb. RM	oz. RM
<i>Phellodendron amurense</i>	8.—	.75	<i>Rhamnus Alaternus</i>	2.50	.25
<i>Philadelphus coronarius</i> , cl. s.	16.—	1.20	alpina	5.50	.50
<i>grandiflorus</i> , clean seed	18.—	1.30	cathartica	2.50	.25
<i>Phillyraea angustifolia</i>	3.75	.30	<i>Frangula</i>	2.50	.25
<i>media</i>	3.75	.30	<i>Purshiana</i>	18.—	1.30
<i>Phlomis fruticosa</i>	—	2.50	utilis	4.50	.40
<i>Photinia arbutifolia</i>	11.—	.80	<i>Rhodocistus Berthelotianus</i>	—	3.60
<i>serrulata</i> (<i>Crataegus glabra</i>)	4.50	.40	<i>Rhododendron</i> :		
<i>Pirus communis</i> (Pear Pips), seed	2.—	.30	arboreum hybridum	36.—	2.80
saved in Germany cwt. 175.—	2.—	.30	argenteum	—	10.—
<i>communis</i> , French seed	4.50	.40	Catawbiense	—	6.—
<i>japonica</i> see <i>Cydonia</i> .			ciliatum	$\frac{1}{16}$ oz. 3.—	
<i>Malus</i> (Apple Pips), hardy Germ.			ferrugineum	36.—	2.80
<i>Wood - Apple</i> cwt. 170.—	2.—	.30	himalayense	—	5.50
,, French seed	1.30	.20	hirsutum	36.—	2.80
,, <i>floribunda</i>	5.—	.40	hybridum, the finest hybrids mix.	45.—	3.25
,, <i>paradisiaca</i> , fruits	1.30	.20	javanicum	—	6.—
<i>Pistacia chinensis</i>	6.50	.50	maximum	—	6.50
,, <i>Lentiscus</i>	5.60	.50	ponticum, mixed	45.—	3.25
,, <i>Terebinthus</i>	7.50	.65	<i>Rhodotypus kerrioides</i>	7.—	.65
,, <i>vera</i>	9.—	.75	<i>Rhus aromatic</i> a	—	1.—
<i>Plane</i> , see <i>Platanus</i> .			copallina	9.—	.75
<i>Platanus occidentalis</i>	—.60	—	coriaria	5.50	.50
<i>orientalis</i>	—.60	—	<i>Cotinus</i>	7.—	.65
<i>Plum</i> , see <i>Prunus domestica</i> .			glabra	7.—	.65
<i>Polycarpa Maximowiczii</i> (<i>Idesia polycarpa</i>)	20.—	1.50	semialata	8.—	.65
<i>Polygonum baldschuanicum</i>	—	4.—	succedanea	6.50	.50
<i>Populus alba</i>			<i>Toxicodendron</i>	12.50	1.—
,, <i>italica</i>	prices on demand		typhina	4.50	.40
,, <i>nigra</i>			vernucifera	8.—	.65
,, <i>tremula</i>			<i>Ribes aureum</i> , fruits	4.50	.40
<i>Portugal Broom</i> , white, see <i>Spartium multiflorum album</i> .			<i>Grossularia</i> (<i>Gooseberry</i>), large fruited sorts mixed	2.80	.25
<i>Potentilla fruticosa</i>	40.—	3.—	<i>nigrum</i> , black Currants	4.—	.40
<i>Prinos glaber</i>	—	2.50	<i>rubrum</i> , mixed	1.80	.20
<i>Privet</i> , common, see <i>Ligustrum</i> .			,, white fruited mixed	5.50	.50
<i>Prunus Armeniaca</i> , Apricot, see Armeniaca.			<i>sanguineum</i>	13.50	1.20
<i>avium</i> , wild sweet Cherry	2.40	.25	<i>Robinia Pseudacacia</i> (<i>Thorn-</i> <i>Acacia</i>)	cwt. 90.—	.80
,, cultivated Cherry cwt. 40.—	—.50	.20	<i>Pseudacacia Bessoniana</i> , globular or umbrella Acacia	2.80	.25
<i>Cerasus (domestica, austera)</i>			,, <i>monophylla</i>	5.50	.50
cwt. 35.—	—.35	.20	,, <i>pyramidalis</i>	4.—	.40
<i>damascena</i>	cwt. 200.—	2.—	viscosa	8.—	.65
<i>domestica (oeconomica)</i> , the German Zwetsche (large Hamburg Plum) cwt. 30.—	—.30	—	<i>Rock Rose</i> , see <i>Cistus</i> .		
,, <i>Reine Claude</i>	1.—	.20	<i>Rosa alpina</i>	9.—	.75
<i>Lauro-Cerasus</i> (common Laurel)	1.20	.20	bengalensis, hips	2.40	.25
<i>lusitanica</i> (Portugal Laurel)	2.—	.20	<i>canina</i> (common Dog-Rose), the best for grafting, cl. seed		
<i>Mahaleb</i> , dry fruits	2.—	.20	cwt. 36.—	—.40	—
<i>Myrobalana</i> , superior stock for grafting	cwt. 80.—	—.80	canina Kukulinski	1.—	.20
<i>Padus</i>	4.50	.40	hybrida, clean seed	14.50	1.20
<i>serotina</i>	4.50	.40	,, <i>Thea</i> , clean seed	18.—	1.40
<i>spinosa</i> (Sloe, Black Thorn)	1.80	.20	<i>laxa</i> , fruits	1.—	.20
<i>virginiana</i>	4.50	.40	<i>multiflora</i> , clean seed	4.—	.40
<i>Ptelea trifoliata</i>	3.75	.30	<i>polyantha</i> , hips	4.—	.40
<i>Punica Granatum</i>	5.50	.50	,, <i>nana multiflora</i>		
<i>Quercus Ilex</i>	—.80	.20	10 000 hips 48.—		
,, <i>pedunculata</i> and other sorts price on demand!			1000 hips 6.—		
<i>Quince</i> , see <i>Cydonia vulgaris</i> .			<i>rubiginosa</i> , Sweet Briar, hips		
			cwt. 45.—	—.45	.20
			<i>rubrifolia</i>	1.20	.20
			<i>rugosa</i>	5.50	.50
			,, <i>fl. albo</i>	9.—	.75
			<i>villosa pomifera</i> , cl. s.	1.20	.20
			<i>Wichuriana</i>	5.50	.50

	lb. RM	oz. RM		lb. RM	oz. RM
Rubus Arrhenii	—	6.—	Spurge Laurel, see Daphne Laureola.		
Bellardii	—	6.—	Staphylea pinnata	3.50	—.30
danicus	—	5.—	Sterculia platanifolia	3.50	—.30
Dreyeri	—	10.—	Strawberry Tree, see Arbutus Unedo.		
fruticosus (Blackberry) . . .	1.80	.20	Styrax japonica	7.50	—.65
gratus	—	5.—	obassia	—	1.50
Idaeus (Raspberry), best sorts mix.			officinalis, hardy	12.—	1.—
clean seed	2.40	.25	Sumach, see Rhus.		
„ largest fruited sorts mixed	4.—	.40	Sweet Bay, see Laurus nobilis.		
„ yellow-fruited vars.	5.—	.50	Sycamore, see Acer pseudoplatanus.		
„ Shaffer's Colossal	12.—	1.—	Symporicarpus racemosus	4.—	—.40
pallidus	—	8.—	vulgaris	4.—	—.40
pyramidalis	—	6.—	Syringa japonica	16.—	1.20
sorbifolius (R. illecebrosus, Focke),			vulgaris, pods	1.80	—.20
Strawberry-Raspberry	—	—	„ clean seed	9.—	—.75
vestitus	—	4.50	„ vulgaris alba, clean seed	12.—	1.—
xanthocarpus	—	3.—	Tamarix gallica	5.50	—.50
Ruscus aculeatus	2.80	.25	Thorn Acacia, see Robinia.		
androgynus	—	3.—	Tilia americana, black Lime	2.40	—.25
racemosus	4.50	.40	argentea	2.40	—.25
Salix caprea	1.50	.20	„ pendula	2.40	—.25
pentandra	2.50	.25	europaea grandifolia (common large leaved) . . . cwt. 120.—	1.60	—.20
Sambucus canadensis	8.—	.65	europaea parvifolia (com. small leaved) . . . cwt. 150.—	1.80	—.20
Ebulus	7.—	.65	Toothache Tree, s. Xanthoxylon.		
nigra	1.—	.20	Traveller's Joy, see Clematis Vitalba.		
„ laciniata	2.50	.25	Tree of Heaven, see Ailanthus.		
racemosa	1.20	.20	Trumpet Creeper, see Bignonia radicans.		
Sassafras officinale, see Laurus Sassafras.			Tulip Tree, see Liriodendron.		
Schinus molle	2.80	.25	Ulex europaeus	7.—	—.65
Sea Buckthorn, see Hippophae.			Vaccinium macrocarpum, cl. s.		
Silver Wattle, see Acacia dealbata.			$\frac{1}{16}$ oz. 2.—		
Sloe, see Prunus spinosa.			Myrtillis, Wortleberry or		
Smilax aspera	4.—	.30	Bilberry, clean seed	14.—	1.20
Snowberry, see Symphoricarpus.			„ berries	4.50	—.40
Sophora japonica	1.20	.20	Oxycoccus	$\frac{1}{4}$ oz. 3.—	
japonica pendula	2.—	.20	Vitis Idaea, berries	12.—	1.—
secundiflora	7.—	.65	„ clean seed	—	8.—
Sorbus Aria	1.—	.20	Viburnum dentatum	12.—	1.—
Aucuparia (Mountain Ash)			Lantana	1.—	—.20
cwt. 40.—	—.40	—	odoratissimum	11.—	—.90
domestica clean seed	27.—	2.—	Opulus (Snowball)	1.80	—.20
hybrida	2.80	.25	prunifolium	13.50	1.20
scandica	1.—	.20	rugosum	—	1.50
torminalis	1.—	.20	Tinus	1.20	—.20
Spartium junceum (Span. Broom) .	2.—	.20	Virgilia grandis	—	—
multiflorum album	14.—	1.20	lutea (Cladrastis tinctoria)	11.—	—.80
scoparium, common Broom			Virginian Creeper, see Ampelopsis.		
cwt. 90.—	1.—	.20	Virgin's Bower, see Clematis . . .		
„ strictum, well adapted for afforesting of waste land; the thread is used for different technical purposes	2.—	.20	Viscum album	—	1.20
tinctorium (Genista)	5.50	.50	Vitex Agnus Castus	2.50	—.30
Spindle Tree, see Evonymus europaeus.			Agnus Castus fl. albo	3.75	—.40
Spiraea ariifolia	4.50	.40	Vitis Coignetiae	12.50	1.—
callosa (Fortunei), cl. s.	7.50	.65	Labrusca	14.—	1.20
Douglasii	5.50	.50	vinifera (Vine), choice sorts	4.50	—.40
Lindleyana	10.—	.80	Walnut, see Juglans.		
opulifolia	7.—	.65	Weigela rosea	—	6.—
Willow, see Salix.					

Wistaria, see Glycine.
 Woodbine, see Ampelopsis quinquefolia.
 Wortleberry, see Vaccinium Myrtillis.

		Ib. AM	oz. RM
Xanthoceras sorbifolia	.	13.50	1.20
Xanthoxylon fraxineum	.	—	3.—
piperitum	.	12.—	1.—
Zelkova serrata	.	13.—	1.—
Zizyphus sativus	.	2.50	—.20

Seeds of Medical- and Industrial-Plants.

(For a complete selection see our General Seed-Catalogue.)

		Ib. AM	oz. RM
Achillea Ptarmica, Bertram-Schafgarbe, Sneezewort, Bouton d'argent	Compositae	22.50	1.65
Aconitum Lycocotonum, Wolfswurz, True Wolf's-bane, True-loup	Ranunculaceae	45.—	3.25
„ Napellus, Eisenhut, Aconite, Common Monk's Hood, Napel, Char de Vénus	.	19.—	1.50
Actaea spicata, Christophskraut, Snake-root, Herb Christopher.	Ranunculaceae	30.—	2.30
Adonis vernalis, Frühlings-Teufelsauge, Spring A., Adonide du printemps	Ranunculaceae	36.—	2.80
Aegopodium Podagraria	Umbelliferae	—	2.—
Aethusa Cynapium, Fool's Parsley, Cigue petite	Umbelliferae	4.50	—.40
Agrimonia Eupatorium, Odermennig, common Agrimony, Aigremoine	Rosaceae	3.70	—.30
Agrostemma coronaria, Vexiernelke, Rose Campion crowned, Coquelourde des jardins	Caryophyllaceae	2.—	—.15
„ Githago, Kornrade, Corn Cockle, Nielle des blés	.	2.30	—.30
Ajuga reptans, Günsel, Creeping Bugle, Bugle rampante	Labiatae	—	30.—
Alliaria officinalis, (Sisymbrium), Lauchhederich, Hedge-Mustard	Cruciferae	—	5.50
Althaea officinalis, gemeiner Eibisch, Common Marsh Mallow, Guimauve off.	Malvaceae	4.15	—.40
„ rosea var. nigra, schwarze Malve, Black Mallow, Rose tremière noire	,	2.80	—.25
„ „ „ fl. pl., Black Mallow double, Rose-trem. noire à fl. double	.	18.—	1.30
„ taurincensis, Faserpflanze, used as fibre plant, Plante textile	.	8.—	—.65
Alyssum incanum, Graues Steinkraut, Madwort	Cruciferae	40.—	3.—
Amaranthus atropurpureus	Amaranthaceae	1.—	—.15
„ caudatus, Love-lies-bleeding, Queue de renard	.	1.—	—.15
„ cruentus, Prince's Feather, Amarante	.	1.—	—.15
„ sylvestris, wild Amarante,	.	1.—	—.15
Amorpha fruticosa, Bastard Indigo, A. faux indigo	Papilionaceae	1.20	—.20
Anacyclus officinarum, Bertramwurz, true German, A. vrai d'Allemagne	Compositae	27.—	2.—
„ Pyrethrum, Radix Pyrethri veri syn. romani	.	—	3.50
Anagallis arvensis, Gauchheil, common Pimpernel, Mouron	Primulaceae	31.50	2.50
Anchusa officinalis, Ochsenzunge, Bugloss, Buglosse, Vipérine	Boraginaceae	5.50	—.50
Anemone Pulsatilla, Kuhschelle, common Pulsatilla (Pasque Flower), Herbe du vent	Ranunculaceae	45.—	3.25
„ sylvestris, Wald-Brustwurz	.	27.—	2.—
Angelica Archangelica, common Angelica, Herbs of great medicinal value, Angélique officinale	Umbelliferae	5.50	—.50
„ sylvestris, wild Angelica, Angélique sauvage	.	11.—	—.80
Anthemis arvensis, Ackerkamille, Corn-Chamomile, A des champs	Compositae	20.—	1.50
„ Cotula, Hundkamille, May-weed, A. fétide	.	22.50	1.65
„ nobilis, edle Kamille, common Chamomile (roman), Camomille romaine	72.—	5.—	
„ tinctoria, Färber-Rindsauge, dyer's, A. des teinturiers	.	8.—	—.65
Anthriscus sylvestris, Waldkerbel, Chervil, Cerfeuil à destillation	Umbelliferae	9.—	—.75
Anthyllis vulneraria, Wundklee	Papilionaceae	1.30	—.15
Aquilegia vulgaris, Akelei, gemeiner	Ranunculaceae	6.50	—.50
Arctostaphylos uva ursi, Bärentraube	Ericaceae	36.—	2.80
Arnica montana, Mountain Arnica, Plantain des Alpes	Compositae	54.—	4.—
Artemisia Absinthium, Wermut, Wormwood, Absinthe	Compositae	2.30	—.25
„ campestris	.	—	1.80
„ maritima (Santonin liefernd), producing Santonin	.	—	40.—
„ vulgaris, Beifuß, common Mugwort, Armoise	.	7.50	—.65

		lb. RM	oz. RM
Arum maculatum, Aronstab, furnishing Aroin,	Aroideae	4.50	.40
Asclepias syriaca, syr. Seidenpflanze, (Cornuti), Swallow-wort	Asclepiadaceae	16.—	1.25
Asparagus officinalis, Spargel	Smilaceae	1.—	.15
Asperula odorata, Waldmeister, Woodroof, sweet scented, Asperule odorante	Rubiaceae	13.50	1.15
Asplenium ruta muraria, Mauerraute	Polypodiaceae	—	20.—
Aspidium filix mas., Wurmfarn	"	80.—	5.50
Astragalus baeticus, schwedischer oder Stragelkaffee, Milk-Vetch, Astragale d'Andalousie	Leguminosae	3.—	.25
Atropa Belladonna, Tollkirsche, Deadly-Nights, Belladone off.	Solanaceae	3.70	.30
Bellis perennis, Gänseblümchen, Daisy, Petite Marguerite	Compositae	—	3.—
Berberis vulgaris, Berberitze, Sauerdorn, Epine-vinette	Berberideae	3.50	.30
Betonica officinalis, Zehrkraut, Betony (Stachys), Betoine officinale	Labiatae	18.—	1.30
Betula alba, Birke, Birch, Bouleau	Betulaceae	—.60	.15
Bidens tripartitus, Zweizahn, Bur Marigold, Betoine off.	Compositae-Helianth	5.50	.50
Blitum Bonus Henricus, guter Heinrich, Good-King-Henry, Bon-Henri, Amarante Blette	Chenopodiaceae	11.—	.80
Boehmeria nivea, China grass, Ramie blanche	Urticaceae	—	6.—
Borago officinalis, Boretsch, Gurkenkraut, Borage, Bourrache	Boraginaceae	2.—	.15
Brassica Eruca, Rauke, Rocket, Roquette	Cruciferae	1.30	.15
Bryonia alba, Gichtrübe, black berried Bryony, Bryone blanche, à baies noires,	Cucurbitaceae	13.—	1.15
„ dioica, Zaunrübe, red berried Bryony, Bryone dioique, à baies rouges	13.—	1.15	
Bupthalmum salicifolium, Rindsauge	Compositae	13.50	1.15
Bupleurum rotundifolium, Hasenörchen, Thorough-Wax, Percefeuille à feuille ronde	Umbelliferae	—	10.—
Calamintha officinalis, Calamint	Labiatae	—	5.50
Calendula officinalis, Ringelblume, common Marigold, Souci des jardins off.	Compositae	1.20	.15
Calla aethiopica, Kalla	Aroideae	13.—	1.—
Campanula Trachelium, Nessel-Glockenblume	Campanulaceae	9.—	.75
Cannabis gigantea, Giant Hemp., Chanvre géant de la Chine	Urticaceae	3.30	.30
„ sativa, common Hemp., Chanvre commun	—.30	—	
Capsella bursa pastoris, Hirtentäschel, Shepherd's Purse. C. à la bourse-pasteur	Cruciferae	2.80	.25
Carduus Marianus, Mariendistel, St. Mary's thistle, Chardon-Marie	Compositae	1.30	.15
Carlina vulgaris, Rosskopfstaude, Eberwurz	Compositae	—	4.—
Carthamus tinctorius, Saflor, Safflower, Carthame des teinturiers	Compositae	1.65	.15
Caucalis daucoides	Umbelliferae	—	5.—
Centaurea Cyanus, Kornblume, Blue Cornflower (Centaury)	Compositae	3.70	.30
„ Scabiosa, Scabiosen-Flockenblume	12.—	1.—	
Cerastium arvense, Ackerhornkraut, Field Chickweed, Ceraiste des champs	Caryophyllaceae	—	12.—
Chaerophyllum aureum, Kälberkropf, gelbfürcht	Umbelliferae	—	2.—
„ temulum, Kälberkropf, Bulbous-rooted Chervil	"	4.50	.40
Chelidonium majus, Schellkraut, Celandine, Chélidoine, Grande Eclaire	Papaveraceae	8.—	.65
Chrysanthemum Leucanthemum, Ox-eye or white Daisy, Chrysanthème Leucanthème ou Marguerite des prés	Compositae	8.—	.65
Cichorium Intybus, Cichorie, wilde, Chicory, Chicorée sauvage	"	2.80	.25
Cicuta virosa, Wasserschierling, Water-Hemlock, Cigue vireuse	Umbelliferae	—	3.—
Clematis vitalba, Waldrebe, gem. Clématrice des haies	Ranunculaceae	—.90	.15
Cnicus benedictus, Kardobenedictus, Blessed Thistle, Chardon béni	Compositae	1.20	.15
Colchicum autumnale, Herbstzeitlose, Meadow saffron, Colchique d'autumne	Liliaceae	5.—	.40
Conium maculatum, Schierling, Poison Hemlock, Cigue grande	Umbelliferae	3.30	.30
Convallaria majalis, Maiblume, Lily of the valley, Muguet de Mai	Smilaceae	54.—	4.—
Convolvulus arvensis, Ackerwinde, Bindweed, Liseron des champs	Convolvulaceae	18.—	1.30

		lb. fl.	oz. fl.
<i>Corchorus capsularis</i> , Jutepflanze, Jute Plant, Corète textile	Tiliaceae	—	.50
<i>Coriandrum sativum</i> , Koriander, Coriander, Coriandre	Umbelliferae	.80	.15
<i>Cornus mascula</i> , Herlitze, Cornouiller mâle	Cornaceae	1.—	.15
„ <i>sanguinea</i> , Hartriegel, roter, Cornouiller sanguin		1.30	.15
<i>Coronilla varia</i> , Kronwicke, bunte,	Papilionaceae	22.50	1.65
<i>Crithmum maritimum</i> , Meerfenchel, Samphire, Fenouil de mer	Umbelliferae	—	1.20
<i>Cuminum Cyminum</i> , Pfefferkümmel, Cumin, Cumin de Malte	"	3.70	.30
<i>Cuscuta europaea</i> , Dodder, Barbe de moine, Teigne	Convolvulaceae	18.—	1.30
„ <i>lupuliformis</i> , grosse Flachsseide, large Dodder		18.—	1.30
<i>Cydonia vulgaris</i> , Quitte, Quince, Coignassier	Rosaceae	7.50	.65
<i>Cynanchum Vincetoxicum</i> ; Schwalbenwurz, Tame Poison, Dompte-Venin	Asclepiadaceae	27.—	2.—
<i>Cynoglossum officinale</i> , Hundszunge, Hound's tongue, common, <i>officinale</i>	Cynoglosse Asperifoliaceae	1.20	.15
<i>Cytisus Laburnum</i> , Goldregen, Cytise faux-Ebénier	Papilionaceae	2.—	.15
<i>Daphne Mezereum</i> , Kellerhals, Daphné bois joli	Thymelaeceae	9.—	.75
<i>Datura Stramonium</i> , Stechapfel, Thorn-Apple, Stramoine ou Pomme épineuse	Solanaceae	1.20	.15
<i>Daucus Carota</i> , Möhre, wilde, wild Carrot, Carotte sauvage	Umbelliferae	2.80	.25
<i>Delphinium Consolida</i> , Feldrittersporn, Field Larkspur, Pied d'alouette des blés	Ranunculaceae	1.80	.15
„ <i>Staphysagria</i> , Stavesacre, Staphysaigre	"	—	1.—
<i>Dictamnus Fraxinella</i> , Diptam, Dittany or Fraxinella	Rutaceae	22.50	1.65
<i>Digitalis grandiflora</i> , Fingerhut, blossgelber, Foxglove	Scrophulariaceae	9.—	.75
„ <i>lutea</i> , Fingerhut, gelber, yellow Foxglove		8.—	.65
„ <i>purpurea</i> , Fingerhut, red Foxglove, Digitale		3.—	.25
<i>Dipsacus Fullonum</i> , Weberkarde, Fullers Teasel, Chardon à foulon	Dipsaceae	—.30	—
<i>Echinops sphaerocephalus</i> , Honig-Kugeldistel	Compositae	3.30	.30
<i>Echium creticum</i> , Natterkopf	Boraginaceae	14.50	1.15
„ <i>plantagineum</i> , Natterkopf		5.50	.50
„ <i>vulgare</i> , Natterkopf, Blue-weed., Viper's Bugloss, — Vipérine commune		4.15	.40
<i>Epilobium angustifolium</i> , Weidenröschen, Fire-weed, French Willow-or Rose-bay E-en épis	Onagrariaceae	24.50	1.80
<i>Eriophorum alpinum</i> , Wollgras, Alpine Cotton-Grass, Linaigrette	Cyperaceae	—	16.—
<i>Eryngium campestre</i> , Mannstreu, Eryngo, Panicaut des champs	Umbelliferae	—	2.—
„ <i>planum</i> , Mannstreu		5.50	.50
<i>Erythraea Centaurium</i> , Tausendgüldenkraut, Centaury, Centaurée petite	Gentianaceae	54.—	4.—
<i>Eupatorium cannabinum</i> , Kunigundenkraut, Hemp Agrimony, Eupatoire à fouille de chanvre ou d'Avicenne	Compositae	5.50	.50
<i>Euphorbia Cyparissias</i> , Zypressenwolfsmilch, Cypress Spurge or Milkwort, Euphorbe	Euphorbiaceae	—	3.—
„ <i>helioscopia</i> , sonnenwend. Wolfsmilch,		16.—	1.25
„ <i>Lathyris</i> , kreuzblumige Wolfsmilch,		54.—	4.—
„ <i>palustris</i>		7.50	.65
<i>Euphrasia Odontites</i> , roter Augentrost, red Eyebright, Euphrase rouge	Scrophulariaceae	31.50	2.50
„ <i>officinalis</i> , Augentrost, common Eyebright, <i>E. officinale</i>		54.—	4.—
<i>Evonymus europaea</i> , Pfaffenhütchen, Spindle Tree, Fusain	Celestriaceae	2.80	.25
<i>Fragaria vesca</i> , Walderdbeere, Fraisiers	Rosaceæ	20.—	1.50
<i>Fritillaria imperialis</i> , Kaiserkrone,	Liliaceae	70.—	5.—
<i>Fumaria officinalis</i> , Erdrauch, common Fumitory, Fumeterre	Fumariaceae	14.50	1.15
<i>Galega officinalis</i> , gem. Geisraute, Goat's Rue, Rue de chèvre	Leguminosae	5.50	.50
<i>Galeobdolon luteum</i> , Goldnessel, Golden Nettle, Lamium a odeur de belette ou Ortie jaune	Labiatae	—	7.50
<i>Galeopsis bifida</i> ,		—	12.—
„ <i>Ladanum</i> , red Hemp Nettle		—	3.50
„ <i>ochroleucus</i> ,		22.50	1.65
„ <i>Tetrahit</i> , Hohlzahn, common Hemp Nettle		—	10.—
„ <i>versicolor</i> , various coloured		—	2.50

			lb. RM	oz. RM
Galium Aparine, Klebkraut, Goose-Grass, Caille-lait grimpant	Rubiaceae	7.50	.65	
„ Mollugo, Labkraut, weisses, Bedstraw, Caille-lait blanc	„	4.50	.40	
„ uliginosum		—	10.—	
„ verum, Labkraut, gelb, yellow Bedstraw (Cheese Rennet), Caille lait jaune		9.—	.75	
Genista tinctoria, Färberginster	Papilionaceae	5.50	.50	
Gentiana lutea, Enzian, Gentian	Gentianaceae	18.—	1.30	
Geum rivale, Bachnelkenwurz, Water-or Purple Avens, Benoite des ruisseaux	Rosaceae	—	2.—	
„ urbanum, Nelkenwurz, Avens, Benoite-urbane	„	5.50	.50	
Glaucium luteum, Hornmohn	Papaveraceae	7.50	.65	
Glechoma hederacea, Gundermann, Ground-Ivy, Chataire-lierre	Labiatae	—	30.—	
Gleditschia triacanthos, Christusdorn, Honey Locust, Févier d'Amérique	Papilionaceae	1.—	.15	
Glycyrrhiza glabra, Süssholz, Liquorice, Réglisse	Papilionaceae	—	1.50	
Gossypium herbaceum, Baumwolle, Cotton, Coton	Malvaceae			
„ herbaceum var., Sea Island		5.50	.50	
„ „ var. Tennessee Upland		5.50	.50	
„ „ „ Big Boll		4.50	.40	
„ „ „ King Early		4.50	.40	
„ „ „ Sakellaridis		2.30	.25	
„ „ „ doppelsamig, double seeded, à deux graines		9.—	.75	
Grindelia robusta	Compositae	36.—	2.80	
„ squarrosa	„	27.—	2.—	
Guizotia oleifera, Negersaat, Guizotie oléifère	Compositae	—.50	—	
Hamamelis virginica	Hamamelidaceae	13.—	1.—	
Hedysarum Onobrychis, Esparsette	Leguminosae	1.15	.15	
Helianthus annuus, Sonnenblume, Sunflower, Soleil	Compositae	1.10	.15	
Helichrysum foeditum	„	22.—	1.65	
Helleborus foetidus, Nieswurzel, Hellebore-Christmas Rose, Hellébore fétide	Ranunculaceae	18.—	1.30	
„ niger, Christrose	„	10.—	.80	
Heracleum Sphondylium, Bärenklau, Cow-Parsnip, Berce branc-ursin	Umbelliferae	2.30	.25	
Hippophae rhamnoides, Sanddorn, Argousier	Eleagnaceae	2.80	.25	
Humulus Lupulus, Hopfen, common Hop, Houblon	Urticaceae	24.50	1.80	
Hydrastis canadensis, Orange root, 1000 S. 25.—, 100 S. 3.—	Ranunculaceae			
Hyoscyamus niger, Bilsenkraut, Black Henbane, Jusquiame	Solanaceae	3.70	.30	
„ niger, 2jährig, biannual		7.50	.65	
Hypericum perforatum, Johanniskraut, common St. John's wort, Mille-pertuis	Hypericaceae	11.—	.80	
Hyssopus officinalis, Isop, Hyssop	Labiatae	1.80	.15	
Ilex aquifolium, Stechpalme Houx	Aquifoliaceae	1.20	.15	
„ paraguayensis, Mate Tee	„	—	6.—	
Indigofera tinctoria, Indigo	Papilionaceae	5.50	.50	
Inula Helenum, Alant, Elecampane, Aulnée	Compositae	7.50	.65	
Ipomoea grandiflora	Convolvulaceae	8.—	.65	
Isatis tinctoria, Waid, Dyer's Woad, Guède-Pastel, Vouède	Cruciferae	2.80	.25	
Juniperus communis, Wacholder Genévrier	Coniferae	—.80	.15	
„ Sabina, Sadebaum,	„	7.50	.65	
„ virginiana, Virginia-Ceder, Cédre de Virginia	„	1.65	.15	
Kalmia latifolia	Ericaceae	—	2.80	
Kitaibelia vitifolia, Faserpflanze	Malvaceae	6.50	.50	
Knautia arvensis, Acker-Skabiose, Meadow-Scabious, Scabieuse des champs	Dipsacaceae	13.50	1.15	
Koelreuteria paniculata, K. paniculé	Sapindaceae	1.80	.15	
Lactuca perennis, perennial Lettuce, Laitue vivace	Compositae	—	7.50	
„ Scariola (silvestris), wild	„	—	3.—	
Lamium album, Taubnessel, white Dead-Nettle, Ortie blanche	Labiatae	68.—	5.—	
„ amplexicaule, stengelumfass. Taubnessel, Ortie amplexicaule	„	—	5.—	
„ purpureum, purpurrote Taubnessel, purple Dead-Nettle, Ortie pourpre	„	—	5.—	

			lb ℔	oz. ℔
Lappa major, grosse Klette, large Burdock, Bardane grande	Compositae	2.80	.25	
„ minor, kleine Klette, small Burdock, Bardane petite	"	3.70	.30	
„ nemorosa, Waldklette, wood Burdock, Bardane des forêts	"	—	1.—	
„ tomentosa, filz-Klette, common Burdock. Bardane commune	"	1.80	.15	
Laserpitium latifolium, Laserkraut, broad-leaved laser-wort, Laser-rude	Umbelliferae	19.—	1.50	
Lathyrus sylvestris, Waldplatterbse	Papilionaceae	7.50	.65	
„ tuberosus, Erdnuss	"	—	5.50	
Lavatera trimestris	Malvaceae	3.60	.30	
Leontodon Taraxacum, Löwenzahn, Dandelion, Pissenlit	Compositae	7.50	.65	
Leonurus Cardiaca, Herzgespann, common Motherwort, Queue cardiaque	Labiatae	4.50	.40	
Lepidium ruderale, Steinkresse, Pepperwort, Stone Cress	Cruciferae	—	1.50	
Levisticum officinale, Liebstock, Lovage, Livêche officinale	Umbelliferae	9.—	.75	
Ligustrum vulgare, Liguster, Troène	Oleaceae	.80	.15	
Lilium Martagon, Türkembund	Liliaceae	27.—	2.—	
Linaria vulgaris, gem. Leinkraut, common Toadflax	Scrophulariaceae	40.—	3.—	
Linum perenne, Dauer-Lein	Linaceae	3.30	.30	
„ usitatissimum, Flachs, Lein	"	1.30	.15	
Lithospermum arvense, Acker-Steinsame, Field Gromwell, Grémil des champs	Boraginaceae	—	12.—	
„ officinale, Steinsame, common Gromwell, Grémil officinale	"	—	12.—	
„ purpureum coeruleum'	"	27.—	2.—	
Lobelia inflata, furnishing Lobelin	Lobeliaceae	90.—	6.—	
Lonicera tartarica, tatar. Heckenkirsche	Caprifoliaceae	4.50	.40	
„ xylosteum, gem. Heckenkirsche	"	2.50	.25	
Lupinus albus, weisse Lupine, white Lupin, Lupin blanc	Papilionaceae	1.—	.15	
Lychnis chalcedonica, Lichtnelke	Caryophyllaceae	5.50	.50	
„ Flos cuculi, Kuckucksblume, Ragged Robin, Lychnide laciniée	"	27.—	2.—	
Lysimachia vulgaris, Gelbweiderich, Loosestrife, Lysimaque commune Primulaceae	—	3.40		
Lythrum Salicaria, Weiderich, spiked Loosestrife, Salicaire	Lythraceae	6.50	.50	
Malva moschata, Moschus-Malve	Malvaceae	7.—	.65	
„ rotundifolia, rundbl. Malve	"	9.—	.75	
„ silvestris, Rossappel, high Mallow, Mauve sauvage off.	"	9.—	.75	
Marrubium vulgare, Andorn, common Horehound, Marrube blanc	Labiatae	5.50	.50	
Matricaria Chamomilla, Kamille, Chamomile, Camomille off.	Compositae	11.—	.80	
„ inodora, Mutterkraut, scentless Chamomile, Matricaire inodore	"	16.—	1.25	
Melampyrum arvense	Scrophulariaceae	—	3.—	
„ nemorosum, Waldwachtelweizen, Cow-Wheat field, Melampyre-violette	"	—	1.20	
„ sylvestris, Cow-Wheat forest, Melampyre des forêts	"	—	12.—	
Melilotus coerulea	Papilionaceae	7.50	.65	
„ officinalis, yellow Melilot, Mélilot officinale à fleur jaune	"	2.30	.25	
Mentha arvensis, Corn Mint, Menthe champêtre	Labiatae	—	5.—	
„ piperita, Peppermint, Menth poivrée	"	—	40.—	
„ crispa, curled Mint, Menthe crispée $\frac{1}{32}$ oz. 2.—	"	—	—	
„ Pulegium, Polei, Menthe Pouliot	"	16.—	1.25	
Menyanthes trifoliata, Fieberklee	Gentianaceae	60.—	4.50	
Mercurialis annua, Bingelkraut, Mercury, Mercuriale annuelle	Euphorbiaceae	—	9.—	
„ perennis, Dog's Mercury, Plante veneneuse	"	—	4.—	
Mespilus germanica, Mispel	Rosaceae	3.70	.30	
Meum athamanticum, Bärwurz, Bear's-wort, M. athamantique	Umbelliferae	—	2.50	
Mimulus luteus, Gauklerblume	Scrophulariaceae	—	2.—	
„ moschatus, Moschuskraut, Musk, Musque	"	90.—	6.—	
Morus alba, Maulbeere, Murier	Moraceae	3.30	.30	
Musa Ensete, Banane 1000 s. 36.—	Musaceae	—	—	
Myosotis arvensis, Forget-me-not, Ne m'oubliez pas des champs	Boraginaceae	—	.75	
Myrrhis odorata (Scandix), Süssdolde, span. Kerbel	Umbelliferae	12.—	1.—	
Myrtus communis, Myrte	Myrtaceae	5.50	.50	

			lb. RM	oz. RM
Nasturtium officinale, Brunnenkresse	Cruciferae	7.50	—.65	
Nepeta Cataria, Katzenkraut, Catnip, Chataire, Herbe aux chats	Labiatae	9.—	—.75	
Nicotiana Tabacum, Tabak, Tobacco, Tabac	Solanaceae			
Amersforter rundblättriger, round leaved, à feuille ronde brasilischer, Brazil		3.70	—.30	
Connecticut		5.50	—.50	
Cuba		4.50	—.40	
Delhi		5.50	—.50	
Dübeck, kaukasischer, Caucasian T., du Caucase		5.50	—.50	
Havanna		5.50	—.50	
Maryland		5.50	—.50	
Muskateller. ungar., Hungarian muscated, Hongrois Muscade		4.50	—.40	
Pfälzer, langblättriger, longleaved, à feuilles longues		4.50	—.40	
Portorico		5.50	—.50	
rustica		3.70	—.30	
Salonichi, griechischer, greek T., grecque		6.50	—.50	
Samsön, kaukasischer, vorzügliche Sorte, Caucasian T., du Caucase		5.50	—.50	
Sumatra		6.50	—.50	
türkisch. aromatischer, aromatic		5.50	—.50	
virginischer langblättriger, Virginia seed leaf		5.50	—.50	
Nigella damascena, Schwarzkümmel, türk., Nigella aromatique	Ranunculaceae	2.—	—.15	
„ sativa, Schwarzkümmel-Saat,	„	2.—	—.15	
Ocimum basilicum, Basilikum, Basil, Basilic	Labiatae	4.50	—.40	
Oenothera biennis, Nachtkerze, Rapontica, Onagre grand jaune	Onagraceae	2.30	—.25	
Ononis spinosa, dornige Hauhechel,	Papilionaceae	—	3.—	
Origanum vulgare, Dost, wild Marjoram, Origan sauvage	Labiatae	12.50	1.—	
Oxalis acetosella, Sauerklee, common Wood-Sorrel, Oseille des bois,	Geraniaceae	—	—	
		1/32 oz. 1.50		
Paeonia officinalis, Pfingstrose, Peony, Pivoine officinale	Ranunculaceae	9.—	—.75	
Panax quinquefolium, Ginseng 1000 S. 25.—, 100 S. 2.80	Araliaceae			
Papaver Argemone	Papaveraceae	—	3.—	
„ dubium	„	—	3.—	
„ orientale	„	24.—	1.65	
„ Rhoeas, Wilder Mohn, Pavot Coquelicot	„	8.—	—.65	
„ somniferum oleiferum, Oelmohn, blauer, Maw-seed, Pavot bleu	„	1.—	—.15	
Parietaria officinalis, Glaskraut, Pellitory, Parietaire officinale	Urticaceae	—	12.—	
Parnassia palustris, Herz- oder Einblatt	Saxifragaceae	—	10.—	
Pedicularis palustris, Sumpf-Läusekraut	Scrophulariaceae	—	2.50	
Peplis Portula, Afterquendel, Bachburgel	Lythraceae	—	30.—	
Pharbitis hispida	Convolvulaceae	1.80	—.15	
Physalis vide, Flower seeds				
Phytolacca decandra, Kermesbeere	Chenopodiaceae	8.—	—.65	
Pimpinella Saxifraga, Bibernelle	Umbelliferae	—	2.50	
Plantago major, Wegerich, common Plantain, Plantain à gr. feuilles	Plantaginaceae	1.65	—.15	
Polemonium coeruleum	Polemoniaceae	7.50	—.65	
Polygonatum multiflorum, vielblüt. Weisswurz, Muguet multiflore	Smilaceae	—	2.—	
Polygonum aviculare, Vogelknöterich, P. des oiseaux	Polygonaceae	5.50	—.50	
„ Convolvulus, windenartiger Knöterich, blak Bindweed, Trainasse	—	—	—.75	
Potentilla fruticosa, Fingerkraut,	Rosaceae	40.—	3.—	
„ Tormentilla, Blood-root, Tormentille		—	22.—	
Poterium Sanguisorba, Wiesenknopf Burnet, Pimprenelle	Sanguisorbaceae	2.—	—.15	
Primula elatior, Himmelsschlüssel, hoher, Oxlip, Primevère élevée des bois	Primulaceae	—	2.20	
„ officinalis, Schlüsselblume, Cowslip, P. officinale		24.—	1.80	
Prunella grandiflora, Brunelle, grossblumig, Self-heal, Brunelle	Labiatae	13.50	1.15	
„ vulgaris, Brunelle, gemeine, All-heal, Brunelle		11.—	—.80	
Prunus Padus, Traubenkirsche, Merisier à grappes	Rosaceae	4.50	—.40	

		lb. fl.	oz. fl.
Pulmonaria officinalis, Lungenkraut, Sage of Bethlehem, Pulmonaire commune	Boragineae	—	4.50
Pyrethrum cinerariifolium, Insektenpulverpflanze, dalmat. Fewerfew, Pyrèthre de Dalmatie	Compositae	14.50	1.15
„ roseum	„	41.—	3.—
Ranunculus acer, scharfer Hahnenfuss, Buttercup common, Bouton d'or	Ranunculaceae	—	3.50
„ sceleratus, Buttercup celeri-leaved, Bouton d'or à feuille de Céleri	—	—	3.50
Raphanus Raphinastrum, Hederich	Cruciferae	22.50	1.65
Reseda lutea, gelber Wau, Mignonette, Réséda	Resedaceae	—	—
„ luteola, Färber-Wau, Dyers Rocket, Dy. Weed, Gaude, Lutéole Vaude	—	2.80	—.25
Rhamnus cathartica, Kreuz- oder Wegedorn, Nerprun commun	Rhamnaceae	2.30	—.25
„ Frangula, Faulbaum, Bourgène	“	2.30	—.25
Rheum officinale, Rhabarber,	Polygonaceae	27.—	2.—
Rhinanthus major, yellow Rattle, Croquette	Scrophulariaceae	—	1.50
„ minor, Klappertopf, Cock's-spur, Penny-grass, Cocriste	—	—	1.50
Rhododendron ferrugineum	Ericaceae	—	2.80
Rhus Toxicodendron, Giftsumach, Sumaq	Anacardiaceae	12.—	1.—
Ribes nigrum, schw. Johannisbeere, Black currant, Cassis	Rosaceae	4.15	—.40
Ricinus communis, Rizinus	Euphorbiaceae	2.—	—.15
Robinia Pseudacacia, Akazie, Thorn-Acacia or Black Locust, Acacia commun	Leguminosae	1.—	—.15
Rosa canina, wilde Rose, Wild Rose, Rosier Eglantier	Rosaceae	—.30	—
Rosmarinus officinalis, Rosmarin, Romarin	Labiatae	11.—	—.80
Rubia tinctorum, Krapp, Madder, Garance tinctoriale	Rubiaceae	—	3.—
Rubus fruticosus, falt. Brombeere, Ronce commun	Rosaceae	1.80	—.15
„ idaeus, Himbeere, Framboisier	“	2.30	—.25
Rumex Patientia, Engl. Spinat	Polygonaceae	1.—	—.15
Salvia pratensis, Wiesen-Salbei, Meadow-loving, Sauge des prés	Labiatae	13.—	1.—
„ Sclarea, Muskateller-Salbei, Clary, Sauge scalarée	—	7.50	—.65
Sanicula europaea, Sanikel, Sanicle, Sanicule d'Europe	Umbelliferae	8.—	—.65
Saponaria officinalis, Seifenkraut, Soapwort, Saponaire officinale	Caryophyllaceae	9.—	—.75
Satureja montana, Kölle, Winter Savory, Sarriette d'hiver	Labiatae	5.50	—.50
Scorodosma foeditum, Stinkasand	Umbelliferae	15.—	1.25
Scrophularia nodosa, Braunwurz, Figwort, Scrophulaire	Scrophulariaceae	—	2.—
Scutellaria galericulata, Schildträger, Helmkratze	Labiatae	—	3.—
Senecio vulgaris, Kreuzkraut, common Groundsel, Seneçon commun	Compositae	13.50	1.15
Sesamum orientale, Sesam, Sesame (Gingilie), Bene Sésame de l'Inde	Pedalineae	2.—	—.15
Sida Napaea, schnellwachsende, Hanffaser liefernde, ausdauernde Pflanze.			
Stengel bis 4 m hoch, Liefert sehr brauchbares und festes Bindematerial (Ersatz-Manila) Indian Mallow	Malvaceae	45.—	3.25
Sinapis arvensis, Hederich, Charlock, Moutarde sauvage	Cruciferae	2.30	—.25
Sisymbrium officinale, Rauke, Hedge Mustard, Sisembre officinal	Cruciferae	—	1.50
„ Sophia, feinblättr. Rauke, S. Sofia	—	—	2.60
Soja hispida, Sojabohne, Soybean	Papilionaceae	1.30	—.15
Solanum Dulcamara, Bittersüss, Felon wood (Dulcamara), Douce-Amère, Vigne de Judée	Solanaceae	20.—	1.50
„ nigrum, Nachtschatten, Hound Berry, Morelle noire	“	2.15	—.25
„ tuberosum, Kartoffelsamen, Potato seed, Pomme de terre	“	22.50	1.65
Solidago Virga-aurea, Goldrute, Golden rod, Verge d'or	Compositae	22.—	1.65
Spilanthes oleracea, Husarenknopf, Para Cress, Cresson de Para (Brézil)	“	—	3.50
Spiraea Aruncus, Geissbart	Rosaceae	20.—	1.50
„ Ulmaria, Geissbart, Queen of the Meadows, Reine des prés	—	3.70	—.30
Stachys sylvatica, Hedge Nettle, Epiaire (St. des bois)	Labiatae	—	1.50
Statice latifolia	Plumbaginaceae	40.—	3.—

		lb. fl.	oz. fl.
<i>Stellaria media</i> , Vogelkt. Starwort (Stitchgrass), Mouron des oiseaux	Caryophyllaceae	5.50	.50
<i>Succisa pratensis</i> , Teufelsabbiss, Devils bit, Mors du diable	Dipsacaceae	—	1.50
<i>Swertia perennis</i> , Marsh Felwort, Swertia 1 Pkt. —40	Gentianaceae	—	—
<i>Symphytum aspernum</i> , Prickly Comfrey, Consoude officinale	Boragineae	—	5.—
officinale, Beinwell, Alum, Black root, Consoude officinale	„	18.—	1.30
<i>Tanacetum vulgare</i> , Rainfarn, common Tansy, Tanaisie com.	Compositae	5.50	.50
<i>Taxus baccata</i> , Eibe	Taxaceae	3.70	.30
<i>Tetragonolobus siliquosus</i> , Spargelbohne	Papilionaceae	1.—	.15
<i>Teucrium Botrys</i> , Trauben-Gamander, Germander, Germandrée femelle, Labiateae	—	—	—
„ Chamaedrys, Gamander, Wild Germander, Germandrée petit-chêne	—	—	8.—
„ Scorodonia	—	13.50	1.15
<i>Thalictrum minus</i> , kl. Wiesenraute	Ranunculaceae	14.50	1.15
<i>Thlaspi arvense</i> , Pfennigkraut, Penny-Cress, Besom Weed, Thlaspi des champs	Cruciferae	13.50	1.15
<i>Thuja occidentalis</i> , Lebensbaum	Pinaceae	8.—	.65
<i>Thymus Serpyllum</i> , Quendel, Wild Thyme, Thym Serpollet	Labiatae	—	7.50
<i>Tilia europaea</i> , Linde, Linden, Lime, Tilleul	Tiliaceae	1.30	.15
<i>Torilis anthriscus</i> , gem. Klettenkerbel,	Umbelliferae	7.50	.65
<i>Tragopogon pratensis</i> , Haferwurzel, wilde, common Goat's Beard (Star of Jerusalem)	—	—	—
Barbe de bouc, Salsifis des prés	Compositae	—	2.—
<i>Trillium grandiflorum</i> , Dreiblatt	Smilaceae	—	15.—
<i>Tussilago Farfara</i> , Huflattich, Coltsfoot, Pas d'Ane	Compositae	36.—	2.80
<i>Ulex europaeus</i> , Stechginster, Whin, Furze, Ajonc marin	Leguminosae	7.—	.65
<i>Urtica carnea</i> , Gespinstpflanze, Siberian Nettle (Hemp), Ortie	Urticaceae	—	3.—
„ dioica, Nessel, gr. Brenn-, large leaved Nettle, Grande Ortie	—	4.50	.40
„ urens, small leaved Nettle, Ortie brûlante	—	7.50	.65
<i>Vaccinium Myrtillus</i> , Heidelbeere	Ericaceae	4.50	.50
<i>Valeriana montana</i> , Bergbaldrian, Mountain Valerian, Valériane des montagnes	Valerianaceae	—	6.—
„ officinalis, Baldrian, Common Valerian, Valériane officinale	—	54.—	4.—
<i>Veratrum album</i> , Nieswurz	Liliaceae	—	7.50
<i>Verbascum nigrum</i> , schwarz. Wollkraut, black Mullein, Molène noire	Scrophulariaceae	13.50	1.15
„ phlomoides × thapsiforme	—	45.—	3.25
„ thapsiforme	—	18.—	1.30
„ Thapsus, Königskerze, Com. Mullein, Shepherd's club, Blanket Leaf, Molene commune ou Bouillon-blanc	—	5.50	.50
<i>Verbena officinalis</i> , Eisenbart, Common Vervain, Verveine officinale	Verbenaceae	13.50	1.15
<i>Veronica Anagallis</i> , Wasser-Ehrenpreis	Scrophulariaceae	—	8.—
„ Beccabunga, Bachbunge	—	—	8.—
„ Chamaedrys, Angel's Eye Germander Sp., Véronique Germandrée	—	20.—	1.50
„ officinalis, Ehrenpreis, Common Speedwell, Véronique officinale	—	—	3.40
<i>Viburnum Lantana</i> , Schlinge, Viorne maucienne	Caprifoliaceae	1.20	.15
„ Opulus, Schneeball, Obier, Boule de neige	—	1.80	.15
<i>Viola odorata</i> , Veilchen, Violet, Violette	Violaceae	30.—	2.30
„ tricolor, Stiefmütterchen, wild Pansy, Heart's ease, Pensée sauvage	—	18.—	1.30
<i>Yucca aloefolia</i>	Liliaceae	15.—	1.25
<i>Xanthium spinosum</i> , Spitzklette, jodliefernd, Spiny Clot-Bur, Lampourde épineuse	Compositae	—	—

NOVELTIES in Seeds for 1935

(○) Annuals. (◎) Biennials. (△) Perennials. (□) Greenhouse plants. (△) Stove plants.

(○) **Ageratum mexicanum nanum "Aurora" (Haage & Schmidt)**

This most bright and showy bedding variety is of citron-orange colour, an absolutely new appearance in the range of colours of all Ageratums, 6 inches in height, this plant shows a globular abundance of flowers well above the foliage.

100 pkts. 70.— RM, 10 pkts. 8.— RM

(○) **Antirrhinum maximum "Lia Rosescu"**

This new forcing type of Snapdragon has quite closed spikes of wonderful formed flowers of dark wine red colour. A bright gleam on day and even by electric light Lia Rosescu is well adapted for table decoration. The plant with its long stemmed branches is 2 feet in height and much more robust growing than any other snapdragon.

100 pkts. 58.— RM, 10 pkts. 7.— RM

(○) **Aster sinensis fl. pl.**

Unicum Aster "Autumn Wonder" (Haage & Schmidt)

Fine new variety of this largest flowered Aster, gracefully curled, 5 inches in diameter of brilliant-carmine colour. — Perfectly true from seed. 100 pkts. 40.— RM, 10 pkts. 5.— RM

Rose-Aster "Youth"

The double form of this new Aster is very perfect and the colour of the flowers is a wonderful rosy clear incarnate with a tender chamois or salmon shine. The flowers stalks are strong and of good conservation. By the charm of the colour, this showy variety will soon become a favorite among the cutflowers. 100 pkts. 30.— RM, 10 pkts. 3.60 RM.

(○ △) **Begonia semperflorens "Thunderbolt"**

As the name says the beautiful colour of the flowers is the most dazzling and darkest red of all known gracilis and semperflorens-varieties. In the bud bloodred, the open flowers show a deep carmine scarlet of brilliant colour. The dark green leaves are brownish margined. For edging and bedding purposes this sort is indeed irreparable.

100 pkts. 35.— RM, 10 pkts. 4.— RM.

(○) **Clarkia elegans nana fl. pl., Double dwarf "Princess" (Haage & Schmidt)**

An absolutely distinct new form of Clarkia elegans, of 1 foot in height. The stems are burdened with closed rosettes of charming flesh-coloured blossoms. The habitus is of globular shape. Perfectly true from seed. 100 pkts. 50.— RM, 10 pkts. 6.— RM.

4 ***Echeveria retusa hybrida***

The robust growing Hybrid with its stems of $\frac{3}{4}$ foot in height bears beautiful large orange-red to carmine-red flowers in rich branched panicles. The proper pretty material is well adapted for room decoration.

100 pkts. 40.— RM, 10 pkts. 4.50 RM.

4 ***Erigeron speciosum semiplenum "Azure Beauty"***

An attractive novelty of great merit. The plant reaches a height of $2\frac{1}{2}$ feet and is so floriferous that it literally covers itself with flowers. It is an ideal subject for herbaceous border and for cutting purposes.

100 pkts. 30.— RM, 10 pkts. 4.— RM.

◎ □ ***Primula malacoides compacta fl. pl.***

"**kermesina**"

"**violacea**"

"**rosea**"

} These magnificent colourings are in high estimation for potculture, for cutting purposes and fill-baskets.

100 pkts. 50.— RM, 10 pkts. 6.— RM.

◎ ***Tropaeolum majus fl. pl. Nasturtium, Double sweet scented "Scarlet Gleam"***

A worthy pendant to the first double-flowering seed-bearing variety Golden Gleam, an introduction of recent years. The colour is a fiery orange scarlet of splendid brightness. The foliage shows a nice fresh green surpassed by the effective sweet-scented flowers. Of easiest culture the Scarlet Gleam is best fit for balconies, walls etc. and certainly the greatest attraction of all popular annuals.

per lb. 50.— RM, per oz. 4.— RM.
per 100 pkts. 44.— RM, per 10 pkts. 4.80 RM

◎ ***Tropaeolum majus fl. pl. "Double new Hybrids"***

As per the description of the raiser this mixture contains the best known and also a beautiful range of colours running through salmon, creamy-yellow, orange carmine, cherry-red, brownish-red golden-yellow with scarlet blotches. Fine exhibition strain.

per lb. 36.— RM, per oz. 2.80 RM.
100 pkts. 32.— RM, per 10 pkts. 3.60 RM.

